



TECHNICAL SERVICE REPORT

Mesh Thread Diameter Recommendations

In certain mesh counts, there is a selection of thread diameters: S-O, T-O and HD.

For best results, consider these thread diameters:

S - thinnest diameter permits higher squeegee speeds - requires quality stencils	
Mesh for glitters	25-53 threads/in (10-21 threads/cm)
Mesh for metallics	60-110 threads/in (24-43 threads/cm)

T - medium diameter soft-hand printing as well as wet-on-wet on darks	
Mesh for soft-hand	140-305 threads/in (55-120 threads/cm)
Mesh for underbase	110-230 threads/in (43-90 threads/cm)
Mesh for wet-on-wet over underbase	195-355 threads/in (77-140 threads/cm)
Mesh for halftones	305-355 threads/in (120-140 threads/cm)

HD - thickest diameter requires a slower speed, thicker stencil, and a dull-edged squeegee	
Mesh for athletic numbering & flocking	51-95 threads/in (20-38 threads/cm)
Mesh for opaque hot-split transfers	51-86 threads/in (20-34 threads/cm)
Mesh for maximum puff height	74-125 threads/in (29-49 threads/cm)

PolyOne © Corporation
PolyOne © Corporation

The information contained herein is believed to be reliable, but no representations, guarantees, or warranties of any kind are made as to its accuracy, suitability for particular applications, or the results to be obtained therefrom. The information is based on laboratory work with small-scale equipment and does not necessarily indicate end-product performance. Because of the variations in methods, conditions, and equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the products for the application disclosed. Full-scale testing and end-product performance are the responsibility of the user. PolyOne shall not be liable for and the customer assumes all risk and liability of any use or handling of any material beyond PolyOne's direct control. POLYONE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Nothing contained herein is to be considered as permission, recommendation, nor as an inducement to practice any patented invention without permission of the patent owner.