

MATERIAL SAFETY DATA SHEET

# PANTONE 300C

Version Number 1.0 Revision Date 09/07/2001 Page 1 of 5 Print Date 10/31/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PANTONE 300C
Product code	:	CC10000760
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET

# PANTONE 300C

sion Date 09/07/2001	Print Date 10/31/2
	4. FIRST AID MEASURES
Inhalation	<ul> <li>Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



## MATERIAL SAFETY DATA SHEET

# PANTONE 300C

			Print D	ate 10/31/	
	ar	nd contamination. Keep in a	dry, cool place.		
8. I	EXPOSURE	CONTROLS / PERSONAI	PROTECTION		
Respiratory protection	: N	o personal respiratory protec	tive equipment normally r	required.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		andle in accordance with goo ash hands before breaks and		afety practic	
Engineering measures		eat only in areas with approp ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
1	15 mg/m3	PEL:	Total dust.	OSHA Z	
	10 mg/m3	Time Weighted Average (TWA):	as Ti		
	10 mg/m3	Time Weighted Average (TWA):	as Ti		
	10 mg/m3 9. PHYSIC	Time Weighted Average (TWA): CAL AND CHEMICAL PR	as Ti OPERTIES	MX OEI	
Form	10 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): CAL AND CHEMICAL PR	as Ti OPERTIES oration rate : Not	MX OEI	
Appearance	10 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): CAL AND CHEMICAL PR I Evapo ts Speci	as Ti OPERTIES oration rate : Not ific Gravity : Not	MX OEI applicable. determined	
Appearance Color	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU	Time Weighted Average (TWA): CAL AND CHEMICAL PR t Evaports Speci E Bulk	as Ti OPERTIES oration rate : Not ific Gravity : Not density : Not	MX OEI applicable. determined. established	
Appearance Color Odor	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very	Time Weighted Average (TWA): CAL AND CHEMICAL PR L Evaports Speci E Bulk faint Vapo	as Ti OPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not	applicable. determined established applicable	
Appearance Color Odor Melting point/range	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c	Time Weighted Average (TWA): CAL AND CHEMICAL PR I Evapo ts Speci E Bulk faint Vapo determined. Vapo	as Ti OPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not or density : Not	MX OEI applicable. determined established applicable applicable	
Appearance Color Odor	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c	Time Weighted Average (TWA): CAL AND CHEMICAL PR I Evapo ts Speci E Bulk faint Vapo determined. Vapo applicable pH	as Ti OPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not or density : Not	applicable. determined. established applicable	
Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol	Time Weighted Average (TWA): CAL AND CHEMICAL PR I Evapo ts Speci E Bulk faint Vapo determined. Vapo applicable pH	as Ti OPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not : Not	MX OEI applicable. determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol 10. S	Time Weighted Average (TWA): CAL AND CHEMICAL PR I Evapo ts Speci E Bulk faint Vapo determined. Vapo applicable pH uble	as Ti OPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not	applicable. determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol 10. S	Time Weighted Average (TWA): CAL AND CHEMICAL PR I Evapo ts Speci E Bulk faint Vapo determined. Vapo applicable pH uble	as Ti OPERTIES oration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not	MX OEI applicable. determined established applicable applicable	



# MATERIAL SAFETY DATA SHEET

# PANTONE 300C

sion Date 09/07/2001			Print Date 10/31/2	
Incompatible Materials	: Incompatible w	vith strong acids and o	oxidizing agents.	
Hazardous decomposition products			oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11. TOXICOLOGI	CAL INFORMATIO	ON	
health data for the individua			ure effects listed are based on ex	
<u>Toxicity Overview</u> This product contains the fo	llowing components whi	ich in their pure form	have the following characteristi	
CAS-No.	Chemical Name	Effect	Target Organ	
13463-67-7 Tita	anium dioxide	Systemic effects	Respiratory system.	
	12. ECOLOGICA	L INFORMATION	1	
Persistence and degradabilit	ty : Not readily bio	degradable.		
Environmental Toxicity	: Chemicals are r of the polymer.	Chemicals are not readily available as they are bound within the matrix of the polymer.		
Bioaccumulation Potential	: Chemicals are r of the polymer.	•	is they are bound within the matri	
Additional advice	: No data availab	ble.		
	13. DISPOSAL C	CONSIDERATIONS	5	
Product	recycling is pre waste material l transportation a	ferred to disposal or the has the responsibility	et can be recycled. Where possib incineration. The generator of for proper waste classification, lance with applicable federal, s.	
has the res		ibility for proper was accordance with app	e. The generator of waste materia te classification, transportation licable federal, state/provincial	
	14. TRANSPOR	T INFORMATION		
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for	or transportation.		
ICAO/IATA	: Not regulated for	or transportation.		



### MATERIAL SAFETY DATA SHEET

# PANTONE 300C

Version Number 1.0 Revision Date 09/07/2001 Page 5 of 5 Print Date 10/31/2011

	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not Listed.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.