

MATERIAL SAFETY DATA SHEET

PURPLE

Version Number 1.0 Revision Date 10/08/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PURPLE
Product code	:	CC10000783
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Barium sulfate	7727-43-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PURPLE

sion Date 10/08/2001	Print Date 11/1/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit Autoignition temperature	: Not applicable : Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PURPLE

JRPLE						
sion Number 1.0 vision Date 10/08/2001			Print	Page 3 of Date 11/1/20		
	aı	nd contamination. Keep in a	dry, cool place.			
8. E	XPOSURE	CONTROLS / PERSONAL	L PROTECTION			
Respiratory protection	: N	o personal respiratory protect	tive equipment normally	required.		
Eye/Face Protection	: S	afety glasses with side-shield	ls.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	Safety shoes.				
General Hygiene Considerations		landle in accordance with goo Vash hands before breaks and		afety practice.		
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Barium sulfate	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH		
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES			
Form: SolidAppearance: PelleColor: PUROdor: VeryMelting point/range: Not of		etsSpecific Gravity: Not determinedPLEBulk density: Not established/ faintVapor pressure: Not applicabldetermined.Vapor density: Not applicablapplicablepH: Not applicabl		determined. established applicable applicable		
	10. S	STABILITY AND REACT	IVITY			
Stability	: S	table.				
Hazardous Polymerization	1 : W	Vill not occur.				
Conditions to avoid		eep away from oxidizing age ecomposition, do not overhea		woid thermal		
Incompatible Materials	: Ir	ncompatible with strong acid	s and oxidizing agents.			
Incompatible Materials	: Ir	ncompatible with strong acid	s and oxidizing agents.			



MATERIAL SAFETY DATA SHEET

PURPLE

Version Number 1.0 Revision Date 10/08/2001 Page 4 of 5 Print Date 11/1/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7727-43-7	Barium sulfate	Irritant	Respiratory system.
		Systemic effects	Eyes, Respiratory system.

	12. ECOLOGICAL INFORMATION				
Persistence and degradability	: Not readily biodegradable.				
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data available.				
	13. DISPOSAL CONSIDERATIONS				
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPORT INFORMATION				
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.				
ICAO/IATA	: Not regulated for transportation.				
IMO / IMDG	: Not regulated for transportation.				



MATERIAL SAFETY DATA SHEET

PURPLE

Version Number 1.0 Revision Date 10/08/2001

Page 5 of 5 Print Date 11/1/2011

OSHA Status		Classified as beza	rdoug bagad on a	omponente	
	: Classified as hazardous based on components.				
TSCA Status		All components of this product are listed on the TSCA inventory or are exempt.			
California Proposition 65	: '	This product does not contain a substance listed by California Prop 65.			
SARA Title III Section 313 T	oxic Ch	nemicals:			
Chemical Nam			CAS-No.	Weight %]
Barium sulfate			7727-43-7	16.53	
Canadian Regulations:					
WHMIS Classification	1 :	D2B			
WHMIS Ingredient Dis	sclosure	e List			
CAS-No. 1333-86-4					
DSL	:	Listed.			
National Inventories:					
Australia AICS	:	Not determined.			
China IECS	:	Not determined.			
Europe EINECS	:	Not determined.			
Japan ENCS	:	Not determined.			
Korea KECI	:	Not determined.			
Philippines PICCS	:	Not determined.			
		16. OTHER INF			

belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.