

MATERIAL SAFETY DATA SHEET

ORANGE

Version Number 1.0 Revision Date 09/17/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE
Product code	:	CC10001427
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

ORANGE

sion Date 09/17/2001	Print Date 11/1/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foam.
Second Fire Fighting	Evilian out on the section of the se
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Tioeedules	contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

ORANGE

			1 1110	Date 11/1/	
	a	nd contamination. Keep in	a dry, cool place.		
8. F	XPOSURE	CONTROLS / PERSONA	L PROTECTION		
Respiratory protection	: N	o personal respiratory prote	ctive equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shiel	ds.		
Hand protection	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z	
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL	
	9. PHYSIC	CAL AND CHEMICAL P	ROPERTIES		
	a 11				
-			poration rate : No	t applicable.	
Form	: Solid			t determined.	
Appearance	: Pelle	ts Spe	cific Gravity : No	t actablished	
Appearance Color	: Pelle : ORA	ts Spea NGE Bull	cific Gravity : No c density : No	t established	
Appearance Color Odor	: Pelle : ORA : Very	ts Spec NGE Bull faint Vap	cific Gravity : No c density : No or pressure : No	t applicable	
Appearance Color Odor Melting point/range	: Pelle : ORA : Very : Not o	ts Spec NGE Bull faint Vap letermined. Vap	cific Gravity : No c density : No or pressure : No or density : No	t applicable t applicable	
Appearance Color Odor	: Pelle : ORA : Very : Not o	ts Spec NGE Bull faint Vap determined. Vap applicable pH	cific Gravity : No c density : No or pressure : No or density : No	t applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : ORA : Very : Not o : Not a : Insol	ts Spec NGE Bull faint Vap determined. Vap applicable pH	cific Gravity : No c density : No or pressure : No or density : No : No	t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : ORA : Very : Not o : Not a : Insol	ts Spec NGE Bull faint Vap determined. Vap applicable pH uble	cific Gravity : No c density : No or pressure : No or density : No : No	t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : ORA : Very : Not o : Not a : Insol 10. S : S	ts Spea NGE Bull faint Vap determined. Vap applicable pH uble	cific Gravity : No c density : No or pressure : No or density : No : No	t applicable t applicable	



MATERIAL SAFETY DATA SHEET

ion Number 1.0 sion Date 09/17/2001			Page Print Date 11/1/	
Incompatible Materials	: Incompatib	le with strong acids and	oxidizing agents.	
Hazardous decomposition products			oxide (CO), oxides of nitrogen and smoke are all possible.	
	11. TOXICOLO	GICAL INFORMATI	ON	
This mixture has not been eva health data for the individual of			sure effects listed are based on ex	
<u>Toxicity Overview</u> This product contains the follo	owing components	which in their pure forn	n have the following characterist	
	Chemical Name	Effect	Target Organ	
13463-67-7 Titan	ium dioxide	Systemic effects	Respiratory system.	
	12. ECOLOG	ICAL INFORMATIO	N	
Persistence and degradability	: Not readily	biodegradable.		
Environmental Toxicity	: Chemicals a of the polyr	•	as they are bound within the matr	
Bioaccumulation Potential		Chemicals are not readily available as they are bound within the matrix of the polymer.		
Additional advice	: No data ava	ailable.		
	13. DISPOSA	L CONSIDERATION	S	
Product	recycling is waste mater transportati	Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	 Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 			
	14. TRANSP	ORT INFORMATION	I	
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulate	ed for transportation.		
ICAO/IATA	: Not regulate	ed for transportation.		



MATERIAL SAFETY DATA SHEET

ORANGE

Version Number 1.0 Revision Date 09/17/2001

Page 5 of 5 Print Date 11/1/2011

	15	REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Dis	closu	re List
CAS-No. 1333-86-4 150-13-0		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not Listed.
Japan ENCS	:	Not Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.