

MATERIAL SAFETY DATA SHEET

BLUE CD1804

Version Number 1.0 Revision Date 09/17/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE CD1804
Product code	:	CC10001476
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

BLUE CD1804

sion Date 09/17/2001	Print Date 11/1/2		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. 		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

BLUE CD1804

			Print	Page : Date 11/1/
	aı	nd contamination. Keep in a c	lry, cool place.	
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		safety practic
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3 10 mg/m3	(TWA): PEL: Time Weighted Average (TWA):	Total dust. as Ti	
	10 mg/m3	PEL: Time Weighted Average	as Ti	
	10 mg/m3 9. PHYSIC	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	as Ti DPERTIES	MX OEI
Form	10 mg/m3 9. PHYSIC : Solid	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	as Ti DPERTIES ration rate : No	MX OEI
Appearance	10 mg/m3 9. PHYSIC : Solid : Pelle	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO I Evapo ts Specif	as Ti DPERTIES Dration rate : No Tic Gravity : No	t determined.
Appearance Color	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO L Evapo ts Specif E Bulk of	as Ti DPERTIES Tration rate : No Tic Gravity : No lensity : No	MX OEI t applicable. t determined. t established
Appearance Color Odor	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO L Evapo ts Specif E Bulk c faint Vapor	as Ti DPERTIES ration rate : No ration r	MX OEI t applicable. t determined. t established t applicable
Appearance Color Odor Melting point/range	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO L Evapo ts Specif E Bulk c faint Vapor determined. Vapor	as Ti DPERTIES ration rate : No ic Gravity : No lensity : No pressure : No density : No	MX OEI t applicable. t determined t established t applicable t applicable
Appearance Color Odor	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO L Evapo ts Specif E Bulk of faint Vapor letermined. Vapor applicable pH	as Ti DPERTIES ration rate : No ic Gravity : No lensity : No pressure : No density : No	MX OEI t applicable. t determined t established t applicable
Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO L Evapo ts Specif E Bulk of faint Vapor letermined. Vapor applicable pH	as Ti DPERTIES Tration rate : No Tration rate : No	MX OEI t applicable. t determined t established t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol 10. S	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO I Evapo ts Specif E Bulk c faint Vapor determined. Vapor applicable pH uble Uble	as Ti DPERTIES Tration rate : No Tration rate : No	MX OEI t applicable. t determined t established t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol 10. S : S	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO L Evapor ts Specifi E Bulk of faint Vapor determined. Vapor applicable pH uble STABILITY AND REACTIVE	as Ti DPERTIES Tration rate : No Tration rate : No	MX OEI t applicable. t determined t established t applicable t applicable



MATERIAL SAFETY DATA SHEET

BLUE CD1804				
ersion Number 1.0 Nevision Date 09/17/2007	1			Page 4 of Print Date 11/1/20
Incompatible Materials	:	Incompatible	with strong acids and o	oxidizing agents.
Hazardous decompositi products	ion :			oxide (CO), oxides of nitrogen nd smoke are all possible.
	11.	TOXICOLOG	ICAL INFORMATIO	ON
This mixture has not be health data for the indiv				ure effects listed are based on existi
<u>Toxicity Overview</u> This product contains th	he followin	g components wh	nich in their pure form	have the following characteristics:
CAS-No.	Che	mical Name	Effect	Target Organ
13463-67-7	Titanium	dioxide	Systemic effects	Respiratory system.
	1	2. ECOLOGIC	AL INFORMATION	1
Persistence and degrada				
Environmental Toxicity	-	-	not readily available a	as they are bound within the matrix
Bioaccumulation Poten	tial :	Chemicals are of the polymer		as they are bound within the matrix
Additional advice	:	No data availa	ble.	
		13. DISPOSAL	CONSIDERATIONS	5
Product	:	recycling is pr waste material transportation	eferred to disposal or has the responsibility	et can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal, s.
Contaminated packagin	ıg :	has the respon	sibility for proper was accordance with app	e. The generator of waste material ste classification, transportation licable federal, state/provincial
		14. TRANSPOR	RT INFORMATION	
U.S. D.O.T. / CA T.D. Classification (Non-bul ground)		Not regulated	for transportation.	
ICAO/IATA		Not regulated	for transportation.	
iene/intin	•	Not regulated	for transportation.	



MATERIAL SAFETY DATA SHEET

BLUE CD1804

Version Number 1.0 Revision Date 09/17/2001 Page 5 of 5 Print Date 11/1/2011

	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not Listed.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16 OTHER INFORMATION

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.