

MATERIAL SAFETY DATA SHEET

10085753 SILVER

Version Number 1.0 Revision Date 09/23/2001 Page 1 of 6 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (770) 271-5902 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | 10085753 SILVER |
| Product code | : | CC10001877 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 5 - 10 |
| Aluminum | 7429-90-5 | 10 - 30 |
| Mica | 12001-26-2 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|----------------------------|---|
| Acute exposure | |
| Inhalation Ingestion | Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed. |
| Eyes | : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| | |



MATERIAL SAFETY DATA SHEET

10085753 SILVER

| sion Date 09/23/2001 | Print Date 11/1/2 |
|--|--|
| Medical Conditions Aggravated by Exposure: | : None known. |
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature | Not applicable Not applicable Not relevant |
| Suitable extinguishing media | : Carbon dioxide blanket, water spray, dry powder, foam. |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : None |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |

MATERIAL SAFETY DATA SHEET

10085753 SILVER

| Pol | vOne |
|-----|------|
| | |

| Version Number 1.0 Revision Date 09/23/2001 | | Page 3 of 6 Print Date 11/1/2011 |
|--|-------|---|
| Storage | : | Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. |
| 8. EXH | POSUI | RE CONTROLS / PERSONAL PROTECTION |
| Respiratory protection | : | No personal respiratory protective equipment normally required. |
| Eye/Face Protection | : | Safety glasses with side-shields. |
| Hand protection | : | Protective gloves. |
| Skin and body protection | : | Long sleeved clothing. |
| Additional Protective Measures | : | Safety shoes. |
| General Hygiene Considerations | : | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. |
| Engineering measures | : | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. |
| | | |

Exposure limit(s)

| Components | Value | Exposure time | Exposure type | List: |
|------------------|----------|-----------------------|------------------------|---------|
| Aluminum | 10 mg/m3 | Time Weighted Average | Dust. | ACGIH |
| | | (TWA): | | |
| | 5 mg/m3 | Time Weighted Average | Welding fume. as Al | ACGIH |
| | | (TWA): | | |
| | 15 mg/m3 | PEL: | Total dust. as Al | OSHA Z1 |
| | 5 mg/m3 | PEL: | Respirable dust. as Al | OSHA Z1 |
| Mica | 3 mg/m3 | Time Weighted Average | | ACGIH |
| | | (TWA): | | |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average | Dust. | ACGIH |
| | | (TWA): | | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- Solid
 Pellets
 GREY
 Very faint
 Not determined.
 Not applicable
 Insoluble
- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH
- Not applicable.
 Not determined.
 Not established
 Not applicable
 Not applicable
 Not applicable

10. STABILITY AND REACTIVITY

3/6



MATERIAL SAFETY DATA SHEET

| 0085753 SILV | ER | | | Done 14 | |
|---|-----------------|--|--------------------------------------|--|--|
| ersion Number 1.0 evision Date 09/23/2 | 2001 | | | Page 4 o Print Date <u>11/1/20</u> | |
| | | | | | |
| Stability | : St | able. | | | |
| Hazardous Polymer | ization : W | : Will not occur. | | | |
| Conditions to avoid | | : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. | | | |
| Incompatible Mater | ials : In | compatible | with strong acids and o | oxidizing agents. | |
| Hazardous decomp products | | | | oxide (CO), oxides of nitrogen nd smoke are all possible. | |
| | 11. TO | KICOLOG | ICAL INFORMATIO | ON | |
| - | | - | | have the following characteristics | |
| CAS-No. | Chemical | | Effect | Target Organ | |
| 13463-67-7 | Titanium dioxi | de | Systemic effects | Respiratory system. | |
| 7429-90-5 | Aluminum | | Irritant | Skin, Respiratory system. | |
| 12001-26-2 | Mica | | Systemic effects Systemic effects | Eyes, Skin, Respiratory system. | |
| 12001-20-2 | Iviica | | Systemic effects | Respiratory system. | |
| | 12. E | COLOGIC | AL INFORMATION | 1 | |
| Persistence and deg | radability : No | ot readily bio | odegradable. | | |
| Environmental Tox | | emicals are the polymer | | s they are bound within the matrix | |
| Bioaccumulation P | | emicals are the polymer | | s they are bound within the matrix | |
| Additional advice | : No | o data availa | ble. | | |
| | 13. D | ISPOSAL | CONSIDERATIONS | \$ | |
| Product | ree | cycling is pr | referred to disposal or | et can be recycled. Where possible incineration. The generator of for proper waste classification, | |

Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial Contaminated packaging :

state/provincial and local regulations.

transportation and disposal in accordance with applicable federal,



MATERIAL SAFETY DATA SHEET

10085753 SILVER

| sion Number 1.0 rision Date 09/23/2001 | | | | | Print D | Page 5 (ate 11/1/2) |
|--|---|------|--------------------------------|-----------------------|-------------------------|-------------------------|
| | | | and local regulat | ions. | | |
| | | 1 | 4. TRANSPORT | INFORMATION | 1 | |
| U.S. D.O.T. / CA T.D.G. : Classification (Non-bulk ground) | | : | Not regulated for | r transportation. | | |
| ICAO/IATA | | : | Not regulated for | r transportation. | | |
| IMO / IMDG: Not regulated for transportation. | | | | | | |
| | | 15 | . REGULATOR | Y INFORMATIO | N | |
| US Regulations: | | | | | | |
| OSHA St | atus | : | Classified as haz | ardous | | |
| TSCA Sta | atus | : | All components exempt. | of this product are l | listed on the TSCA inv | entory or are |
| California 65 | a Proposition | : | This product doe | es not contain a sub | stance listed by Califo | rnia Prop 65. |
| SARA Title III S | ection 313 Tox | ic (| Chemicals: | | | |
| C | hemical Name | | | CAS-No. | Weight % | 1 |
| | LUMINUM (F | UM | E OR DUST) | 7429-90-5 | 13.22 |] |
| | | | | | | |
| Canadian Regula | tions: | | | | | |
| - | tions: Classification | : | D2B | | | |
| WHMIS | Classification | • | | | | |
| WHMIS WHMIS I | | • | | | | |
| WHMIS WHMIS I | Classification Ingredient Discl CAS-No. 1429-90-5 | • | | | | |
| WHMIS WHMIS I 7 1 | Classification Ingredient Discl CAS-No. 429-90-5 2001-26-2 | losu | rre List | | | |
| WHMIS WHMIS I 0 7 1 DSL | Classification Ingredient Discl CAS-No. 7429-90-5 2001-26-2 ries: | losu | rre List | | | |
| WHMIS WHMIS I 07 1 DSL National Invento | Classification Ingredient Discl CAS-No. 7429-90-5 2001-26-2 ries: AICS | losu | rre List Listed. | | | |
| WHMIS WHMIS I 7 1 DSL National Invento Australia | Classification Ingredient Discl CAS-No. 429-90-5 2001-26-2 ries: AICS CS | losu | rre List Listed. Listed. | | | |

MATERIAL SAFETY DATA SHEET

Korea KECI

10085753 SILVER

Version Number 1.0 Revision Date 09/23/2001

Page 6 of 6

Print Date 11/1/2011

: Listed.

Philippines PICCS : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.