

MATERIAL SAFETY DATA SHEET

GREEN BCMR-3854

Version Number 1.0 Revision Date 09/24/2001 Page 1 of 6 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN BCMR-3854
Product code	:	CC10001893
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions	Refer to Section 11 for Toxicological Information.None known.
Aggravated by Exposure:	



MATERIAL SAFETY DATA SHEET

GREEN BCMR-3854

Version Number 1.0 Page 2 of 6 Revision Date 09/24/2001 Print Date 11/1/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist or in all cases of doubt seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Carbon dioxide blanket, water spray, dry powder, foam. Suitable extinguishing media : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by scoop or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption ·



MATERIAL SAFETY DATA SHEET

GREEN BCMR-3854

Version Number 1.0 Revision Date 09/24/2001 Page 3 of 6 Print Date 11/1/2011

		nd contamination. Keep in a	,,	
8. H	EXPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection		To personal respiratory protect usty conditions occur wear a		
Eye/Face Protection	: sa	afety glasses		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene:Wash hands and face before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice for diagnostics.				
Engineering measures		leat only in areas with appro ppropriate exhaust ventilatio		Provide
E				
Exposure limit(s)				
	** *			
Components	Value	Exposure time	Exposure type	List:
Components Carbon black	Value 3.5 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	ACGIH
		Time Weighted Average		
	3.5 mg/m3 3.5 mg/m3	Time Weighted Average (TWA):	Total dust. Total dust.	ACGIH
Carbon black	3.5 mg/m3 3.5 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PH	Total dust. Total dust.	ACGIH OSHA Z1
Carbon black	3.5 mg/m3 3.5 mg/m3	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PH	Total dust. Total dust. ROPERTIES Doration rate : Not	ACGIH
Carbon black	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PI d Evap es Spec	Total dust. Total dust. ROPERTIES poration rate : Not ific Gravity : Not	ACGIH OSHA Z1
Carbon black Form Appearance	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : flake : GRE	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PH d Evap es Spec EEN Bulk	Total dust. Total dust. ROPERTIES poration rate : Not ific Gravity : Not idensity : Not	ACGIH OSHA Z1
Carbon black Form Appearance Color	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : flake : GRE : Very	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PH d Evap es Spec EEN Bulk y faint Vap	Total dust. Total dust. ROPERTIES poration rate : Not ific Gravity : Not c density : Not or pressure : Not	ACGIH OSHA Z1 t applicable. t determined. t determined.
Carbon black Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : flake : GRE : Very : Grea	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PH d Evap es Spec EEN Bulk y faint Vap	Total dust. Total dust. ROPERTIES poration rate : Not ific Gravity : Not c density : Not or pressure : Not or density : Not	ACGIH OSHA Z1 applicable. t determined. t determined. t determined.
Carbon black Form Appearance Color Odor Melting point/range	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : flake : GRE : Very : Grea	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PF d Evap es Spec EEN Bulk / faint Vap (ter than 130 Deg C Vap applicable pH	Total dust. Total dust. ROPERTIES poration rate : Not ific Gravity : Not c density : Not or pressure : Not or density : Not	ACGIH OSHA Z1 applicable. t determined. t determined. t determined. t determined.
Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : flake : GRE : Very : Grea : Not : Insol	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PF d Evap es Spec EEN Bulk / faint Vap (ter than 130 Deg C Vap applicable pH	Total dust. Total dust. ROPERTIES poration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not : Not	ACGIH OSHA Z1 applicable. determined. determined. determined. determined.
Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : flake : GRE : Very : Grea : Not : Insol 10. §	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PH d Evap es Spec EEN Bulk v faint Vaputer than 130 Deg C Vapu applicable pH luble	Total dust. Total dust. ROPERTIES poration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not : Not	ACGIH OSHA Z1 applicable. determined. determined. determined. determined.
Carbon black Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : flake : GRE : Very : Grea : Not : : Insol 10. S : S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PF d Evap es Spec EEN Bulk 7 faint Vap- ter than 130 Deg C Vap- applicable pH luble STABILITY AND REACT	Total dust. Total dust. ROPERTIES poration rate : Not ific Gravity : Not density : Not or pressure : Not or density : Not : Not : Not	ACGIH OSHA Z1 applicable. determined. determined. determined. determined.
Carbon black Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	3.5 mg/m3 3.5 mg/m3 9. PHYSIO : Solid : flake : GRE : Very : Grea : Not : Insol 10. § : S n : V	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PF d Evap es Spec EEN Bulk faint Vap ter than 130 Deg C Vap applicable pH luble STABILITY AND REACT table.	Total dust. Total dust. Total dust. ROPERTIES poration rate : Not ific Gravity : Not or pressure : Not or density : Not if consistival : Not if consistival	ACGIH OSHA Z1 applicable. determined. determined. determined. determined.



MATERIAL SAFETY DATA SHEET

GREEN BCMR-3854

Version Number 1.0 Revision Date 09/24/2001 Page 4 of 6 Print Date 11/1/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system, heart
			or circulatory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.



MATERIAL SAFETY DATA SHEET

GREEN BCMR-3854

ision Date 09/24/2001	Page : Print Date 11/1/
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matr of the polymer.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: Chemicals are not readily available as they are bound within the matr of the polymer.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous
TSCA Status	: All components of this product are listed on the TSCA inventory or a exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 6
Canadian Regulations:	
WHMIS Classification	: D2B



MATERIAL SAFETY DATA SHEET

GREEN BCMR-3854

Version Number 1.0 Revision Date 09/24/2001 Page 6 of 6 Print Date 11/1/2011

	WHMIS Ingredient Discl CAS-No. 1333-86-4	losu	re List
	DSL	:	Listed.
Natio	nal Inventories:		
	Australia AICS	:	Not Listed.
	China IECS	:	Not Listed.
	Europe EINECS	:	Not Listed.
	Japan ENCS	:	Not Listed.
	Korea KECI	:	Not Listed.
	Philippines PICCS	:	Not Listed.
			16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.