

MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 10/04/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW
Product code	:	CC10002079
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





ion Number 1.0 sion Date 10/04/2001	Page 2 Print Date 11/1/
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET



YELLOW

sion Date 10/04/2001			Pri	Page 3 nt Date 11/1/2
Storage		eep containers dry and tightly ad contamination. Keep in a d		ure absorption
8. F	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ve equipment normal	ly required.
Eye/Face Protection	: Sa	afety glasses with side-shields.		
Hand protection	: P1	rotective gloves.		
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practic Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES	
Form	: Solid	Evapor	ration rate : N	Not applicable.
Appearance	: Pelle	ts Specifi	c Gravity : N	Not determined.
Appearance Color	: Pelle : YEL	ts Specifi LOW Bulk d	c Gravity : N ensity : N	Not determined. Not established
Appearance Color Odor	: Peller : YEL : Very	ts Specifi LOW Bulk d faint Vapor	c Gravity : N ensity : N pressure : N	Not determined. Not established Not applicable
Appearance Color Odor Melting point/range	: Peller : YEL : Very : Not d	ts Specifi LOW Bulk d faint Vapor letermined. Vapor	c Gravity : N ensity : N pressure : N density : N	Vot determined. Not established Not applicable Not applicable
Appearance Color Odor Melting point/range Boiling Point:	: Peller : YEL : Very : Not d : Not a	ts Specifi LOW Bulk d faint Vapor letermined. Vapor .pplicable pH	c Gravity : N ensity : N pressure : N density : N	Not determined. Not established Not applicable
Appearance Color Odor Melting point/range	: Peller : YEL : Very : Not d	ts Specifi LOW Bulk d faint Vapor letermined. Vapor .pplicable pH	c Gravity : N ensity : N pressure : N density : N	Vot determined. Not established Not applicable Not applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pellet : YEL : Very : Not d : Not a : Insolu	ts Specifi LOW Bulk d faint Vapor letermined. Vapor .pplicable pH	c Gravity : N ensity : N pressure : N density : N : N	Vot determined. Not established Not applicable Not applicable
Appearance Color Odor Melting point/range Boiling Point:	: Peller : YEL : Very : Not d : Not a : Insolu	ts Specifi LOW Bulk d faint Vapor letermined. Vapor pplicable pH uble	c Gravity : N ensity : N pressure : N density : N : N	Vot determined. Not established Not applicable Not applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pellet : YEL : Very : Not d : Not a : Insolution 10. S : St	ts Specifi LOW Bulk d faint Vapor letermined. Vapor pplicable pH uble	c Gravity : N ensity : N pressure : N density : N : N	Vot determined. Not established Not applicable Not applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pellet : YEL : Very : Not d : Not a : Insolu 10. S : St n : W	ts Specifi LOW Bulk d faint Vapor letermined. Vapor pplicable pH uble TABILITY AND REACTIV able.	c Gravity : N ensity : N pressure : N density : N : N	Vot determined. Vot established Vot applicable Vot applicable Vot applicable



MATERIAL SAFETY DATA SHEET

	001			Page 4 Print Date 11/1/2	
		decompositio	on, do not overheat.		
Incompatible Materia	als	: Incompatible	with strong acids and o	oxidizing agents.	
Hazardous decompos products	sition			oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11	. TOXICOLOG	GICAL INFORMATIO	DN	
health data for the ind	dividual com	ponents which c	omprise the mixture.	are effects listed are based on existence of the second se	
•			-		
CAS-No. 7631-86-9	Che Silica, an	emical Name	Effect Irritant	Target OrganEyes, Respiratory system.	
13463-67-7	Titanium		Systemic effects	Respiratory system.	
Bioaccumulation Potential Additional advice		Chemicals are not readily available as they are bound within the matri of the polymer.No data available.			
		13. DISPOSAL	CONSIDERATIONS		
Product		: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Product		transportation	n and disposal in accord	for proper waste classification, lance with applicable federal,	
Product Contaminated packaş	ging	transportation state/provincRecycling is has the response	n and disposal in accord ial and local regulations preferred when possible nsibility for proper was in accordance with app	for proper waste classification, lance with applicable federal, s.	
	ging	 transportation state/provinc Recycling is has the response of the state of the	n and disposal in accord ial and local regulations preferred when possible nsibility for proper was in accordance with app	for proper waste classification, lance with applicable federal, 3. e. The generator of waste materia te classification, transportation	
	ging	 transportation state/provinc Recycling is has the response of the state of the	and disposal in accordination and local regulations ial and local regulations preferred when possible nsibility for proper was in accordance with appu- ulations.	for proper waste classifi lance with applicable fed 3. e. The generator of waste te classification, transpor	



MATERIAL SAFETY DATA SHEET

YELLOW		
Version Number 1.0 Revision Date 10/04/2001		Page 5 of 5 Print Date 11/1/2011
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Disc.	losu	ure List
CAS-No. 7631-86-9		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.