

MATERIAL SAFETY DATA SHEET

YELLOW, UV

Version Number 1.0 Revision Date 10/04/2001 Page 1 of 6 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW, UV
Product code	:	CC10002189
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine,	70624-18-9	5 - 10
N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-,		
polymer with 2,4,6-trichloro-1,3,5-triazine,		
reaction products with2		
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.





ion Number 1.0 sion Date 10/04/2001	Page 2 Print Date 11/1/2
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.





	Degre 2 of (
	Page 3 of 6 Print Date 11/1/2011
:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
POSUI	RE CONTROLS / PERSONAL PROTECTION
:	No personal respiratory protective equipment normally required.
:	Safety glasses with side-shields.
:	Protective gloves.
:	Long sleeved clothing.
:	Safety shoes.
:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
	::

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average	Total dust.	ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9	D. PHYSICAL AND CHEN	MICAL PROPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point:	 Solid Pellets YELLOW Very faint Not determined. Not applicable 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not applicable. Not determined. Not established Not applicable Not applicable Not applicable 	
Water solubility : Insoluble 10. STABILITY AND REACTIVITY				
Stability Hazardous Polymerization	: Stable. : Will not occur.			



MATERIAL SAFETY DATA SHEET

YELLOW, UV

	001	do not overheat.	1	rint Date 11/1/2	
	-				
Incompatible Mater	ials : Incompatible w	ith strong acids a	nd oxidizing agents		
Hazardous decompo products			onoxide (CO), oxic s, and smoke are all		
	11. TOXICOLOGIO	CAL INFORMA	TION		
	t been evaluated as a whole for h ndividual components which com			l are based on exis	
Toxicity Overview This product contain	ns the following components whi	ch in their pure fo	orm have the follow	ving characteristic	
CAS-No.	Chemical Name	Effect		Target Organ	
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products with2	Highly Toxic	Refer to MSI Data	DS for Toxicity	
13463-67-7	Titanium dioxide	Systemic effect	s Respiratory s	system.	
CAS-No.	ns the following components whi Chemical Name	Route	orm have the follow Value	ving toxicity data: Species	
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products with2	LC50 Oral LD50	112 mgm34H 9,910 mg/kg	rat rat	
	12. ECOLOGICA	L INFORMATI	ON		
Persistence and deg					
Environmental Toxi	icity : Chemicals are n of the polymer.	ot readily availab	le as they are bound	d within the matrix	
Bioaccumulation Po	otential : Chemicals are n of the polymer.	ot readily availab	le as they are bound	d within the matrix	
Additional advice	: No data availab	le.			
	13. DISPOSAL C	ONSIDERATIC	NS		





YELLOW, UV				
Version Number 1.0 Revision Date 10/04/2001		Page 5 of 6 Print Date 11/1/2011		
		recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	1	4. TRANSPORT INFORMATION		
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	:	Not regulated for transportation.		
ICAO/IATA	:	Not regulated for transportation.		
IMO / IMDG	:	Not regulated for transportation.		
	15	. REGULATORY INFORMATION		
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
Canadian Regulations:				
WHMIS Classification	:	D1A		
WHMIS Ingredient Discl	WHMIS Ingredient Disclosure List			
CAS-No. 1333-86-4				
DSL	:	Listed.		
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		



MATERIAL SAFETY DATA SHEET

YELLOW, UV

Version Number 1.0 Revision Date 10/04/2001 Page 6 of 6 Print Date 11/1/2011

Japan ENCS : Not determined.

Korea KECI : Not determined.

Philippines PICCS : Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.