

MATERIAL SAFETY DATA SHEET

## CHERRY RED UV-CO-PP

Version Number 1.0 Revision Date 10/05/2001 Page 1 of 6 Print Date 11/1/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CHERRY RED UV-CO-PP
Product code	:	CC10002431
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-, polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products with2	70624-18-9	5 - 10
Titanium dioxide	13463-67-7	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Resin particles, like other inert materials, can be mechanically irritating.
May be harmful if swallowed.
Resin particles, like other inert materials, are mechanically irritating to eyes.
Experience shows no unusual dermatitis hazard from routine handling.



## MATERIAL SAFETY DATA SHEET

CHERRY RED UV-CO-PP	

Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



## MATERIAL SAFETY DATA SHEET

# CHERRY RED UV-CO-PP

rsion Number 1.0 vision Date 10/05/2001			Print	Page 3 of Date 11/1/20	
Handling		Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			
8. H	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protectiv	ve equipment normally	required.	
Eye/Face Protection	: S	Safety glasses with side-shields.			
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	Long sleeved clothing.			
Additional Protective Measures	: S	Safety shoes.			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES		
Form Appearance	: Solid : Pelle	1		t applicable. t determined.	

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined.
Color	: RED	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined.	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
	: Will not occur.		
Hazardous Polymerization			



## MATERIAL SAFETY DATA SHEET

# CHERRY RED UV-CO-PP

	decomposition	do not overheat.	<u>.</u>	rint Date 11/1/2	
	-				
Incompatible Materi	als : Incompatible w	vith strong acids a	nd oxidizing agents	3.	
Hazardous decompo products			onoxide (CO), oxid s, and smoke are all		
	11. TOXICOLOGIO	CAL INFORMA	TION		
	t been evaluated as a whole for h ndividual components which con			l are based on exis	
<u>Toxicity Overview</u> This product contair	as the following components whi	ich in their pure fo	orm have the follow	ving characteristic	
CAS-No.	Chemical Name			Target Organ	
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products with2	Highly Toxic	Refer to MSI Data	DS for Toxicity	
13463-67-7	Titanium dioxide	Systemic effect	s Respiratory s	system.	
CAS-No.	the following components whi	ich in their pure fo Route LC50	Value	Species	
70624-18-9	9 1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products with2		112 mgm34H 9,910 mg/kg	rat rat	
	12. ECOLOGICA	L INFORMATI	ON		
Persistence and degr			1	1 1111 11 11 11 11 11	
	city : Chemicals are r of the polymer.	•	le as they are bound	a within the matrix	
Persistence and degr Environmental Toxi Bioaccumulation Po	of the polymer.	·	le as they are bound		
Environmental Toxi	of the polymer. tential : Chemicals are r	not readily availab	·		
Environmental Toxi Bioaccumulation Po	tential : Chemicals are r of the polymer.	not readily availab	le as they are bound		



Page 5 of 6

MATERIAL SAFETY DATA SHEET

#### CHERRY RED UV-CO-PP Version Number 1.0 Print Date 11/1/2011 Revision Date 10/05/2001 recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging Recycling is preferred when possible. The generator of waste material : has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. D.O.T. / CA T.D.G. : Not regulated for transportation. Classification (Non-bulk ground) ICAO/IATA Not regulated for transportation. : IMO / IMDG Not regulated for transportation. : **15. REGULATORY INFORMATION** US Regulations: **OSHA Status** Classified as hazardous based on components. : TSCA Status All components of this product are listed on the TSCA inventory or are : exempt. **California Proposition** : This product does not contain a substance listed by California Prop 65. 65 Canadian Regulations: WHMIS Classification : D1A DSL : Listed. National Inventories: Australia AICS : Listed. China IECS : Listed. **Europe EINECS** : Not determined. Japan ENCS : Not determined. Korea KECI : Not determined. **Philippines PICCS** : Not determined.



MATERIAL SAFETY DATA SHEET

# CHERRY RED UV-CO-PP

Version Number 1.0 Revision Date 10/05/2001 Page 6 of 6 Print Date 11/1/2011

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.