

MATERIAL SAFETY DATA SHEET

# **DEEP BLUE 10096617**

Version Number 1.0 Revision Date 10/05/2001 Page 1 of 6 Print Date 11/1/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DEEP BLUE 10096617
Product code	:	CC10002586
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-, polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products with2	70624-18-9	1 - 5
Titanium dioxide	13463-67-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



## MATERIAL SAFETY DATA SHEET

# **DEEP BLUE 10096617**

ion Number 1.0 sion Date 10/05/2001	Page 2 Print Date 11/1/2
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



# MATERIAL SAFETY DATA SHEET

# **DEEP BLUE 10096617**

sion Number 1.0 ision Date 10/05/2001				P	Page 3 rint Date 11/1/2
Handling		ake measures to pre nly in areas with app			ic charge. Heat
Storage		Leep containers dry a nd contamination. K			sture absorption
8. E	XPOSURE	CONTROLS / PEI	RSONAL P	ROTECTION	
Respiratory protection	: N	lo personal respirato	ry protective	e equipment norma	ally required.
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection		rotective gloves.			
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures		afety shoes.	<u>.</u>		
General Hygiene Considerations		landle in accordance Vash hands before bi			
Engineering measures Exposure limit(s)		leat only in areas wit ppropriate exhaust v			ion. Provide
	37.1	E and the			T
Components Titanium dioxide	Value 10 mg/m3	Exposure tin Time Weighted A		Exposure type Total dust.	List: ACGIH
Thumum dioxide	10 1115/1115	(TWA):		i otur dust.	neom
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMI	CAL PROP	PERTIES	
Form	: Solid	1	Evapora	tion rate :	Not applicable.
Appearance	: Pelle	ets	Specific Gravity		Not determined.
Color	: BLUE		Bulk der		Not established
Odor	: Very faint		Vapor p		Not applicable
Melting point/range	: Not determined.				Not applicable
Boiling Point:		applicable	pН	:	Not applicable
Water solubility	: Insol	luble			
	10.5	STABILITY AND I	REACTIVI	ТҮ	
	10. 0				

: Keep away from oxidizing agents and open flame. To avoid thermal

Hazardous Polymerization : Will not occur.

Conditions to avoid



# MATERIAL SAFETY DATA SHEET

# **DEEP BLUE 10096617**

	decomposition	n, do not overheat.			
Incompatible Mater	rials : Incompatible	with strong acids a	nd oxidizing agents	S.	
-	-	-			
Hazardous decompo products			nonoxide (CO), oxid s, and smoke are all		
	11. TOXICOLOG	ICAL INFORMA	TION		
	ot been evaluated as a whole for ndividual components which co			l are based on exi	
<u>Toxicity Overview</u> This product contai	ns the following components w	hich in their pure f	orm have the follow	ving characteristic	
CAS-No.	Chemical Name	Effect		Target Organ	
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products with		Refer to MSI Data	DS for Toxicity	
13463-67-7	Titanium dioxide	Systemic effect	ts Respiratory s	system.	
CAS-No. 70624-18-9	ns the following components w Chemical Name 1,6-Hexanediamine,	Route LC50	Value 112 mgm34H	Species rat	
	N,N'-bis(2,2,6,6-tetrameth		9,910 mg/kg	rat	
	yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi				
	with				
	with 2,4,6-trichloro-1,3,5-triazi ne, reaction products with		ION		
Persistence and deg	with 2,4,6-trichloro-1,3,5-triazi ne, reaction products with <b>12. ECOLOGIC</b>	2 CAL INFORMAT	ION		
Persistence and deg Environmental Tox	with 2,4,6-trichloro-1,3,5-triazi ne, reaction products with <b>12. ECOLOGIC</b> gradability : Not readily bi	2 CAL INFORMAT odegradable.	ION ble as they are bound	d within the matrix	
-	with 2,4,6-trichloro-1,3,5-triazi ne, reaction products with <b>12. ECOLOGIC</b> gradability : Not readily bi icity : Chemicals are of the polyme	2 CAL INFORMAT odegradable. e not readily availat er. e not readily availat			
Environmental Tox	with 2,4,6-trichloro-1,3,5-triazi ne, reaction products with <b>12. ECOLOGIC</b> gradability : Not readily bi icity : Chemicals are of the polyme otential : Chemicals are	2 CAL INFORMAT odegradable. e not readily availab er. e not readily availab er.	ble as they are bound		
Environmental Tox Bioaccumulation Pe	with 2,4,6-trichloro-1,3,5-triazi ne, reaction products with <b>12. ECOLOGIC</b> gradability : Not readily bi icity : Chemicals are of the polyme otential : Chemicals are of the polyme : No data availa	2 CAL INFORMAT odegradable. e not readily availab er. e not readily availab er.	ble as they are bound		



MATERIAL SAFETY DATA SHEET

# **DEEP BLUE 10096617**

sion Number 1.0 ision Date 10/05/2001		Page 5 o Print Date 11/1/20
		recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	:	Not regulated for transportation.
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D1A
WHMIS Ingredient Disc	losu	ire List
CAS-No. 1333-86-4		
DSL	:	Listed.
National Inventories:		
National Inventories: Australia AICS	:	Listed.
	:	Listed. Listed.



#### MATERIAL SAFETY DATA SHEET

# **DEEP BLUE 10096617**

Version Number 1.0 Revision Date 10/05/2001 Page 6 of 6 Print Date 11/1/2011

Japan ENCS: Not determined.Korea KECI: Not determined.

Philippines PICCS

: Not determined.

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.