#### KHAKI UPE

Version Number 1.2 Revision Date 02/04/2019

ne

Page 1 of 15 Print Date 02/05/2019

# SAFETY DATA SHEET

#### KHAKI UPE

Section 1. Identification		
GHS product identifier	:	KHAKI UPE
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10033320
Product type	:	solid
<b>Relevant identified uses of the subs</b>	stance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details		POLYONE CORPORATION
Supplier s details	•	
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/15

## KHAKI UPE

Version Number 1.2 Revision Date 02/04/2019

Page 2 of 15 Print Date 02/05/2019

Hazard statements

No known significant effects or critical hazards.

#### **Precautionary statements**

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10033320

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	10 - 25	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

**Description of necessary first aid measures** 

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

# KHAKI UPE

<u>PolyOne</u>

ΛΠΑΛΙ UPE	
Version Number 1.2 Revision Date 02/04/2019	Page 3 of 15 Print Date 02/05/2019
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, acut	e and delayed
Potential acute health effects	
Eye contact	No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	No specific data.
Inhalation	No specific data.
Skin contact	No specific data.
Ingestion	No specific data.
Indication of immediate medical atten	tion and special treatment needed, if necessary
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	No specific treatment.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Section	11)

# Section 5. Firefighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.

# KHAKI UPE

PolyOne.

Version Number 1.2 Revision Date 02/04/2019	Page 4 of 15 Print Date 02/05/2019
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide phosphorus oxides metal oxide/oxides
Special protective actions for fire- fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions Methods and materials for containme	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containine	int a	
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

Precautions for safe handling

# KHAKI UPE



Version Number 1.2 Revision Date 02/04/2019	Page 5 of 15 Print Date 02/05/2019
Protective measures	Put on appropriate personal protective equipment (see Section 8)

Protective measures	•	Fut on appropriate personal protective equipment (see Section 8).
Advice on general occupational	:	Eating, drinking and smoking should be prohibited in areas where this
hygiene		material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name		Exposure limits
Titanium dioxide		OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end

# KHAKI UPE



Version Number 1.2	Page 6 of 15
Revision Date 02/04/2019	Print Date 02/05/2019

Eye/face protection	:	of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### Appearance

Physical state	:	solid [Granular solid.]
Color	:	TAN
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.

## KHAKI UPE

Version Number 1.2 Revision Date 02/04/2019 Page 7 of 15 Print Date 02/05/2019

ne

Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				
Remarks - Oral:	No applicable toxi	city data		
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Conclusion/Summary	• Mixtu	re Not fully tested		•

**Conclusion/Summary** 

Mixture.Not fully tested.



## KHAKI UPE

Version Number 1.2 Revision Date 02/04/2019

#### Page 8 of 15 Print Date 02/05/2019

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-
Conclusion/Summary	Irritant				
Skin	: N	lixture.Not fu	llv tested		
Eyes		lixture.Not fu			
Respiratory		lixture.Not fu			
Sensitization					
Conclusion/Summary					
Skin		lixture.Not fu			
Respiratory	: N	lixture.Not fu	lly tested.		
<b>Mutagenicity</b>					
Conclusion/Summary	: N	lixture.Not fu	lly tested.		
<b>Carcinogenicity</b>					
Conclusion/Summary Classification	: N	lixture.Not fu	lly tested.		
Product/ingredient name	OSHA	IARC	NTP		
Titanium dioxide		2B			
<u>Reproductive toxicity</u>					
Conclusion/Summary	: N	lixture.Not fu	lly tested.		
<b>Teratogenicity</b>					
Conclusion/Summary	: N	lixture.Not fu	lly tested.		
Specific target organ toxicit Not available.	ty (single exposu	<u>re)</u>			
Specific target organ toxicity Not available.	ty (repeated exp	<u>osure)</u>			
Aspiration hazard					

Not available.

## KHAKI UPE

Version Number 1.2 Revision Date 02/04/2019

<u>PolyOne</u>

Page 9 of 15

Revision Date 02/04/2019	Print Date 02/05/2019
Information on likely routes of exposure	: Not available.
Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the physical, che	mical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	No specific data.
Skin contact	No specific data.
Ingestion	: No specific data.
Delayed and immediate effects as well	as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate effects Potential delayed effects	<ul><li>Not available.</li><li>Not available.</li></ul>
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effects	
Conclusion/Summary	: Mixture.Not fully tested.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Numerical measures of toxicity	
Acute toxicity estimates	

Not available.

## KHAKI UPE

Version Number 1.2 Revision Date 02/04/2019



Page 10 of 15 Print Date 02/05/2019

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure	
Titanium dioxide				
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h	
	water			
Remarks - Acute - Fish:	Acute		-	
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h	
		Crustaceans		
<b>Remarks - Acute - Aquatic</b>	Acute			
invertebrates.:				
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
<b>Remarks - Acute - Aquatic</b>	Acute			
invertebrates.:				
<b>Remarks - Acute - Aquatic</b>	No applicable toxicity data	No applicable toxicity data		
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
KHAKI UPE				
<b>Remarks - Acute - Aquatic</b>	Chemicals are not readily available a	as they are bound within the	e polymer matrix.	
invertebrates.:				
<b>Conclusion/Summary</b>		ly available as they are bou	nd within the	
	polymer matrix.			
Densistence or d de sur d. 1 ''''				
Persistence and degradability	<u>Y</u>			
Conclusion/Summary	: Chemicals are not readi	ly available as they are bou	nd within the	
Conclusion/Summary	polymer matrix.	iy available as they are bou		
	porymer maura.			
Conclusion/Summary	: Chemicals are not readi	ly available as they are bou	nd within the	
conclusion outning	polymer matrix.			
	F			
<b>Bioaccumulative potential</b>				

Not available.

#### KHAKI UPE

Version Number 1.2 Revision Date 02/04/2019

# <u>PolyOne</u>

#### Page 11 of 15 Print Date 02/05/2019

#### <u>Mobility in soil</u>

Soil/water partition coefficient:Not available.(KOC):No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

# Section 15. Regulatory information

U.S. Federal regulations	:	<ul><li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li><li>United States - TSCA 4(a) - Final Test Rules: Not listed</li></ul>
		11/15

## KHAKI UPE

Version Numbe	er 1.2
Revision Date	02/04/2019

# <u>PolyOne</u>

Page 12 of 15 Print Date 02/05/2019

United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc ferrite brown spinel (C.I. Pigment Yellow 119) Zinc stearate **Ethyl benzene** United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	
Hazardous Air Pollutants (HAPs)	•
Clean Air Act Section 602 Class I	
Substances	•
Clean Air Act Section 602 Class II	
Substances	•
DEA List I Chemicals (Precursor	:
Chemicals)	
DEA List II Chemicals (Essential	:
Chemicals)	

- Listed
- Not listed
- Not listed
- Not listed
- Not listed



## KHAKI UPE

Version Number 1.2 Revision Date 02/04/2019 Page 13 of 15 Print Date 02/05/2019

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
Titanium dioxide	>= 10 - <= 25	Delayed (chronic) health hazard

#### SARA 313

	Product name	CAS number	%
Form R - Reporting	Zinc stearate	557-05-1	1 - 3
requirements			
	Zinc ferrite brown spinel	68187-51-9	1 - 3
	(C.I. Pigment Yellow 119)		
Supplier notification	Zinc stearate	557-05-1	1 - 3
	Zinc ferrite brown spinel (C.I. Pigment Yellow 119)	68187-51-9	1 - 3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
-		Titanium dioxide
		Calcium carbonate
		Zinc ferrite brown spinel (C.I. Pigment Yellow 119)
		Zinc stearate
Pennsylvania	:	The following components are listed:
·		Titanium dioxide
		Calcium carbonate
		Zinc ferrite brown spinel (C.I. Pigment Yellow 119)

#### KHAKI UPE

Version Number 1.2 Revision Date 02/04/2019 Page 14 of 15 Print Date 02/05/2019

ne

Zinc stearate

#### California Prop. 65

**WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	No.	No.

nts
nts

# Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required



## KHAKI UPE

Version Number 1.2 Revision Date 02/04/2019

on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<b>HIStor</b>		
Date of printing	:	02/05/2019
Date of issue/Date of revision	:	02/04/2019
Date of previous issue	:	01/16/2018
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.