ne

Version Number 1.1 Revision Date 08/26/2014 Page 1 of 17 Print Date 08/28/2014

SAFETY DATA SHEET

IVORY UV/FR PP

Section 1. Identification	on	
GHS product identifier	:	IVORY UV/FR PP
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10203685
Product type	:	solid
Relevant identified uses of the subs	tance	<u>or mixture and uses advised against</u>
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure
(with hours of operation)		or accident).CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire,
		exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
	:	Not applicable.



Version Number 1.1 Revision Date 08/26/2014 Page 2 of 17 Print Date 08/28/2014

Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10203685

CAS number/other identifiers

Ingredient name	%	CAS number
Antimony trioxide	10 - 30	1309-64-4
Xylenes (o-, m-, p- isomers)	1 - 5	1330-20-7
Titanium dioxide	1 - 5	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated

PolyOne.

Version Number 1.1 Revision Date 08/26/2014		Page 3 of 17 Print Date 08/28/2014
Ingestion	:	clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, a	cute a	and delayed
Potential acute health effects		
Eye contact Inhalation	:	No known significant effects or critical hazards. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical at	tentio	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Secti	on 11	L)
Section 5. Fire-fighting		

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the	:	No specific fire or explosion hazard.
		0/47

<u>PolyOne</u>

SAFETY DATA SHEET IVORY UV/FR PP

Version Number 1.1	Page 4 of 17
Revision Date 08/26/2014	Print Date 08/28/2014

chemical Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide
		nitrogen oxides halogenated compounds
		metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	nt ai	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage



SAFETY DATA SHEET IVORY UV/FR PP

Version Number 1.1 Revision Date 08/26/2014

Page 5 of 17 Print Date 08/28/2014

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational	:	Eating, drinking and smoking should be prohibited in areas where this
hygiene		material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits			
Antimony trioxide	ACGIH TLV (1994-09-01)			
	OSHA PEL (1993-06-30) Calculated as Sb			
	PEL: Permissible Exposure Level 0.5 mg/m3			
	NIOSH REL (1994-06-01) Calculated as Sb			
	Time Weighted Average (TWA) 0.5 mg/m3			
	OSHA PEL 1989 (1989-03-01) Calculated as Sb			
	PEL: Permissible Exposure Level 0.5 mg/m3			
Xylenes (o-, m-, p- isomers)	NIOSH REL (2005-09-30)			
	OSHA PEL (1993-06-30)			
	PEL: Permissible Exposure Level 435 mg/m3 100 ppm			
	OSHA PEL 1989 (1989-03-01)			
	PEL: Permissible Exposure Level 435 mg/m3 100 ppm			
	Short Term Exposure Limit 655 mg/m3 150 ppm			
	ACGIH TLV (1996-05-18)			
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:			
	Permissible Exposure Level 434 mg/m3 100 ppm			



SAFETY DATA SHEET IVORY UV/FR PP

Version Number 1.1 Revision Date 08/26/2014 Page 6 of 17 Print Date 08/28/2014

		TLV-STEL: Threshold Limit Value - Short Time Exposure Level 651 mg/m3 150 ppm
Titanium dioxide		OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01)
		ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a
Shin must action		higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



SAFETY DATA SHEET IVORY UV/FR PP

Version Number 1.1		Page 7 of 17
Revision Date 08/26/2014		Print Date 08/28/2014
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks
		involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, particulate filter respirator complying with an

: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	TAN
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
o courrer a de la correction de la corre	:	Not available.
Auto-ignition temperature		Not available.
Decomposition temperature SADT		Not available.
		Dynamic: Not available.
Viscosity	:	Kinematic: Not available.
		Kinematic: Not available.

Section 10. Stability and reactivity



SAFETY DATA SHEET IVORY UV/FR PP

Version Number 1.1 Revision Date 08/26/2014 Page 8 of 17 Print Date 08/28/2014

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Antimony trioxide				
	LD50 Oral	Rat	34,000 mg/kg	-
Xylenes (o-, m-, p- isomers)			·	·
	LD50 Oral	Rat	4,300 mg/kg	-
	LD50 Oral	Rat	4,300 mg/kg	-
	LC50 Inhalation	Rat	6670 ppm	4 h
	LC50 Inhalation	Rat	5000 ppm	4 h
	LC50 Inhalation	Rat	6700 ppm	4 h
Titanium dioxide				•

Conclusion/Summary

Mixture.Not fully tested.

:

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Antimony trioxide	Eyes - Mild	Rabbit			-
	irritant				
Xylenes (o-, m-, p- isomers)	Skin - Mild	Rat		8 hrs	-
	irritant				
	Skin -	Rabbit			-
	Moderate				
	irritant				
	Skin -	Rabbit		24 hrs	-



SAFETY DATA SHEET IVORY UV/FR PP

Version Number 1.1 Revision Date 08/26/2014 Page 9 of 17 Print Date 08/28/2014

		1				
	Moderate					
	irritant					
	Eyes - Mild	Rabbit			-	
	irritant					
	Eyes - Severe	Rabbit		24 hrs	-	
	irritant					
Conclusion/Summary						
Skin		ixture.Not fu				
Eyes		ixture.Not fu				
Respiratory	: M	ixture.Not fu	Illy tested.			
Sensitization						
Conclusion/Summary						
Skin	: M	ixture.Not fu	illy tested.			
Respiratory	: M	ixture.Not fu	illy tested.			
<u>Mutagenicity</u>						
Conclusion/Summary	: M	ixture.Not fu	illy tested.			
Carcinogenicity						
Conclusion/Summary <u>Classification</u>	: M	ixture.Not fu	illy tested.			
Product/ingredient name	OSHA	Ι	ARC		NTP	
Antimony trioxide			В			
Xylenes (o-, m-, p- isomers)		3				
Titanium dioxide		2	В			
<u>Reproductive toxicity</u>						
Conclusion/Summary	: M	ixture.Not fu	illy tested.			
Teratogenicity						
Conclusion/Summary : Mixture.Not fully tested.						
Specific target organ toxicit Not available.	y (single exposu	<u>re)</u>				
<u>Specific target organ toxicit</u> Not available.	y (repeated expo	<u>osure)</u>				
Aspiration hazard						



Version Number 1.1 Revision Date 08/26/2014 Page 10 of 17 Print Date 08/28/2014

Not available.		
Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	Exposure to decomposition products may cause a health hazard.
Skin contact	:	Serious effects may be delayed following exposure. No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Summary related to the physical sh		col and tarriada sized above staristics
Symptoms related to the physical, ch	iemi	cal and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects and a	also	chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
		N
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxicity		



Version Number 1.1 Revision Date 08/26/2014 Page 11 of 17 Print Date 08/28/2014

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Antimony trioxide			
	Acute LC50 80,000 µg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 530 mg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 1,000,000 µg/l Marine water	Fish - Mummichog	96 h
	Acute EC50 423,450 µg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 730 µg/l Fresh water	Aquatic plants - Green algae	72 h
	Acute EC50 4.15 mg/l Marine water	Aquatic plants - Diatom	96 h
Xylenes (o-, m-, p- isomers)	·		•
	Acute LC50 13,400 µg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 19,000 µg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 20,870 µg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 15,700 µg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 16,940 µg/l Fresh water	Fish - Goldfish	96 h
Titanium dioxide	1	•	•
	Acute LC50 1,000,000 µg/l Marine water	Fish - Mummichog	96 h
	Acute LC50 1,000 mg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 1,000,000 µg/l Marine water	Fish - Mummichog	96 h
	Acute LC50 5.5 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 10 mg/l Fresh water	Aquatic invertebrates.	48 h



Version Number 1.1 Revision Date 08/26/2014 Page 12 of 17 Print Date 08/28/2014

			Water flea		
	Acute EC50 100 n	ng/l Fresh water	Aquatic invertebrates. Water flea	48 h	
	-		Aquatic invertebrates. Water flea	48 h	
	Acute LC50 6.5 m	g/l Fresh water	Aquatic invertebrates. Water flea	48 h	
	Acute EC50 35.9 1	mg/l Fresh water	Aquatic plants - Green algae	72 h	
	Acute EC50 5.83 1	mg/l Fresh water	Aquatic plants - Green algae	72 h	
IVORY UV/FR PP	•				
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not	readily available a	s they are bound within the	e polymer matrix.	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
Persistence and degradabilit	<u> </u>				
Conclusion/Summary		icals are not readil her matrix.	ly available as they are bou	nd within the	
Conclusion/Summary		icals are not readil her matrix.	ly available as they are bou	nd within the	

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Xylenes (o-, m-, p- isomers)	3.23.153.12	8.10	low
Titanium dioxide		352.00	low

Mobility in soil		
Soil/water partition coefficient (KOC)	:	Not available.
(KOC) Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable



Version Number 1.1 Revision Date 08/26/2014 Page 13 of 17 Print Date 08/28/2014

products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Listed

Ingredient	CAS #	Status	Reference number
Xylenes (o-, m-, p- isomers)	1330-20-7	Listed	

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Consult mode specific transport rules
IMO/IMDG (maritime)	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Listed Tetrabromobisphenol A - bis-2,3-dibromopropyl ether
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Listed
	Lead
	United States - TSCA 8(a) - Chemical risk rules: Not listed



Version Number 1.1	Page 14 of 17
Revision Date 08/26/2014	Print Date 08/28/2014

		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Antimony trioxide Zinc ferrite brown spinel (C.I. Pigment Yellow 119) Ethyl benzene Arsenic Lead United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemicals)

Chemical Name	CAS-No.	RQ for component
Antimony trioxide	1309-64-4	1,000 lb(s)
		454 kg
Arsenic	7440-38-2	1 lb(s)
		0.454 kg



Version Number 1.1 Revision Date 08/26/2014 Page 15 of 17 Print Date 08/28/2014

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Antimony trioxide	10 - 30	AH, CH
Xylenes (o-, m-, p- isomers)	1 - 5	F, AH
Titanium dioxide	1 - 5	СН

SARA 313

	Product name	CAS number	%
Form R - Reporting	Antimony trioxide	1309-64-4	0
requirements			
	Xylenes (o-, m-, p- isomers)	1330-20-7	0
Supplier notification	Antimony trioxide	1309-64-4	0
	Xylenes (o-, m-, p- isomers)	1330-20-7	0

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed: Antimony trioxide Xylenes (o-, m-, p- isomers) Titanium dioxide
New York	:	The following components are listed: Antimony trioxide Xylenes (o-, m-, p- isomers)
New Jersey	:	The following components are listed: Antimony trioxide Xylenes (o-, m-, p- isomers) Titanium dioxide
Pennsylvania	:	The following components are listed: Antimony trioxide
		Xylenes (o-, m-, p- isomers)
		Titanium dioxide

15/17



Version Number 1.1 Revision Date 08/26/2014

Page 16 of 17 Print Date 08/28/2014

California Prop. 65 WARNING: This product contains a chemical known to the State of California to cause cancer. United States inventory (TSCA 8b) : All components are listed or exempted.

-		
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
International lists	:	 Australia inventory (AICS): Not determined. Taiwan inventory (CSNN): Not determined. Malaysia Inventory (EHS Register): Not determined. EINECS: Please contact your supplier for information on the inventory status of this material. Japan inventory: Not determined. China inventory (IECSC): All components are listed or exempted. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): All components are listed or exempted.
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed
Chemical Weapons Convention List Schedule II Chemicals	:	Not listed
Chemical Weapons Convention List Schedule III Chemicals	:	Not listed

Section 16. Other information

<u>History</u>		
Date of printing	:	08/28/2014
Date of issue/Date of revision	:	08/26/2014
Date of previous issue	:	08/26/2014
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL 73/78 = International Convention for the Prevention of Pollution
		From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine



SAFETY DATA SHEET IVORY UV/FR PP

Version Number 1.1 Revision Date 08/26/2014 Page 17 of 17 Print Date 08/28/2014

References

pollution) UN = United Nations Not available.

•

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.