### JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022



Page 1 of 16 Print Date 10/13/2022

# SAFETY DATA SHEET

#### JA6A BLACK AGM350

| Section 1. Identification            |               |   |
|--------------------------------------|---------------|---|
|                                      |               |   |
| GHS product identifier               | :             | JA6A BLACK AGM350   |
| Chemical name                        | :             | Mixture   |
| CAS number                           | :             | Mixture   |
| Other means of identification        | :             | CC10288794  |
| Product type                         | :             | solid   |
|                                      |               |   |
| Relevant identified uses of the subs | <u>tanc</u> e | or mixture and uses advised against                               |
| Product use                          | :             | Industrial applications.  |
|                                      |               |   |
| Supplier's details                   | :             | AVIENT CORPORATION  |
| **                                   |               | 33587 Walker Road, Avon Lake, OH 44012                            |
|                                      |               | , , ,   |
|                                      |               | 1 (440) 930-1000 or 1 (844) 4AVIENT                               |
|                                      |               |   |
| Emergency telephone number           | :             | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or |
| (with hours of operation)            | -             | accident).  |
| (inter mours of operation)           |               |   |

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status                            | : | While this material is not considered hazardous by the OSHA Hazard<br>Communication Standard (29 CFR 1910.1200), this SDS contains<br>valuable information critical to the safe handling and proper use of the<br>product. This SDS should be retained and available for employees and<br>other users of this product. |
|--|---|--|
| Classification of the substance or mixture | : | Not classified.  |
| GHS label elements                         |   |  |
| Signal word<br>Hazard statements           | : | No signal word.<br>No known significant effects or critical hazards.   |

## JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022

# **ÀVIENT**

Page 2 of 16 Print Date 10/13/2022

#### **Precautionary statements**

|                                  | : | Not applicable. |
|----------------------------------|---|-----------------|
| Prevention                       | : | Not applicable. |
| Response                         | : | Not applicable. |
| Storage                          | : | Not applicable. |
| Disposal                         | : | Not applicable. |
| Supplemental label elements      | : | None known.     |
| Hazards not otherwise classified | : | None known.     |
|                                  |   | Not available.  |

# Section 3. Composition/information on ingredients

| Substance/mixture             | : | Mixture    |
|-------------------------------|---|------------|
| Chemical name                 | : | Mixture    |
| Other means of identification | : | CC10288794 |

CAS number/other identifiers

| Ingredient name  | %             | CAS number |
|--|---------------|------------|
| Carbon black   | >= 5 - <= 10  | 1333-86-4  |
| Titanium dioxide   | >= 1 - <= 3   | 13463-67-7 |
| Decanedioic acid, bis(2,2,6,6-tetramethyl-4-piperidinyl) ester | >= 1 - <= 3   | 52829-07-9 |
| Nickel antimony yellow rutile (C.I. Pigment Yellow 53)         | >= 0.3 - <= 1 | 8007-18-9  |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

# JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022

# **ÀVIENT**

| Page 3 of 16          |
|-----------------------|
| Print Date 10/13/2022 |

| Inhalation                             | :             | Get medical attention if irritation occurs.<br>Remove victim to fresh air and keep at rest in a position comfortable<br>for breathing. Get medical attention if symptoms occur. In case of<br>inhalation of decomposition products in a fire, symptoms may be<br>delayed. The exposed person may need to be kept under medical<br>surveillance for 48 hours.  |
|--|---------------|---|
| Skin contact                           | :             | Flush contaminated skin with plenty of water. Remove contaminated   |
| Ingestion                              | :             | clothing and shoes. Get medical attention if symptoms occur.<br>Wash out mouth with water. Remove victim to fresh air and keep at<br>rest in a position comfortable for breathing. If material has been<br>swallowed and the exposed person is conscious, give small quantities<br>of water to drink. Do not induce vomiting unless directed to do so by<br>medical personnel. Get medical attention if symptoms occur. |
| Most important symptoms/effects, ac    | cute a        | nd delayed  |
| Potential acute health effects         |               |   |
| Eye contact                            | :             | No known significant effects or critical hazards.   |
| Inhalation                             | :             | No known significant effects or critical hazards.   |
| Skin contact                           | :             | No known significant effects or critical hazards.   |
| Ingestion                              | :             | No known significant effects or critical hazards.   |
| Over-exposure signs/symptoms           |               |   |
| Eye contact                            | :             | No specific data.   |
| Inhalation                             | :             | No specific data.   |
| Skin contact                           | :             | No specific data.   |
| Ingestion                              | :             | No specific data.   |
| Indication of immediate medical att    | entio         | n and special treatment needed, if necessary  |
| Notes to physician                     | :             | In case of inhalation of decomposition products in a fire, symptoms<br>may be delayed. The exposed person may need to be kept under<br>medical surveillance for 48 hours.   |
| Specific treatments                    | :             | No specific treatment.  |
| Protection of first-aiders             | :             | No action shall be taken involving any personal risk or without suitable training.  |
| See toxicological information (Section | o <b>n 11</b> | )   |

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### Extinguishing media

# JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022



Page 4 of 16 Print Date 10/13/2022

| Suitable extinguishing media<br>Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ .<br>None known.   |
|--|---|---|
| Specific hazards arising from the chemical                     | : | No specific fire or explosion hazard.   |
| Hazardous thermal<br>decomposition products                    | : | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide<br>nitrogen oxides<br>metal oxide/oxides   |
| Special protective actions for fire-<br>fighters               | : | Promptly isolate the scene by removing all persons from the vicinity<br>of the incident if there is a fire. No action shall be taken involving any<br>personal risk or without suitable training. |
| Special protective equipment for fire-fighters                 | : | Fire-fighters should wear appropriate protective equipment and self-<br>contained breathing apparatus (SCBA) with a full face-piece operated<br>in positive pressure mode.                        |

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel<br>For emergency responders | :      | No action shall be taken involving any personal risk or without<br>suitable training. Evacuate surrounding areas. Keep unnecessary and<br>unprotected personnel from entering. Do not touch or walk through<br>spilled material. Put on appropriate personal protective equipment.<br>If specialized clothing is required to deal with the spillage, take note<br>of any information in Section 8 on suitable and unsuitable materials.<br>See also the information in "For non-emergency personnel". |
|---|--------|---|
| Environmental precautions                               | :      | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| Methods and materials for contain                       | ment a | nd cleaning up  |
| Small spill   | :      | Move containers from spill area. Vacuum or sweep up material and<br>place in a designated, labeled waste container. Dispose of via a<br>licensed waste disposal contractor.   |
| Large spill   | :      | Move containers from spill area. Prevent entry into sewers, water<br>courses, basements or confined areas. Vacuum or sweep up material<br>and place in a designated, labeled waste container. Dispose of via a<br>licensed waste disposal contractor. Note: see Section 1 for emergency<br>contact information and Section 13 for waste disposal.   |
|   |        |   |

# JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022

# AVIENT

Page 5 of 16 Print Date 10/13/2022

# Section 7. Handling and storage

#### Precautions for safe handling

| Protective measures<br>Advice on general occupational<br>hygiene | : | Put on appropriate personal protective equipment (see Section 8).<br>Eating, drinking and smoking should be prohibited in areas where this<br>material is handled, stored and processed. Workers should wash hands<br>and face before eating, drinking and smoking. Remove contaminated<br>clothing and protective equipment before entering eating areas. See<br>also Section 8 for additional information on hygiene measures.   |
|--|---|--|
| Conditions for safe storage,<br>including any incompatibilities  | : | Store in accordance with local regulations. Store in original container<br>protected from direct sunlight in a dry, cool and well-ventilated area,<br>away from incompatible materials (see Section 10) and food and<br>drink. Keep container tightly closed and sealed until ready for use.<br>Containers that have been opened must be carefully resealed and kept<br>upright to prevent leakage. Do not store in unlabeled containers. Use<br>appropriate containment to avoid environmental contamination. |

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

| Ingredient name  | Exposure limits  |
|------------------|--|
| Carbon black     | OSHA PEL 1989 (1989-03-01)<br>TWA 3.5 mg/m3<br>OSHA PEL (1993-06-30)<br>TWA 3.5 mg/m3<br>NIOSH REL (1994-06-01)<br>TWA 3.5 mg/m3<br>NIOSH REL (1994-06-01)<br>TWA 0.1 mgPAH/m <sup>3</sup><br>ACGIH TLV (2010-12-06)<br>TWA 3 mg/m3 Form: Inhalable fraction |
| Titanium dioxide | OSHA PEL 1989 (1989-03-01)<br>TWA 10 mg/m3 Form: Total dust<br>OSHA PEL (1993-06-30)<br>TWA 15 mg/m3 Form: Total dust<br>ACGIH TLV (1996-05-18)  |

# JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022



### Page 6 of 16 Print Date 10/13/2022

|  | TWA 10 mg/m3  |
|--|---|
| Decanedioic acid, bis(2,2,6,6-<br>tetramethyl-4-piperidinyl) ester | None.   |
| Nickel antimony yellow rutile (C.I.<br>Pigment Yellow 53)          | OSHA PEL 1989 (1989-03-01)<br>TWA 1 mg/m3 (as Ni)<br>OSHA PEL (1993-06-30)<br>TWA 1 mg/m3 (as Ni)<br>ACGIH TLV (1998-09-01)<br>TWA 0.2 mg/m3 (as Ni) Form: Inhalable fraction   |
| Appropriate engineering controls :                                 | Good general ventilation should be sufficient to control worker exposure to airborne contaminants.  |
| Environmental exposure controls :                                  | · · · · · · · · · · · · · · · · · · ·   |
| Individual protection measures                                     |   |
| Hygiene measures :   | products, before eating, smoking and using the lavatory and at the end<br>of the working period. Appropriate techniques should be used to<br>remove potentially contaminated clothing. Wash contaminated<br>clothing before reusing. Ensure that eyewash stations and safety<br>showers are close to the workstation location.                                  |
| Eye/face protection :  | Safety eyewear complying with an approved standard should be used<br>when a risk assessment indicates this is necessary to avoid exposure to<br>liquid splashes, mists, gases or dusts. If contact is possible, the<br>following protection should be worn, unless the assessment indicates a<br>higher degree of protection: safety glasses with side-shields. |
| Skin protection  |   |
| Hand protection :  | standard should be worn at all times when handling chemical products  |
| Body protection :  | on the task being performed and the risks involved and should be  |
| Other skin protection :  | approved by a specialist before handling this product.<br>Appropriate footwear and any additional skin protection measures<br>should be selected based on the task being performed and the risks  |

# JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022

# AVIENT

Page 7 of 16 Print Date 10/13/2022

involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### Appearance

| Physical state                               | : | solid [Pellets.]          |  |  |
|--|---|---------------------------|--|--|
| Color  | : | BLACK                     |  |  |
| Odor   | : | Faint odor.               |  |  |
| Odor threshold                               | : | Not available.            |  |  |
| рН   | : | Not available.            |  |  |
| Melting point                                | : | Not available.            |  |  |
| Boiling point                                | : | Not available.            |  |  |
| Flash point                                  | : | Not available.            |  |  |
| Burning time                                 | : | Not available.            |  |  |
| Burning rate                                 | : | Not available.            |  |  |
| Evaporation rate                             | : | Not available.            |  |  |
| Flammability (solid, gas)                    | : | Not available.            |  |  |
| Lower and upper explosive                    | : | Lower: Not available.     |  |  |
| (flammable) limits                           |   | Upper: Not available.     |  |  |
| Vapor pressure                               | : | Not available.            |  |  |
| Vapor density                                | : | Not available.            |  |  |
| Relative density                             | : | Not available.            |  |  |
| Solubility                                   | : | Not available.            |  |  |
| Solubility in water                          | : | insoluble in water.       |  |  |
| Partition coefficient: n-                    | : | Not available.            |  |  |
| octanol/water                                |   |                           |  |  |
| Auto-ignition temperature                    | : | Not available.            |  |  |
| Decomposition temperature                    | : | Not available.            |  |  |
| SADT   | : | Not available.            |  |  |
| Viscosity                                    | : | Dynamic: Not available.   |  |  |
|  |   | Kinematic: Not available. |  |  |
| Aerosol product                              |   |                           |  |  |
| Heat of combustion                           | : | Not available.            |  |  |
| Ignition distance                            | : | Not available.            |  |  |
| Enclosed space ignition - Time<br>equivalent | : | Not available.            |  |  |
|  |   |                           |  |  |

# JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022

# AVIENT

#### Page 8 of 16 Print Date 10/13/2022

| Enclosed space ignition - | : | Not available. |
|---------------------------|---|----------------|
| Deflagration density      |   |                |
| Flame height              | : | Not available. |
| Flame duration            | : | Not available. |

# Section 10. Stability and reactivity

| Reactivity                          | : | No specific test data related to reactivity available for this product or its ingredients.           |
|-------------------------------------|---|--|
| Chemical stability                  | : | Stable under recommended storage and handling conditions (see Section 7).                            |
| Possibility of hazardous reactions  | : | Under normal conditions of storage and use, hazardous reactions will not occur.                      |
| Conditions to avoid                 | : | Keep away from extreme heat and oxidizing agents.  |
| Incompatible materials              | : | Keep away from strong acids.<br>Oxidizer.  |
| Hazardous decomposition<br>products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

# Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity

| Product/ingredient name        | Result                 | Species          | Dose          | Exposure |
|--------------------------------|------------------------|------------------|---------------|----------|
| Carbon black                   |                        |                  |               |          |
|                                | LD50 Oral              | Rat              | 15,400 mg/kg  | -        |
| Titanium oxide (TiO2)          |                        |                  |               |          |
|                                | LC50 Inhalation        | Rat - Male       | 6.82 Mg/l     | 4 h      |
|                                | Dusts and mists        |                  |               |          |
|                                | LD50 Dermal            | Rabbit           | > 5,000 mg/kg | -        |
| Decanedioic acid, 1,10-bis(2,2 | 2,6,6-tetramethyl-4-pi | peridinyl) ester |               |          |
|                                | LC50 Inhalation        | Rat              | 0.5 Mg/l      | 4 h      |
|                                | Vapor                  |                  |               |          |

Conclusion/Summary

: Mixture.Not fully tested.

**Irritation/Corrosion** 

| Conclusion/Summary |   |                           |
|--------------------|---|---------------------------|
| Skin               | : | Mixture.Not fully tested. |
| Eyes               | : | Mixture.Not fully tested. |
| Respiratory        | : | Mixture.Not fully tested. |

#### **Sensitization**

# JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022



| Pa         | age 9 of 16 |
|------------|-------------|
| Print Date | 10/13/2022  |

| Conclusion/Summary<br>Skin<br>Respiratory | : | Mixture.Not fully tested.<br>Mixture.Not fully tested. |
|---|---|--|
| <u>Mutagenicity</u>                       |   |  |
| Conclusion/Summary                        | : | Mixture.Not fully tested.                              |
| <u>Carcinogenicity</u>                    |   |  |
| Conclusion/Summary                        | : | Mixture.Not fully tested.                              |

#### **Classification**

| Product/ingredient name  | OSHA | IARC | NTP                             |
|--------------------------|------|------|---------------------------------|
| Carbon black             | -    | 2B   | -                               |
| Titanium oxide (TiO2)    | -    | 2B   | -                               |
| Nickel antimony titanium | -    | 1    | Known to be a human carcinogen. |
| yellow rutile            |      |      |                                 |

#### **Reproductive toxicity**

| Conclusion/Summary    | : | Mixture.Not fully tested. |
|-----------------------|---|---------------------------|
| <b>Teratogenicity</b> |   |                           |

**Conclusion/Summary** : Mixture.Not fully tested.

## Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure) Not available.

#### Aspiration hazard

Not available.

| Information on the likely routes of | : | Not available. |
|-------------------------------------|---|----------------|
| exposure                            |   |                |

#### Potential acute health effects

| Eye contact<br>Inhalation | : | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
|---------------------------|---|--|
| Skin contact<br>Ingestion |   | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |

### JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022



Page 10 of 16 Print Date 10/13/2022

#### Symptoms related to the physical, chemical and toxicological characteristics

| Eye contact  | : | No specific data. |
|--------------|---|-------------------|
| Inhalation   | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion    | : | No specific data. |

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

| Potential immediate effects<br>Potential delayed effects | : | Not available.<br>Not available.                  |
|--|---|---|
| Long term exposure                                       |   |   |
| Potential immediate effects<br>Potential delayed effects | : | Not available.<br>Not available.                  |
| Potential chronic health effects                         |   |   |
| Conclusion/Summary                                       | : | Mixture.Not fully tested.                         |
| General  | : | No known significant effects or critical hazards. |
| Carcinogenicity  | : | No known significant effects or critical hazards. |
| Mutagenicity   | : | No known significant effects or critical hazards. |
| Teratogenicity   | : | No known significant effects or critical hazards. |
| <b>Developmental effects</b>                             | : | No known significant effects or critical hazards. |
| Fertility effects  | : | No known significant effects or critical hazards. |

#### Numerical measures of toxicity

#### Acute toxicity estimates N/A

**Other information** 

: This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

# Section 12. Ecological information

# JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022



| Page 11 of 16         |
|-----------------------|
| Print Date 10/13/2022 |

#### **Toxicity**

| Product/ingredient name          | Result   | Species                            | Exposure  |
|----------------------------------|--|------------------------------------|-----------|
| Carbon black                     |  |                                    |           |
|                                  | Acute EC50 37.563 Mg/l Fresh   | Daphnia - Daphnia magna            | 48 h      |
|                                  | water  |                                    |           |
| Titanium oxide (TiO2)            |  |                                    |           |
|                                  | Acute LC50 > 1,000 Mg/l  | Fish - Fundulus heteroclitus       | 96 h      |
|                                  | Marine water   |                                    |           |
|                                  | Acute LC50 3 Mg/l Fresh water  | Crustaceans - Ceriodaphnia         | 48 h      |
|                                  |  | dubia                              |           |
|                                  | Acute LC50 6.5 Mg/l Fresh  | Daphnia - Daphnia pulex            | 48 h      |
|                                  | water  |                                    |           |
| Decanedioic acid, 1,10-bis(2,2,6 | 5,6-tetramethyl-4-piperidinyl) ester   |                                    |           |
|                                  | Acute EC50 8.6 Mg/l Fresh  | Daphnia                            | 48 h      |
|                                  | water  |                                    |           |
| JA6A BLACK AGM350                |  |                                    |           |
| Remarks - Acute - Aquatic        | Chemicals are not readily available as they are bound within the polymer matrix. |                                    |           |
| invertebrates.:                  |  |                                    |           |
|                                  | Chamber 1 and a start start  | ·                                  | dita di s |
| Conclusion/Summary               |  | ily available as they are bound wi | thin the  |
|                                  | polymer matrix.  |                                    |           |
| Persistence and degradability    |  |                                    |           |
| Tersistence and degradability    |  |                                    |           |
| Conclusion/Summary               | : Chemicals are not readily available as they are bound within the               |                                    |           |
| Conclusion/Summary               | polymer matrix.  |                                    |           |
|                                  | porymer maarx.   |                                    |           |
|                                  |  |                                    |           |
|                                  |  |                                    |           |
| Conclusion/Summary               | : Chemicals are not read   | tily available as they are bound w | ithin the |
| · · · · ·                        | polymer matrix.  |                                    |           |
|                                  | 1 2  |                                    |           |

#### **Bioaccumulative potential**

| Product/ingredient name             | LogPow | BCF | Potential |
|-------------------------------------|--------|-----|-----------|
| Decanedioic acid, 1,10-bis(2,2,6,6- | 0.35   | -   | low       |
| tetramethyl-4-piperidinyl) ester    |        |     |           |

#### Mobility in soil

| Soil/water partition coefficient (KOC) | : | Not available.                                    |
|--|---|---|
| Other adverse effects                  | : | No known significant effects or critical hazards. |

### JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022

# AVIENT

Page 12 of 16 Print Date 10/13/2022

# Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

| U.S.DOT 49CFR<br>Ground/Air/Water | : | Not regulated for transportation.                              |
|-----------------------------------|---|--|
| International Air<br>ICAO/IATA    | : | Not classified as dangerous goods under transport regulations. |
| International Water<br>IMO/IMDG   | : | Not classified as dangerous goods under transport regulations. |

# Section 15. Regulatory information

| U.S. Federal regulations | <ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Not listed</li> <li>United States - TSCA 4(a) - ITC Priority list: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> <li>United States - TSCA 5(a)2 - Final significant new use rules:</li> </ul> |
|--------------------------|--|
|                          | 12/16  |

# JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022

# **ÀVIENT**

Page 13 of 16 Print Date 10/13/2022

|   |       | Not listed<br>United States - TSCA 5(e) - Substances consent order: Not listed<br>United States - TSCA 6 - Final risk management: Not listed<br>United States - TSCA 6 - Proposed risk management: Not listed<br>United States - TSCA 8(a) - Chemical risk rules: Not listed<br>United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed<br>United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not<br>determined<br>United States - TSCA 8(a) - Preliminary assessment report<br>(PAIR): Listed Furan, tetrahydro- |
|---|-------|--|
|   |       | United States - TSCA 8(c) - Significant adverse reaction (SAR):<br>Not listed  |
|   |       | United States - TSCA 8(d) - Health and safety studies: Not listed<br>United States - EPA Clean water act (CWA) section 307 - Priority<br>pollutants: Listed Nickel antimony yellow rutile (C.I. Pigment<br>Yellow 53)  |
|   |       | United States - EPA Clean water act (CWA) section 311 -<br>Hazardous substances: Not listed<br>United States - EPA Clean air act (CAA) section 112 - Accidental<br>release prevention - Flammable substances: Not listed<br>United States - EPA Clean air act (CAA) section 112 - Accidental<br>release prevention - Toxic substances: Not listed<br>United States - Department of commerce - Precursor chemical:<br>Not listed  |
| Clean Air Act Section 112(b)<br>Hazardous Air Pollutants (HAPs) | :     | Listed   |
| Clean Air Act Section 602 Class I<br>Substances                 | :     | Not listed   |
| Clean Air Act Section 602 Class II<br>Substances                | :     | Not listed   |
| DEA List I Chemicals (Precursor<br>Chemicals)                   | :     | Not listed   |
| DEA List II Chemicals (Essential<br>Chemicals)                  | :     | Not listed   |
| US. EPA CERCLA Hazardous Subs                                   | stanc | zes (40 CFR 302)   |

not applicable

#### SARA 311/312

Classification

Not applicable.

:

**Composition/information on ingredients** 

# JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022



| Pa         | ge 14 of 16 |
|------------|-------------|
| Print Date | 10/13/2022  |

No products were found.

| Name  | %             | Classification  |
|---|---------------|---|
| Carbon black  | >= 5 - <= 10  | CARCINOGENICITY - Category 2  |
| Titanium oxide (TiO2)   | >= 1 - <= 3   | CARCINOGENICITY - Category 2  |
| Decanedioic acid, 1,10-<br>bis(2,2,6,6-tetramethyl-4-<br>piperidinyl) ester | >= 1 - <= 3   | ACUTE TOXICITY - inhalation - Category 1<br>SERIOUS EYE DAMAGE - Category 1 |
| Nickel antimony titanium yellow rutile                                      | >= 0.3 - <= 1 | CARCINOGENICITY - Category 1A   |

#### Form R - Reporting requirements

| Product name   | CAS number | %             |
|--|------------|---------------|
| Nickel antimony yellow rutile (C.I. Pigment Yellow 53) | 8007-18-9  | >= 0.3 - <= 1 |
|  |            |               |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

| State regulations |   |  |
|-------------------|---|--|
| Massachusetts     | : | None of the components are listed.                     |
| New York          | : | None of the components are listed.                     |
| New Jersey        | : | The following components are listed:                   |
|                   |   | Carbon black   |
|                   |   | Titanium dioxide                                       |
|                   |   | Silica, amorphous, precipitated and gel                |
|                   |   | Nickel antimony yellow rutile (C.I. Pigment Yellow 53) |
| Pennsylvania      | : | The following components are listed:                   |
| ·                 |   | Carbon black   |
|                   |   |  |
|                   |   | Titanium dioxide                                       |
|                   |   |  |
|                   |   | Silica, amorphous, precipitated and gel                |
|                   |   |  |
|                   |   | Nickel antimony yellow rutile (C.I. Pigment Yellow 53) |
|                   |   |  |

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

# JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022

# **ÀVIENT**

|       | Pa   | ge  | 15   | of  | 16 |
|-------|------|-----|------|-----|----|
| Print | Date | 10/ | /13/ | /20 | 22 |

| Ingredient name   | No significant risk level | Maximum acceptable<br>dosage level |
|---|---------------------------|------------------------------------|
| Carbon black  | -                         | -                                  |
| Titanium dioxide  | -                         | -                                  |
| Nickel antimony yellow rutile (C.I. Pigment<br>Yellow 53) | -                         | -                                  |

| United States inventory (TSCA 8b) | : | All components are active or exempted. |
|-----------------------------------|---|--|
| Canada inventory                  | : | All components are listed or exempted. |
| International regulations         |   |  |
| <u>Inventory list</u>             |   |  |
| Australia                         | : | All components are listed or exempted. |
| Canada                            | : | All components are listed or exempted. |
| China                             | : | All components are listed or exempted. |
| Europe inventory                  | : | All components are listed or exempted. |
| Japan                             | : | All components are listed or exempted. |
| New Zealand                       | : | All components are listed or exempted. |
| Philippines                       | : | All components are listed or exempted. |
| Republic of Korea                 | : | All components are listed or exempted. |
| Taiwan                            | : | All components are listed or exempted. |
| Turkey                            | : | Not determined.                        |
| United States                     | : | All components are active or exempted. |
|                                   |   |  |

# Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health           | / | 0 |
|------------------|---|---|
| Flammability     |   | 0 |
| Physical hazards |   | 0 |
|                  |   |   |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. <u>History</u>

# JA6A BLACK AGM350

Version Number 1.4 Revision Date 10/12/2022

# AVIENT

Page 16 of 16 Print Date 10/13/2022

| Date of printing               | : | 10/13/2022   |
|--------------------------------|---|--|
| Date of issue/Date of revision | : | 10/12/2022   |
| Date of previous issue         | : | 09/03/2019   |
| Version                        | : | 1.4  |
| Key to abbreviations           | : | ATE = Acute Toxicity Estimate  |
| •                              |   | BCF = Bioconcentration Factor  |
|                                |   | GHS = Globally Harmonized System of Classification and Labelling of    |
|                                |   | Chemicals  |
|                                |   | IATA = International Air Transport Association                         |
|                                |   | IBC = Intermediate Bulk Container                                      |
|                                |   | IMDG = International Maritime Dangerous Goods                          |
|                                |   | LogPow = logarithm of the octanol/water partition coefficient          |
|                                |   | MARPOL = International Convention for the Prevention of Pollution From |
|                                |   | Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine    |
|                                |   | pollution)   |
|                                |   | UN = United Nations  |
| References                     | : | Not available.   |

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.