WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020 PolyOne

Page 1 of 19 Print Date 08/31/2020

SAFETY DATA SHEET

WHITE DECK STAIN

Section 1. Identification	n	
GHS product identifier	:	WHITE DECK STAIN
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10304689
Product type	:	liquid
<u>Relevant identified uses of the subs</u> Product use	tance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
**		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	TOXIC TO REPRODUCTION (Fertility) - Category 1B TOXIC TO REPRODUCTION (Unborn child) - Category 1B

GHS label elements

WHITE DECK STAIN

<u>PolyOne</u>

Version Number 1.2 Revision Date 08/04/2020 Page 2 of 19 Print Date 08/31/2020

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	May damage fertility or the unborn child.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing.
Response	:	IF exposed or concerned: Get medical attention.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known. Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10304689

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	25 - 50	13463-67-7
Miscellaneous Compounds	5 - 10	4-90-0
Triethylamine	1 - 3	121-44-8
1-Methyl-2-pyrrolidone	1 - 3	872-50-4

ne

WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020 Page 3 of 19 Print Date 08/31/2020

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020 Page 4 of 19 Print Date 08/31/2020

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	:	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	:	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Indication of immediate medical at	tentio	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 .
Unsuitable extinguishing media	:	None known.

PolyOne.

WHITE DECK STAIN



Version Number 1.2	Page 5 of 19
Revision Date 08/04/2020	Print Date 08/31/2020

Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containm	ent a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment
		5/19

<u>PolyOne</u>

WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020

plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits



WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020 Page 7 of 19 Print Date 08/31/2020

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Miscellaneous Compounds	None.
1-Methyl-2-pyrrolidone	AIHA WEEL (1999-01-01) Absorbed through skin. TWA 10 ppm
Triethylamine	ACGIH TLV (2015-03-16) Absorbed through skin. TWA 0.5 ppm STEL 1 ppm OSHA PEL 1989 (1989-03-01) TWA 40 mg/m3 10 ppm STEL 60 mg/m3 15 ppm OSHA PEL (1993-06-30) TWA 100 mg/m3 25 ppm
Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any
Environmental exposure controls	 recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to

WHITE DECK STAIN

Skin protection

ŀ	bh	<i>O</i> 1	e.
_			

Version Number 1.2	Page 8 of 19
Revision Date 08/04/2020	Print Date 08/31/2020

liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	:	WHITE
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.

WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020



Page 9 of 19 Print Date 08/31/2020

Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
•		Kinematic: Not available.
		Kinematic: Not available.
Aerosol product		Kinematic: Not available.
<u>Aerosol product</u> Heat of combustion	:	Not available.
	:	
Heat of combustion		Not available.
Heat of combustion Ignition distance	:	Not available. Not available.
Heat of combustion Ignition distance Enclosed space ignition - Time	:	Not available. Not available.
Heat of combustion Ignition distance Enclosed space ignition - Time equivalent	:	Not available. Not available. Not available.
Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	Not available. Not available. Not available.

Section 10. Stability and reactivity

Flame duration

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Not available.

:

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.



WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020

Page 10 of 19 Print Date 08/31/2020

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Triethylamine				·
	LD50 Oral	Rat	460 mg/kg	-
Remarks - Inhalation:	No applicable toxi	city data		
Remarks - Dermal:	No applicable toxi	city data		
1-Methyl-2-pyrrolidone				
	LD50 Oral	Rat	3,914 mg/kg	-
Remarks - Inhalation:	No applicable toxi	city data		
	LD50 Dermal	Rabbit	8,000 mg/kg	-
Miscellaneous Compounds				
Titanium dioxide				
Remarks - Oral:	No applicable toxi	city data		
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Conclusion/Summary	• Mixtu	re Not fully tested	1	

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Triethylamine	Skin - Mild irritant	Rabbit			-
1-Methyl-2-pyrrolidone	Eyes - Moderate irritant	Rabbit			-
Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-
Conclusion/Summary Skin Eyes Respiratory <u>Sensitization</u>	: N	Лixture.Not fu Лixture.Not fu Лixture.Not fu	lly tested.		
Conclusion/Summary Skin Respiratory		Лixture.Not fu Лixture.Not fu	•		
<u>Mutagenicity</u> Conclusion/Summary	: N	/lixture.Not fu	lly tested.		

10/19



WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020 Page 11 of 19 Print Date 08/31/2020

Carcinogenicity				
Conclusion/Summary	:	Mixture.Not full	y tested.	
Classification				
Product/ingredient name	OSHA	IARC	NTP	
Titanium dioxide	-	2B	-	
Reproductive toxicity				
Conclusion/Summary	:	Mixture.Not full	y tested.	
<u>Teratogenicity</u>				
Conclusion/Summary	:	Mixture.Not full	y tested.	
Specific target organ toxicity (Not available.	(single expos	<u>sure)</u>		
Specific target organ toxicity (Not available.	(repeated ex	<u>(posure)</u>		
Aspiration hazard Not available.				
Information on likely routes o exposure	f :	Not available.		
Potential acute health effects				
Eye contact	:	No known signit	icant effects or critical hazards.	
Inhalation	:		icant effects or critical hazards.	
Skin contact	:	No known significant effects or critical hazards.		
Ingestion	:	No known signi	icant effects or critical hazards.	
Symptoms related to the phys	ical, chemic	al and toxicologi	cal characteristics	
Eye contact	:	No specific data		
Inhalation	:	Adverse symptom	ns may include the following: reduced fetal weight,	
			deaths, skeletal malformations	
Skin contact	:		ns may include the following: reduced fetal weight, deaths, skeletal malformations	
Ingestion	:	Adverse symptom	ns may include the following: reduced fetal weight, deaths, skeletal malformations	
		11/19		

WHITE DECK STAIN

<u>PolyOne</u>

Version Number 1.2 Revision Date 08/04/2020

Page 12 of 19 Print Date 08/31/2020

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity Mutagenicity	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity Developmental effects Fertility effects	:	May damage the unborn child. No known significant effects or critical hazards. May damage fertility.
Fertinity effects	•	May damage forunty.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	37,245.4 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure		
Triethylamine					
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				



WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020 Page 13 of 19 Print Date 08/31/2020

plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
1-Methyl-2-pyrrolidone					
	Acute LC50 832 Mg/l Fresh water	Fish - Fish	96 h		
Remarks - Acute - Fish:	Acute		_		
	Acute LC50 1.23 Mg/l Fresh waterAquatic invertebrates.48 hDaphnia				
Remarks - Acute - Aquatic invertebrates.:	Acute				
Remarks - Acute - Aquatic plants:	No applicable toxicity data				
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
Titanium dioxide	-		_		
	Acute LC50 > 1,000 Mg/l Marine Fish - Fish 96 h water 96 h				
Remarks - Acute - Fish:	Acute				
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h		
Remarks - Acute - Aquatic invertebrates.:	Acute				
	Acute LC50 6.5 Mg/l Fresh waterAquatic invertebrates.48 hDaphnia				
Remarks - Acute - Aquatic	Acute	· •			
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:	NT / 111				
Conclusion/Summary	: Not available.				

Persistence and degradability

Conclusion/Summary

: Not available.

Bioaccumulative potential

Product/ingredient name LogPow BCF Potential				
	Product/ingredient name	LogPow	BCF	Potential



WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020

Page 14 of 19 Print Date 08/31/2020

Triethylamine	1.45	0.50	low
1-Methyl-2-pyrrolidone	-0.46	-	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

:

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Listed

Ingredient	CAS #	Status	Reference number
Triethylamine	121-44-8	Listed	

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules

<u>vOne</u>

WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020

Page 15 of 19 Print Date 08/31/2020

International Water IMO/IMDG : Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-,branched United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(c) - Significant adverse reaction 307 - Priority pollutants: Not listed United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Substances	:	Listed Not listed



WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020 Page 16 of 19 Print Date 08/31/2020

Clean Air Act Section 602 Class II:Not listedSubstancesDEA List I Chemicals (Precursor:Not listedChemicals)DEA List II Chemicals (Essential:Not listedChemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

TOXIC TO REPRODUCTION - Fertility - Category 1B TOXIC TO REPRODUCTION - Unborn child - Category 1B

Composition/information on ingredients

Name	%	Classification
Triethylamine	>= 1 - <= 3	FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY - oral - Category 4
1-Methyl-2-pyrrolidone	>= 1 - <= 3	FLAMMABLE LIQUIDS - Category 4 EYE IRRITATION - Category 2A
Miscellaneous Compounds	>= 5 - <= 10	TOXIC TO REPRODUCTION - Category 1B
Titanium dioxide	>= 25 - <= 50	CARCINOGENICITY - Category 2

<u>SARA 313</u>

Form R - Reporting requirements

Product name	CAS number	%
Triethylamine	121-44-8	>= 1 - <= 3
1-Methyl-2-pyrrolidone	872-50-4	>= 1 - <= 3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020 PolyOne

Page 17 of 19

Print Date 08/31/2020

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Triethylamine
New Jersey	:	The following components are listed: Triethylamine 1-Methyl-2-pyrrolidone Titanium dioxide
Pennsylvania	:	The following components are listed: Titanium dioxide Triethylamine

1-Methyl-2-pyrrolidone

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, Oil mist, mineral, which are known to the State of California to cause cancer, and 1-Methyl-2-pyrrolidone, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Oil mist, mineral	-	-
1-Methyl-2-pyrrolidone	-	Yes.
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
		17/19



WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020 Page 18 of 19 Print Date 08/31/2020

United States

All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

* 0	*
0	
0	

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	08/31/2020
Date of issue/Date of revision	:	08/04/2020
Date of previous issue	:	07/21/2020
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that

P<u>olyOne</u>

WHITE DECK STAIN

Version Number 1.2 Revision Date 08/04/2020 Page 19 of 19 Print Date 08/31/2020

exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.