GF 600 A 60 UV Black

Version Number 1.2 Revision Date 04/08/2021



Page 1 of 15 Print Date 04/09/2021

SAFETY DATA SHEET

GF 600 A 60 UV Black

| Section 1. Identification | | |
|--|-----------|--|
| GHS product identifier Chemical name CAS number Other means of identification Product type | : | GF 600 A 60 UV Black Mixture EM10045668 solid |
| <u>Relevant identified uses of the substa</u> Product use | ince : | or mixture and uses advised against Industrial applications. |
| Supplier's details | : | AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012 |
| | | 1 (440) 930-1000 or 1 (844) 4AVIENT |
| Emergency telephone number (with hours of operation) | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
|--|---|--|
| Classification of the substance or mixture | : | Not classified. |
| GHS label elements | | |
| Signal word Hazard statements | : | No signal word. No known significant effects or critical hazards. |

GF 600 A 60 UV Black

Version Number 1.2 Revision Date 04/08/2021

XAVIENT

| Page 2 of 1 | 5 |
|----------------------|---|
| Print Date 04/09/202 | 1 |

Precautionary statements

| | : | Not applicable. |
|----------------------------------|---|-----------------|
| Prevention | : | Not applicable. |
| Response | : | Not applicable. |
| Storage | : | Not applicable. |
| Disposal | : | Not applicable. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. |
| | | Not available. |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | EM10045668 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|-----------------|-------------|------------|
| Carbon black | >= 1 - <= 3 | 1333-86-4 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
|--------------|---|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated |
| | 2/15 |

GF 600 A 60 UV Black

Version Number 1.2 Revision Date 04/08/2021

ÀVIENT

Page 3 of 15

Print Date 04/09/2021

| Ingestion <u>Most important symptoms/effects, a</u> | : acute a | clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. md delayed |
|--|--------------|--|
| Determinal courts health offects | | |
| Potential acute health effects | | |
| Eye contact | : | No known significant effects or critical hazards. |
| Inhalation | : | No known significant effects or critical hazards. |
| Skin contact | : | No known significant effects or critical hazards. |
| Ingestion | : | No known significant effects or critical hazards. |
| Over-exposure signs/symptoms | | |
| Eye contact | : | No specific data. |
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |
| Indication of immediate medical a | ttentio | n and special treatment needed, if necessary |
| Notes to physician | : | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under |
| Specific treatments | : | medical surveillance for 48 hours. No specific treatment. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known. |
|--|---|---|
| Specific hazards arising from the chemical | : | No specific fire or explosion hazard. |
| Hazardous thermal | : | Decomposition products may include the following materials: |

GF 600 A 60 UV Black

Version Number 1.2 Revision Date 04/08/2021



| Page 4 of 15 |
|-----------------------|
| Print Date 04/09/2021 |

| decomposition products | | carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides |
|---|---|---|
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. But on appropriate personal protective equipment |
|-------------------------------------|-------|---|
| For emergency responders | : | spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for containme | ent a | nd cleaning up |
| Small spill | : | Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

:

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8).

GF 600 A 60 UV Black

XAVIENT

| Version Number 1.0 | Daga 5 of 15 |
|--------------------------|-----------------------|
| Version Number 1.2 | Page 5 of 15 |
| Revision Date 04/08/2021 | Print Date 04/09/2021 |
| | |

| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|---|---|--|
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits | |
|-----------------|--------------------------------------|--|
| Carbon black | OSHA PEL 1989 (1989-03-01) | |
| | TWA 3.5 mg/m3 | |
| | OSHA PEL (1993-06-30) | |
| | TWA 3.5 mg/m3 | |
| | NIOSH REL (1994-06-01) | |
| | TWA 3.5 mg/m3 | |
| | NIOSH REL (1994-06-01) | |
| | TWA 0.1 mgPAH/m ³ | |
| | ACGIH TLV (2010-12-06) | |
| | TWA 3 mg/m3 Form: Inhalable fraction | |
| | - | |

| Appropriate engineering controls Environmental exposure controls | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
|---|---|---|
| Individual protection measures | | |
| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling chemical |

GF 600 A 60 UV Black

Versio Revisi

ÀVIENT

| on Number 1.2 | Page 6 of 15 |
|----------------------|-----------------------|
| sion Date 04/08/2021 | Print Date 04/09/2021 |
| | |

| Eye/face protection | : | products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
|------------------------|---|---|
| Skin protection | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties

Appearance

| Physical state | : | solid [Pellets.] |
|---------------------------|---|-----------------------|
| Color | : | BLACK |
| Odor | : | Faint odor. |
| Odor threshold | : | Not available. |
| рН | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| (flammable) limits | | Upper: Not available. |
| | | |

GF 600 A 60 UV Black

Version Number 1.2 Revision Date 04/08/2021

ÀVIENT

Page 7 of 15 Print Date 04/09/2021

| Vapor pressure | : | Not available. |
|--|---|--|
| Vapor density | : | Not available. |
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Solubility in water | : | insoluble in water. |
| Partition coefficient: n- octanol/water | : | Not available. |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| SADT | : | Not available. |
| Viscosity | : | Dynamic: Not available. |
| | | |
| | | Kinematic: Not available. |
| Aerosol product | | Kinematic: Not available. |
| <u>Aerosol product</u> Heat of combustion | : | Kinematic: Not available. Not available. |
| | : | |
| Heat of combustion Ignition distance Enclosed space ignition - Time | | Not available. |
| Heat of combustion Ignition distance Enclosed space ignition - Time equivalent | : | Not available. Not available. Not available. |
| Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition - | : | Not available. Not available. |
| Heat of combustion Ignition distance Enclosed space ignition - Time equivalent | : | Not available. Not available. Not available. |

Section 10. Stability and reactivity

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|--|
| Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : | Keep away from extreme heat and oxidizing agents. |
| Incompatible materials | : | Keep away from strong acids. Oxidizer. |
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Not available.

:

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Flame duration

GF 600 A 60 UV Black

Version Number 1.2 Revision Date 04/08/2021

ÀVIENT

Page 8 of 15 Print Date 04/09/2021

| Product/ingredient name | Result | Species | | Dose | Exposure |
|--|------------------|-----------------------------------|---------|----------------|----------|
| Carbon black | ncsuit | species | | DUSC | Laposure |
| | LD50 Oral | Rat | | 15,400 mg/kg | _ |
| | LDJU Ulai | Kat | | 13,400 IIIg/Kg | |
| Conclusion/Summary | : Mi | xture.Not fully t | ested | | |
| Concrusion/Summary | • 1/11 | Ature.i (ot fully t | estea. | | |
| Irritation/Corrosion | | | | | |
| | | | | | |
| Conclusion/Summary | | | | | |
| Skin | | ixture.Not fully | | | |
| Eyes | | ixture.Not fully | | | |
| Respiratory | : Mi | ixture.Not fully | lested. | | |
| Sensitization | | | | | |
| ~ | | | | | |
| Conclusion/Summary | . M | | a stad | | |
| Skin Bogningtony | | ixture.Not fully ixture.Not fully | | | |
| Respiratory | : Mi | ixture.Not fully | lesteu. | | |
| Mutagenicity | | | | | |
| | | | _ | | |
| Conclusion/Summary | : Mi | ixture.Not fully | tested. | | |
| Carcinogenicity | | | | | |
| Conclusion/Summary | : Mi | ixture.Not fully | tested. | | |
| Classification | | | | | |
| Classification | | | | | |
| Product/ingredient name | OSHA | IARC | NTP | | |
| Carbon black | - | 2B | - | | |
| | | | | | |
| <u>Reproductive toxicity</u> | | | | | |
| Conclusion/Summary | : Mi | ixture.Not fully | tested. | | |
| - ···· - ··· J | | | | | |
| Teratogenicity | | | | | |
| Conclusion/Summary | : Mi | ixture.Not fully | tested. | | |
| · | | - | | | |
| Specific target organ toxicity Not available. | (single exposure | <u>e)</u> | | | |
| Specific target organ toxicity Not available. | (repeated expos | <u>sure)</u> | | | |
| Aspiration hazard | | | | | |
| | | | | | |

GF 600 A 60 UV Black

Version Number 1.2 Revision Date 04/08/2021



Page 9 of 15 Print Date 04/09/2021

Not available.

| Information on the likely routes of exposure | : | Not available. |
|--|--------|---|
| Potential acute health effects | | |
| Eye contact | : | No known significant effects or critical hazards. |
| Inhalation | : | No known significant effects or critical hazards. |
| Skin contact | : | No known significant effects or critical hazards. |
| Ingestion | : | No known significant effects or critical hazards. |
| Symptoms related to the physical, cl | nemi | cal and toxicological characteristics |
| Eye contact | : | No specific data. |
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |
| Delayed and immediate effects and a | also c | chronic effects from short and long term exposure |
| Short term exposure | | |
| Potential immediate effects | : | Not available. |
| Potential delayed effects | : | Not available. |
| Long term exposure | | |
| Potential immediate effects | : | Not available. |
| Potential delayed effects | : | Not available. |
| Potential chronic health effects | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| General | : | No known significant effects or critical hazards. |
| Carcinogenicity | : | No known significant effects or critical hazards. |
| Mutagenicity | : | No known significant effects or critical hazards. |
| Teratogenicity | : | No known significant effects or critical hazards. |
| Developmental effects | : | No known significant effects or critical hazards. |
| Fertility effects | : | No known significant effects or critical hazards. |
| Numerical measures of toxicity | | |

Acute toxicity estimates

GF 600 A 60 UV Black

Version Number 1.2 Revision Date 04/08/2021

Page 10 of 15 Print Date 04/09/2021

| Product/ingredient name | Oral | Dermal | Inhalation (gases) | Inhalation (vapors) | Inhalation (dusts and mists) |
|-------------------------|--------------|--------|-----------------------|------------------------|------------------------------------|
| GF 600 A 60 UV Black | 15,400 mg/kg | N/A | N/A | N/A | N/A |
| Carbon black | 15,400 mg/kg | N/A | N/A | N/A | N/A |

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

:

Toxicity

| Product/ingredient name | Result | Species | Exposure | |
|---|--|------------------------------------|------------|--|
| Carbon black | | | | |
| | Acute EC50 37.563 Mg/l Fresh | Daphnia - Daphnia magna | 48 h | |
| | water | | | |
| GF 600 A 60 UV Black | | | | |
| Remarks - Acute - Aquatic invertebrates.: | Chemicals are not readily available as they are bound within the polymer matrix. | | | |
| Conclusion/Summary | : Chemicals are not read polymer matrix. | lily available as they are bound w | vithin the | |
| Persistence and degradability | | | | |
| Conclusion/Summary | : Chemicals are not reapplymer matrix. | dily available as they are bound v | vithin the | |
| Conclusion/Summary | : Chemicals are not reapolymer matrix. | dily available as they are bound v | vithin the | |
| Bioaccumulative potential Not available. | | | | |
| Mobility in soil | | | | |

GF 600 A 60 UV Black

Version Number 1.2 Revision Date 04/08/2021

AVIENT

Page 11 of 15 Print Date 04/09/2021

Soil/water partition coefficient : Not available. (KOC)

:

Other adverse effects

Disposal methods

Section 13. Disposal considerations

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

No known significant effects or critical hazards.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : Not regulated for transportation. |
|-----------------------------------|--|
| International Air ICAO/IATA | : Not classified as dangerous goods under transport regulations. |
| International Water IMO/IMDG | : Not classified as dangerous goods under transport regulations. |

Section 15. Regulatory information

| U.S. Federal regulations | : | United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed |
|--------------------------|---|---|
| | | 11/15 |

GF 600 A 60 UV Black

Version Number 1.2 Revision Date 04/08/2021

ÀVIENT

Page 12 of 15 Print Date 04/09/2021

United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Branched-nonylphenol, ethoxylate United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

| Clean Air Act Section 112(b) | : | Listed |
|------------------------------------|---|------------|
| Hazardous Air Pollutants (HAPs) | | |
| Clean Air Act Section 602 Class I | : | Not listed |
| Substances | | |
| Clean Air Act Section 602 Class II | : | Not listed |
| Substances | | |
| DEA List I Chemicals (Precursor | : | Not listed |
| Chemicals) | | |
| DEA List II Chemicals (Essential | : | Not listed |
| Chemicals) | | |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

GF 600 A 60 UV Black

Version Number 1.2 Revision Date 04/08/2021



| Page 13 of 15 |
|-----------------------|
| Print Date 04/09/2021 |

Composition/information on ingredients

No products were found.

| Name | % | Classification |
|--------------|-------------|------------------------------|
| Carbon black | >= 1 - <= 3 | CARCINOGENICITY - Category 2 |

Not applicable.

| State regulations | |
|-------------------|--|
| Massachusetts | : None of the components are listed. |
| New York | : None of the components are listed. |
| New Jersey | : The following components are listed: |
| | Carbon black |
| Pennsylvania | : The following components are listed: |
| | Carbon black |

California Prop. 65

WARNING: This product can expose you to Carbon black, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable dosage level |
|-----------------|---------------------------|------------------------------------|
| Carbon black | - | - |

| United States inventory (TSCA 8b) | : | All components are active or exempted. |
|-----------------------------------|---|--|
| Canada inventory | : | All components are listed or exempted. |
| International regulations | | |
| <u>Inventory list</u> | | |
| Australia | : | Not determined. |
| Canada | : | All components are listed or exempted. |
| China | : | Not determined. |
| Europe inventory | : | All components are listed or exempted. |
| Japan | : | Not determined. |
| New Zealand | : | Not determined. |
| Philippines | : | Not determined. |
| Republic of Korea | : | Not determined. |
| Taiwan | : | Not determined. |
| Turkey | : | Not determined. |
| | | 13/15 |



GF 600 A 60 UV Black

Version Number 1.2 Revision Date 04/08/2021 Page 14 of 15 Print Date 04/09/2021

United States

All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health | / | 0 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

| HISTOL | | |
|--------------------------------|---|--|
| Date of printing | : | 04/09/2021 |
| Date of issue/Date of revision | : | 04/08/2021 |
| Date of previous issue | : | 10/08/2020 |
| Version | : | 1.2 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate |
| | | BCF = Bioconcentration Factor |
| | | GHS = Globally Harmonized System of Classification and Labelling of |
| | | Chemicals |
| | | IATA = International Air Transport Association |
| | | IBC = Intermediate Bulk Container |
| | | IMDG = International Maritime Dangerous Goods |
| | | LogPow = logarithm of the octanol/water partition coefficient |
| | | MARPOL = International Convention for the Prevention of Pollution From |
| | | Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine |
| | | pollution) |
| | | $\hat{U}N = United Nations$ |
| References | : | Not available. |
| | | |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

GF 600 A 60 UV Black

Version Number 1.2 Revision Date 04/08/2021

ÀVIENT

Page 15 of 15 Print Date 04/09/2021