## A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018 Page 1 of 19 Print Date 10/25/2018

# SAFETY DATA SHEET

#### A1423 TAN (BLUE IMP)

Section 1. Identification	n	
GHS product identifier	:	A1423 TAN (BLUE IMP)
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20039892
Product type	:	liquid
Relevant identified uses of the subst	ance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2

#### **GHS label elements**

# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018 Page 2 of 19 Print Date 10/25/2018

<u>PolyOne</u>

Hazard pictograms	:	
Signal word Hazard statements	:	Warning Causes serious eye irritation. Causes skin irritation. Suspected of causing cancer.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling.
Response	:	IF exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local,
		regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20039892

#### CAS number/other identifiers

Ingredient name	%	CAS number
Methyl ethyl ketone	25 - 38	78-93-3
Furan, tetrahydro-	25 - 38	109-99-9
le contra de la co		



# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018 Page 3 of 19 Print Date 10/25/2018

Titanium dioxide	1 - 3	13463-67-7
Bis(2,6-diisopropylphenyl)carbodiimide	1 - 2.5	2162-74-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# **Section 4. First aid measures**

**Description of necessary first aid measures** 

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious

# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018 Page 4 of 19 Print Date 10/25/2018

person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects Eye contact Causes serious eye irritation. : Inhalation No known significant effects or critical hazards. : Skin contact Causes skin irritation. : No known significant effects or critical hazards. Ingestion : **Over-exposure signs/symptoms** Eye contact : Adverse symptoms may include the following: pain or irritation watering redness Inhalation No specific data. : **Skin contact** Adverse symptoms may include the following: : irritation redness No specific data. Ingestion :

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Specific treatments	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# Section 5. Firefighting measures

#### Extinguishing media

Suitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ .
Unsuitable extinguishing media	:	None known.



# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018 Page 5 of 19 Print Date 10/25/2018

Specific hazards arising from the chemical	:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment
		5/19



# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018 Page 6 of 19 Print Date 10/25/2018

plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# **Section 7. Handling and storage**

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018



Page 7 of 19 Print Date 10/25/2018

Ingredient name	Exposure limits		
Methyl ethyl ketone	OSHA PEL 1989 (1989-03-01) TWA 590 mg/m3 200 ppm STEL 885 mg/m3 300 ppm OSHA PEL (1993-06-30) TWA 590 mg/m3 200 ppm NIOSH REL (1994-06-01) TWA 590 mg/m3 200 ppm STEL 885 mg/m3 300 ppm ACGIH TLV (1994-09-01) TWA 590 mg/m3 200 ppm STEL 885 mg/m3 300 ppm		
Tetrahydrofuran	OSHA PEL 1989 (1989-03-01) TWA 590 mg/m3 200 ppm STEL 735 mg/m3 250 ppm OSHA PEL (1993-06-30) TWA 590 mg/m3 200 ppm NIOSH REL (1994-06-01) TWA 590 mg/m3 200 ppm STEL 735 mg/m3 250 ppm ACGIH TLV (2005-01-01) Absorbed through skin. TWA 50 ppm STEL 100 ppm		
Bis(2,6-diisopropylphenyl)carbodiimide	None.		
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3		
Appropriate engineering controls : Environmental exposure controls :	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
Individual protection measures			

# A1423 TAN (BLUE IMP)



Version Number 1.0	Page 8 of 19
Revision Date 10/24/2018	Print Date 10/25/2018

Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### Appearance

Physical state Color	iquid [liquid] TAN	
Odor	: Not available.	
Odor threshold	: Not available.	
рН	: Not available.	

'One

# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018

#### Page 9 of 19 Print Date 10/25/2018

Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity



# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018 Page 10 of 19 Print Date 10/25/2018

Product/ingredient name	Result	Species	Dose	Exposure		
Methyl ethyl ketone						
	LD50 Oral	Rat	2,737 mg/kg	-		
<b>Remarks - Inhalation:</b>	No applicable toxi	city data				
	LD50 Dermal	Rabbit	6,480 mg/kg	-		
Furan, tetrahydro-						
	LD50 Oral	Rat	1,650 mg/kg	-		
<b>Remarks - Inhalation:</b>	No applicable toxicity data					
<b>Remarks - Dermal:</b>	No applicable toxi	No applicable toxicity data				
Bis(2,6-diisopropylphenyl)carl	bodiimide					
	LD50 Oral	Rat	200 mg/kg	-		
<b>Remarks - Inhalation:</b>	No applicable toxi	No applicable toxicity data				
<b>Remarks - Dermal:</b>	No applicable toxicity data					
Titanium dioxide						
Remarks - Oral:	No applicable toxi	city data				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		
Conclusion/Summery	Minte	ro Not fully tosto				

Conclusion/Summary

: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Methyl ethyl ketone	Skin - Mild irritant	Rabbit		24 hrs	-
	Skin - Moderate irritant	Rabbit		24 hrs	-
	Skin - Mild irritant	Rabbit		24 hrs	-
Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-

Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Eyes	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
Sensitization		
Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
Mutagenicity		



# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018

Page 11 of 19 Print Date 10/25/2018

Conclusion/Summary	:	М	ixture.Not fully	tested.			
<b>Carcinogenicity</b>							
Conclusion/Summary Classification	:	М	ixture.Not fully	tested.			
Product/ingredient	OSHA		IARC	NTP			
name							
Furan, tetrahydro-			2B				
Titanium dioxide			2B				
<u>Reproductive toxicity</u>							
<b>Conclusion/Summary</b>	:	Μ	ixture.Not fully	tested.			
<b>Teratogenicity</b>							
<b>Conclusion/Summary</b>	:	Μ	ixture.Not fully	tested.			
Specific target organ toxicity (single exposure) Not available.							
<u>Specific target organ toxicity (repeated exposure)</u> Not available.							
<u>Aspiration hazard</u> Not available.							
Information on likely routes of exposure	nformation on likely routes of : Not available. xposure						
Potential acute health effects							
Eye contact:Causes serious eye irritation.Inhalation:No known significant effects or critical hazards.Skin contact:Causes skin irritation.Ingestion:No known significant effects or critical hazards.							
Symptoms related to the physical, chemical and toxicological characteristics							
Eye contact	:	: Adverse symptoms may include the following: pain or irritation watering redness					
Inhalation	:		o specific data.				
			11/19				



# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018 Page 12 of 19 Print Date 10/25/2018

Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Delayed and immediate effects as we	ll as	chronic effects from short and long-term exposure
<u>Short term exposure</u>		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity	:	No known significant effects or critical hazards. Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity Teratogenicity Developmental effects Fertility effects	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Route	ATE value
Oral	2,692.1 mg/kg

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Methyl ethyl ketone			
	Acute LC50 3,220 Mg/l Fresh	Fish - Fish	96 h
	12/10		



# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018

Page 13 of 19 Print Date 10/25/2018

	water		
Remarks - Acute - Fish:	Acute		
	Acute EC50 5.091 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
<b>Remarks - Acute - Aquatic</b>	Acute		
invertebrates.:			0.61
	Acute EC50 > 500 Mg/l Marine	Aquatic plants - Algae	96 h
Demontra Acuta Acuta	water A sute		
Remarks - Acute - Aquatic plants:	Acute		
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:	No applicable toxicity data		
Furan, tetrahydro-			
	Acute LC50 2,160 Mg/l Fresh	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
<b>Remarks - Acute - Aquatic</b>	No applicable toxicity data		
plants:		1	
	Chronic NOEC 367 Mg/l Fresh	Fish - Fish	33 d
Remarks - Chronic - Fish:	water Chronic		
Remarks - Chronic - Fish:	No applicable toxicity data		
Aquatic invertebrates.:	No applicable toxicity data		
Bis(2,6-diisopropylphenyl)car	bodiimide		
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
<b>Remarks - Chronic -</b>	No applicable toxicity data		
Aquatic invertebrates.:			
Titanium dioxide	A	Fish - Fish	061
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
Remarks - Acute - Fish:	water       Acute	<u> </u>	1
Actual R5 - Acute - FISH.	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		1
invertebrates.:			
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h



# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018 Page 14 of 19 Print Date 10/25/2018

		Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Conclusion/Summary	: Not available.		

#### Persistence and degradability

**Conclusion/Summary** 

Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Methyl ethyl ketone	0.29	-	low
Tetrahydrofuran	0.45	-	low

#### **Mobility in soil**

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

:

# Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal



# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018 Page 15 of 19 Print Date 10/25/2018

of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### United States - RCRA Acute hazardous waste "P" List: Not listed

#### United States - RCRA Toxic hazardous waste "U" List: Listed

Ingredient	CAS #	Status	Reference number
Furan, tetrahydro-	109-99-9	Listed	
Methyl ethyl ketone	78-93-3	Listed	

# Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

# Section 15. Regulatory information

of the co United S United S United S United S United S Iisted United S United S	States - TSCA 5(e) - Substances consent order: Not listedStates - TSCA 6 - Final risk management: Not listedStates - TSCA 6 - Proposed risk management: Not listedStates - TSCA 8(a) - Chemical risk rules: Not listedStates - TSCA 8(a) - Dioxin/Furane precusor: Not listedStates - TSCA 8(a) - Chemical Data Reporting (CDR): Not
---	--

Version Number 1.0

### SAFETY DATA SHEET



Page 16 of 19

# A1423 TAN (BLUE IMP)

Revision Date 10/24/2018		Print Date 10/25/2018
		<ul> <li>United States - TSCA 8(a) - Preliminary assessment report</li> <li>(PAIR): Listed 2,6-Diisopropylphenyl isocyanate</li> <li>Furan, tetrahydro-</li> <li>United States - TSCA 8(c) - Significant adverse reaction (SAR):</li> <li>Not listed</li> <li>United States - TSCA 8(d) - Health and safety studies: Not listed</li> <li>United States - EPA Clean water act (CWA) section 307 - Priority</li> <li>pollutants: Listed Benzene, methyl-</li> <li>United States - EPA Clean water act (CAA) section 311 -</li> <li>Hazardous substances: Listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental</li> <li>release prevention - Flammable substances: Not listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental</li> <li>release prevention - Toxic substances: Not listed</li> <li>United States - Department of commerce - Precursor chemical:</li> </ul>
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I		Not listed
Substances	•	
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential	:	Listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Furan, tetrahydro-	109-99-9	1,000 lb(s) 454 kg
Methyl ethyl ketone	78-93-3	5,000 lb(s) 2,270 kg 2,270 kg 5,000 lb(s)

#### SARA 311/312

**Chemicals**)

Classification	:	SKIN IRRITATION Category 2EYE IRRITATION



# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018 Page 17 of 19 Print Date 10/25/2018

Category 2ACARCINOGENICITY Category 2

#### **Composition/information on ingredients**

Name	%	Classification
Methyl ethyl ketone	25 - 38	F, AH
Furan, tetrahydro-	25 - 38	F, AH, CH
Bis(2,6- diisopropylphenyl)carbodiimide	1 - 2.5	АН
Titanium dioxide	1 - 3	СН

#### <u>SARA 313</u>

Not applicable.

State regulations		
Massachusetts	None of the components are listed.	
New York	: The following components are listed: Furan, tetrahydro-	
	Methyl ethyl ketone	
New Jersey	: The following components are listed:	
	Titanium dioxide	
	Furan, tetrahydro-	
	Methyl ethyl ketone	
Pennsylvania	: The following components are listed:	
·	Methyl ethyl ketone	
	Furan, tetrahydro-	
	Titanium dioxide	

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including Titanium dioxide, which is known to the State of California to cause cancer, and Benzene, methyl-, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Benzene, methyl-	No.	Yes.
Titanium dioxide	No.	No.



# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018 Page 18 of 19 Print Date 10/25/2018

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	Not determined.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

## **Section 16. Other information**

Hazardous Material Information System (U.S.A.)

Health	*	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	: 10/25/2018
Date of issue/Date of revision	10/24/2018
Date of previous issue	: 00/00/0000
Version	: 1.0
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of



# A1423 TAN (BLUE IMP)

Version Number 1.0 Revision Date 10/24/2018

#### Page 19 of 19 Print Date 10/25/2018

Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

#### References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

: