

### Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020 Page 1 of 20 Print Date 01/13/2020

# SAFETY DATA SHEET

### Geon<sup>™</sup> MB3119 BLACK FASTER FUSE 551

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	:	Geon <sup>™</sup> MB3119 BLACK FASTER FUSE 551 Mixture Mixture FO20043100 liquid
	tance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	<b>POLYONE CORPORATION</b> 33587 Walker Road, Avon Lake, OH 44012 1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1

#### **GHS** label elements



# Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1	Page 2 of 20
Revision Date 01/09/2020	Print Date 01/13/2020

Hazard pictograms	:	<u>(!)</u>
Signal word Hazard statements	:	Warning Causes serious eye irritation. May cause an allergic skin reaction.
Precautionary statements		
General Prevention Response	:	Not applicable. Wear protective gloves. Wear eye or face protection. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. IF ON SKIN: Wash with plenty of soap and water. Wash
		contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local,
Supplemental label elements Hazards not otherwise classified	:	regional, national and international regulations. None known. None known. Not available.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20043100

#### CAS number/other identifiers

Ingredient name	%	CAS number
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	25 - 50	68515-48-0
Calcium oxide	1 - 2.9	1305-78-8



## Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020 Page 3 of 20 Print Date 01/13/2020

Proprietary Hazardous Compounds	0.3 - 1	Not available.
Bisphenol A - Epichlorohydrin polymer	0.3 - 1	25068-38-6
Carbon black	0 - 0.3	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get



# Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020 Page 4 of 20 Print Date 01/13/2020

medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	Causes serious eye irritation. No known significant effects or critical hazards. May cause an allergic skin reaction. No known significant effects or critical hazards.
<b>Over-exposure signs/symptoms</b>		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

# Section 5. Firefighting measures

#### Extinguishing media



# Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1	Page 5 of 20
Revision Date 01/09/2020	Print Date 01/13/2020

:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	:

# Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for contain	<u>ment a</u>	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		F/00



## Geon™ MB3119 BLACK FASTER FUSE 551

:

Version Number 1.1	Page 6 of 20
Revision Date 01/09/2020	Print Date 01/13/2020

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**



# Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020 Page 7 of 20 Print Date 01/13/2020

Ingredient name	Exposure limits
1,2-Benzenedicarboxylic acid, di-C8-10- branched alkyl esters, C9-rich	None.
Calcium oxide	ACGIH TLV (1994-09-01) TWA 2 mg/m3 NIOSH REL (1994-06-01) TWA 2 mg/m3 OSHA PEL 1989 (1989-03-01) TWA 5 mg/m3 OSHA PEL (1993-06-30) TWA 5 mg/m3
Bisphenol A - Epichlorohydrin polymer	None.
Proprietary Hazardous Compounds	None.
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction

Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations
		7/00



# Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1	Page 8 of 20
Revision Date 01/09/2020	Print Date 01/13/2020

Eye/face protection	:	and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	liquid [liquid]
Color	:	BLACK
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.



# Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020

Page 9 of 20 Print Date 01/13/2020

Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
Viscosity	:	<b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available.
·	:	· ·
Viscosity <u>Aerosol product</u>	:	· ·
·	:	· ·
<u>Aerosol product</u>		Kinematic: Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance	:	<b>Kinematic:</b> Not available. Not available.
<u>Aerosol product</u> Heat of combustion	:	<b>Kinematic:</b> Not available. Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent	:	<b>Kinematic:</b> Not available. Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time	:	<b>Kinematic:</b> Not available. Not available. Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	<b>Kinematic:</b> Not available. Not available. Not available. Not available.

:

Not available.

# Section 10. Stability and reactivity

Flame duration

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information



# Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020

Page 10 of 20 Print Date 01/13/2020

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure					
Carbon black	on black								
	LD50 Oral	Rat	15,400 mg/kg	-					
<b>Remarks - Inhalation:</b>	No applicable toxic	No applicable toxicity data							
Remarks - Dermal:	No applicable toxic	city data							
Proprietary Hazardous Compo	unds								
Remarks - Oral:	No applicable toxic	city data							
<b>Remarks - Inhalation:</b>	No applicable toxic	city data							
<b>Remarks - Dermal:</b>	No applicable toxic	city data							
Bisphenol A - Epichlorohydrin	polymer								
	LD50 Oral	LD50 Oral Rat 11,400 mg/kg -							
<b>Remarks - Inhalation:</b>	No applicable toxic	city data							
<b>Remarks - Dermal:</b>	No applicable toxicity data								
Calcium oxide									
Remarks - Oral:	No applicable toxicity data								
<b>Remarks - Inhalation:</b>	No applicable toxicity data								
<b>Remarks - Dermal:</b>	No applicable toxicity data								
1,2-Benzenedicarboxylic acid,	1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich								
	LD50 Oral	Rat	10,000 mg/kg	-					
Remarks - Inhalation:	No applicable toxic	city data							
Remarks - Dermal:	No applicable toxic	city data							
Conclusion/Summary	nclusion/Summary Mixture Not fully tested								

Conclusion/Summary

Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Bisphenol A -	Eyes - Mild	Rabbit			-
Epichlorohydrin polymer	irritant				
	Eyes - Mild	Rabbit			-
	irritant				
	Skin -	Rabbit		24 hrs	-
	Moderate				
	irritant				
	Skin - Severe	Rabbit		24 hrs	-
	irritant				
	Eyes - Mild	Rabbit			-
	irritant				



# Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020 Page 11 of 20 Print Date 01/13/2020

1,2-Benzenedicarboxylic	Eyes - Mild	Rabbit		-
acid, di-C8-10-branched	irritant			
alkyl esters, C9-rich				
Conclusion/Summary				
Skin		lixture.Not full		
Eyes		lixture.Not fully		
Respiratory	: N	lixture.Not fully	y tested.	
<u>Sensitization</u>				
Conclusion/Summary				
Skin		lixture.Not full		
Respiratory	: N	lixture.Not fully	y tested.	
<b>Mutagenicity</b>				
Conclusion/Summary	: N	lixture.Not full	y tested.	
<u>Carcinogenicity</u>				
Conclusion/Summary	: N	lixture.Not fully	y tested.	
<b>Classification</b>				
Product/ingredient name	OSHA	IARC	NTP	
Carbon black	-	2B	-	

#### **Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.

#### **Teratogenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

#### Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Calcium oxide	Category 3	Not applicable	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.



# Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020 Page 12 of 20 Print Date 01/13/2020

Information on likely routes of exposure	: Not available.
Potential acute health effects	
Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the physical	chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following: pain or irritation, watering, redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation, redness
Ingestion	: No specific data.
Short term exposure Potential immediate effects Potential delayed effects Long term exposure	<ul><li>Not available.</li><li>Not available.</li></ul>
Potential immediate effects	: Not available.
Potential delayed effects	<ul> <li>Not available.</li> <li>Not available.</li> </ul>
Potential chronic health effects	
Conclusion/Summary	: Mixture.Not fully tested.
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity



## Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020 Page 13 of 20 Print Date 01/13/2020

#### Acute toxicity estimates

Not available.

# Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result	Species	Exposure
Carbon black			
Remarks - Acute - Fish:	No applicable toxicity data		
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
<b>Remarks - Chronic - Fish:</b>	No applicable toxicity data		
<b>Remarks - Chronic -</b>	No applicable toxicity data		
Aquatic invertebrates.:			
Proprietary Hazardous Compo			
<b>Remarks - Acute - Fish:</b>	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
<b>Remarks - Chronic - Fish:</b>	No applicable toxicity data		
<b>Remarks - Chronic -</b>	No applicable toxicity data		
Aquatic invertebrates.:			
Bisphenol A - Epichlorohydrin	* · ·		
<b>Remarks - Acute - Fish:</b>	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
<b>Remarks - Chronic - Fish:</b>	No applicable toxicity data		
<b>Remarks - Chronic -</b>	No applicable toxicity data		
Aquatic invertebrates.:			
Calcium oxide			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		



# Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020 Page 14 of 20 Print Date 01/13/2020

invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
	Chronic NOEC 100 Mg/l Fresh	Fish - Fish	46 d	
	water			
<b>Remarks - Chronic - Fish:</b>	Chronic			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
1,2-Benzenedicarboxylic acid,	di-C8-10-branched alkyl esters, C9-r	ich		
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Conclusion/Summary	: Not available.			

#### Persistence and degradability

Conclusion/Summary :

Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Bisphenol A - Epichlorohydrin	2.64 - 3.78	31.00	low
polymer			
Calcium oxide	-	2.34	low
1,2-Benzenedicarboxylic acid, di-C8-	8.8	3.00	low
10-branched alkyl esters, C9-rich			

#### Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

:

# Section 13. Disposal considerations

**Disposal methods** 

The generation of waste should be avoided or minimized wherever

14/20



## Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1		
<b>Revision Date</b>	01/09/2020	

### Page 15 of 20 Print Date 01/13/2020

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

## Section 15. Regulatory information

U.S. Federal regulations	<ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Listed 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich Diisononyl phthalate</li> <li>Octamethylcyclotetrasiloxane</li> </ul>
	United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed



### Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020

Substances

Substances

**Chemicals**)

**DEA List I Chemicals (Precursor** 

Page 16 of 20 Print Date 01/13/2020

United States - TSCA 5(a)2 - Final significant new use rules: Listed 4-Nonylphenol, branched

United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Siloxanes and Silicones, di-Me, reaction products with silica (2-Methoxymethylethoxy)propanol Decamethylcyclopentasiloxane Acetaldehyde 4-Nonylphenol, branched Octamethylcyclotetrasiloxane United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Vinyl chloride monomer Phenol 2-Ethylhexanoic acid zinc salt United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed **United States - Department of commerce - Precursor chemical:** Not listed Clean Air Act Section 112(b) • Listed Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Not listed : Clean Air Act Section 602 Class II Not listed •

Not listed



## Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020 Page 17 of 20 Print Date 01/13/2020

**DEA List II Chemicals (Essential** : Not listed **Chemicals**)

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

: EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1

#### **Composition/information on ingredients**

Name	%	Classification
Carbon black	> 0 - <= 0.3	CARCINOGENICITY - Category 2
Proprietary Hazardous Compounds	>= 0.3 - < 1	FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY - oral - Category 4 ACUTE TOXICITY - dermal - Category 4 ACUTE TOXICITY - inhalation - Category 4 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1A
Bisphenol A - Epichlorohydrin polymer	>= 0.3 - < 1	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2B SKIN SENSITIZATION - Category 1
Calcium oxide	>= 1 - <= 2.9	SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Respiratory tract irritation - Category 3
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	>= 25 - <= 50	EYE IRRITATION - Category 2B

Not applicable.

<u>State regulations</u> Massachusetts New York

None of the components are listed.

None of the components are listed.

17/20

:

:



# Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1	Page 18 of 20
Revision Date 01/09/2020	Print Date 01/13/2020

New Jersey	: The following components are listed: Carbon black Calcium oxide Calcium carbonate Ethene, chloro-, homopolymer
Pennsylvania	: The following components are listed: Calcium carbonate
	Calcium oxide Carbon black

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including 1,2-Benzenedicarboxylic acid, di-C8-10branched alkyl esters, C9-rich, Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
1,2-Benzenedicarboxylic acid, di-C8-10- branched alkyl esters, C9-rich	Yes.	-
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
<u>Inventory list</u>		
Australia	:	Not determined.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.



### Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020 Page 19 of 20 Print Date 01/13/2020

## **Section 16. Other information**

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<b>History</b>		
Date of printing	:	01/13/2020
Date of issue/Date of revision	:	01/09/2020
Date of previous issue	:	05/14/2018
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.



# Geon™ MB3119 BLACK FASTER FUSE 551

Version Number 1.1 Revision Date 01/09/2020 Page 20 of 20 Print Date 01/13/2020