

HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0 Revision Date 09/05/2018 Page 1 of 17 Print Date 09/06/2018

SAFETY DATA SHEET

HC MB1791F FLESH INCREASE STIFFNESS NP

Section 1. Identification	n	
GHS product identifier Chemical name CAS number Other means of identification Product type	: : : : : :	HC MB1791F FLESH INCREASE STIFFNESS NP Mixture Mixture FO20043692 liquid
<u>Relevant identified uses of the subs</u> Product use	tance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1

GHS label elements



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0	Page 2 of 17
Revision Date 09/05/2018	Print Date 09/06/2018

Hazard pictograms	:	
Signal word Hazard statements	:	Warning Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear protective gloves. Wear eye or face protection. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
Response	:	IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
<u>Stars</u>		Continue rinsing. If eye irritation persists: Get medical attention.
Storage Disposal	:	Not applicable. Dispose of contents and container in accordance with all local,
Disposal	•	regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20043692

CAS number/other identifiers

Ingredient name	%	CAS number
Proprietary Hazardous Compounds	1 - 2.9	Not available.
Titanium dioxide	0.3 - 1	13463-67-7
Any concentration shows as a range is to protect confidentiality or i	a due to hotch verifiet	ion

Any concentration shown as a range is to protect confidentiality or is due to batch variation.



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0 Revision Date 09/05/2018 Page 3 of 17 Print Date 09/06/2018

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact Inhalation	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0 Revision Date 09/05/2018 Page 4 of 17 Print Date 09/06/2018

to

Eye contact Inhalation Skin contact Ingestion	 Causes serious eye irritation. No known significant effects or critical hazards. Causes skin irritation. May cause an allergic skin reaction. No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
Indication of immediate medica	l attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0	Page 5 of 17
Revision Date 09/05/2018	Print Date 09/06/2018

Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	nt ai	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0 Revision Date 09/05/2018 Page 6 of 17 Print Date 09/06/2018

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Proprietary Hazardous Compounds	None.



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0 Revision Date 09/05/2018	Page 7 of 17 Print Date 09/06/2018
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	 Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Approved by a spectants before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0 Revision Date 09/05/2018 Page 8 of 17 Print Date 09/06/2018

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	:	TÂN
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
	:	
(flammable) limits	:	Upper: Not available.
(flammable) limits Vapor pressure	:	Upper: Not available. Not available.
(flammable) limits Vapor pressure Vapor density	:	Upper: Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	:	Upper: Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility		Upper: Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-		Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water		Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature		Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0 Revision Date 09/05/2018

Page 9 of 17 Print Date 09/06/2018

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Titanium dioxide					
Remarks - Oral:	No applicable toxi	city data			
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-	
Proprietary Hazardous Compo	unds				
Remarks - Oral:	No applicable toxicity data				
Remarks - Inhalation:	No applicable toxicity data				
Remarks - Dermal:	No applicable toxi	No applicable toxicity data			
Conclusion/Summary	: Mixti	re Not fully tested			

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: N	lixture.Not fu	lly tested.		
Eyes		lixture.Not fu			
Respiratory	: N	lixture.Not fu	lly tested.		
Sensitization					
Conclusion/Summary					
Skin		lixture.Not fu			
Respiratory	: N	lixture.Not fu	lly tested.		
Mutagenicity					
Conclusion/Summary	: N	lixture.Not fu	lly tested.		
Carcinogenicity					
Conclusion/Summary	: N	lixture.Not fu	lly tested.		



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0 Revision Date 09/05/2018 Page 10 of 17 Print Date 09/06/2018

Product/ingredient	OSHA	IARC	NTP
name			
Titanium dioxide		2B	
		- I	
Reproductive toxicity			
Conclusion/Summary	:	Mixture.Not ful	lly tested.
Teratogenicity			
Conclusion/Summary	:	Mixture.Not ful	lly tested.
Specific target organ toxicity	(single exp	<u>osure)</u>	
Not available.			
Specific target organ toxicity Not available.	(repeated e	exposure)	
Aspiration hazard			
Not available.			
Information on likely routes of exposure	of :	Not available.	
Potential acute health effects			
	:	Causes serious	eye irritation.
Eye contact	:		ificant effects or critical hazards.
Eye contact Inhalation Skin contact		No known sign Causes skin irri	ificant effects or critical hazards. tation. May cause an allergic skin reaction.
<u>Potential acute health effects</u> Eye contact Inhalation Skin contact Ingestion	:	No known sign Causes skin irri	ificant effects or critical hazards.
Eye contact Inhalation Skin contact	:	No known sign Causes skin irri No known sign	ificant effects or critical hazards. tation. May cause an allergic skin reaction. ificant effects or critical hazards.
Eye contact Inhalation Skin contact Ingestion	:	No known sign Causes skin irri No known sign cal and toxicolog Adverse sympto	ificant effects or critical hazards. tation. May cause an allergic skin reaction. ificant effects or critical hazards. gical characteristics oms may include the following:
Eye contact Inhalation Skin contact Ingestion Symptoms related to the phys	: : ical, chemio	No known sign: Causes skin irri No known sign: cal and toxicolog Adverse sympto pain or irritation	ificant effects or critical hazards. tation. May cause an allergic skin reaction. ificant effects or critical hazards. gical characteristics oms may include the following:
Eye contact Inhalation Skin contact Ingestion Symptoms related to the phys	: : ical, chemio	No known sign: Causes skin irri No known sign: cal and toxicolog Adverse sympto pain or irritation watering	ificant effects or critical hazards. tation. May cause an allergic skin reaction. ificant effects or critical hazards. gical characteristics oms may include the following:
Eye contact Inhalation Skin contact Ingestion <u>Symptoms related to the phys</u> Eye contact	: : ical, chemio	No known sign Causes skin irri No known sign cal and toxicolog Adverse sympto pain or irritation watering redness	ificant effects or critical hazards. tation. May cause an allergic skin reaction. ificant effects or critical hazards. gical characteristics oms may include the following:
Eye contact Inhalation Skin contact Ingestion <u>Symptoms related to the phys</u> Eye contact Inhalation	: : ical, chemio	No known sign Causes skin irri No known sign cal and toxicolog Adverse sympto pain or irritation watering redness No specific data	ificant effects or critical hazards. tation. May cause an allergic skin reaction. ificant effects or critical hazards. gical characteristics oms may include the following: n
Eye contact Inhalation Skin contact Ingestion Symptoms related to the phys	: : ical, chemio :	No known sigm Causes skin irri No known sigm cal and toxicolog Adverse sympto pain or irritation watering redness No specific data Adverse sympto irritation	ificant effects or critical hazards. tation. May cause an allergic skin reaction. ificant effects or critical hazards. gical characteristics oms may include the following:
Eye contact Inhalation Skin contact Ingestion <u>Symptoms related to the phys</u> Eye contact Inhalation	: : ical, chemio :	No known sign: Causes skin irri No known sign: cal and toxicolog Adverse sympto pain or irritation watering redness No specific data Adverse sympto	ificant effects or critical hazards. tation. May cause an allergic skin reaction. ificant effects or critical hazards. gical characteristics oms may include the following: n a. oms may include the following:

Delayed and immediate effects as well as chronic effects from short and long-term exposure



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0 Revision Date 09/05/2018 Page 11 of 17 Print Date 09/06/2018

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	23,655.2 mg/kg
Route	ATE value
Dermal	52,041.4 mg/kg
Route	ATE value
Inhalation (dusts and mists)	70.97 mg/l

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure			
Titanium dioxide						
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h			
	water					
Remarks - Acute - Fish:	Acute					



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0 Revision Date 09/05/2018 Page 12 of 17 Print Date 09/06/2018

	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Remarks - Acute - Aquatic invertebrates.:	Acute		
Remarks - Acute - Aquatic plants:	No applicable toxicity data		
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Proprietary Hazardous Compo			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic invertebrates.:	No applicable toxicity data		
Remarks - Acute - Aquatic plants:	No applicable toxicity data		
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Conclusion/Summary	: Not available.		
Persistence and degradabilit	<u>v</u>		
Conclusion/Summary	: Not available.		
Bioaccumulative potential Not available.			
Mobility in soil			

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products
		10/17



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0	Page 13 of 17
Revision Date 09/05/2018	Print Date 09/06/2018

should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules:
		Listed 4-Nonylphenol, branched
		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed

13/17



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0	Page 14 of 17
Revision Date 09/05/2018	Print Date 09/06/2018

		United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed 4-Nonylphenol, branched
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed 2-Ethylhexanoic acid zinc salt Phenol Vinyl chloride monomer
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Chemicals)

Classification

: Immediate (acute) health hazard

Not listed

:

Composition/information on ingredients

DEA List II Chemicals (Essential



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0 Revision Date 09/05/2018 Page 15 of 17 Print Date 09/06/2018

Name	%	Classification
Titanium dioxide	0.3 - 1	СН
Proprietary Hazardous Compounds	1 - 2.9	F, AH, CH

SARA 313

	Product name	CAS number	%
Form R - Reporting	Proprietary Hazardous		1 - 2.9
requirements	Compounds		
Supplier notification Proprietary Hazardous			1 - 2.9
	Compounds		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed: Proprietary Hazardous Compounds
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Ethene, chloro-, homopolymer Bis (2-ethylhexyl) adipate Proprietary Hazardous Compounds Titanium dioxide
Pennsylvania	:	The following components are listed: Titanium dioxide
		Bis (2-ethylhexyl) adipate
		Proprietary Hazardous Compounds
<u>California Prop. 65</u> WARNING: This product contains a c	hem	ical known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
<u>Inventory list</u>		
		15/17



HC MB1791F FLESH INCREASE STIFFNESS NP

Version Number 1.0 Revision Date 09/05/2018 Page 16 of 17 Print Date 09/06/2018

Australia	:	Not determined.
Canada	:	At least one component is not listed in DSL but all such components
		are listed in NDSL.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. <u>History</u>

Date of printing	:	09/06/2018
Date of issue/Date of revision	:	09/05/2018
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine



HC MB1791F FLESH INCREASE STIFFNESS NP

•

Version Number 1.0 Revision Date 09/05/2018 Page 17 of 17 Print Date 09/06/2018

pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.