

MATERIAL SAFETY DATA SHEET

2166 BLACK PEC

Version Number 1.1 Revision Date 03/05/2003 Page 1 of 7 Print Date *11/10/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	2166 BLACK PEC	
Product code	:	CC00038361	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

2166 BLACK PEC

Version Number 1.1 Page 2 of 7 Revision Date 03/05/2003 Print Date 11/10/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist or in all cases of doubt seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Suitable extinguishing media Carbon dioxide blanket, Water spray, dry powder, foam. : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption ·



MATERIAL SAFETY DATA SHEET

2166 BLACK PEC

sion Date 03/05/2003			Print Da	Page 3 ate 11/10/2
and contamination. Keep in a dry, cool place.				
8. EX	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally re	equired.
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: P	: Protective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
	Value	Exposure time	Europauno tumo	List:
Components	, and	Exposure time	Exposure type	List:
*	3.5 mg/m3	Time Weighted Average	Total dust. as carbon black	ACGIH
Carbon black			Total dust. as carbon	
Carbon black	3.5 mg/m3 3.5 mg/m3	Time Weighted Average (TWA): PEL:	Total dust. as carbon black Total dust. as carbon black	ACGIH
Carbon black	3.5 mg/m3 3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black Total dust. as carbon black	ACGIH
Carbon black	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. as carbon black Total dust. as carbon black DPERTIES	ACGIH OSHA Z1 applicable.
Carbon black Carbon black Form Appearance	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapo Specific Specific S	Total dust. as carbon black Total dust. as carbon black DPERTIES Total dust. as carbon black	ACGIH OSHA Z1 applicable. determined
Carbon black Carbon black Form Appearance Color	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle : BLA	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapo ets Specific CK Bulk of the	Total dust. as carbon black Total dust. as carbon black DPERTIES oration rate : Not a carbon cic Gravity : Not a carbon density : Not a carbon	ACGIH OSHA Z1 applicable. determined established
Carbon black Carbon black Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle : BLA : Very	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO E Evapo the	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not a cic Gravity : Not a ensity : Not a oressure : Not a	ACGIH OSHA Z1 applicable. determined established applicable
Carbon black Carbon black Form Appearance Color Odor Melting point/range	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle : BLA : Very : Not c	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapo the Evapo t	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not a cic Gravity : Not a ensity : Not a oressure : Not a oressure : Not a oresity : Not a	ACGIH OSHA Z1 applicable. determined established applicable applicable
Carbon black Carbon black Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle : BLA : Very : Not c	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO EXEMPTICAL PRO CAL AND CHEMICAL PRO EXEMPTICAL PRO I Evapor Specific CK Bulk of faint Vapor determined Vapor applicable pH	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not a cic Gravity : Not a ensity : Not a oressure : Not a oressure : Not a oresity : Not a	ACGIH OSHA Z1 applicable. determined established applicable
Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle : BLA : Very : Not c : Not c : Insol	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO EXEMPTICAL PRO CAL AND CHEMICAL PRO EXEMPTICAL PRO I Evapor Specific CK Bulk of faint Vapor determined Vapor applicable pH	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not a black oration rate : Not a black	ACGIH OSHA Z1 applicable. determined established applicable applicable
Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle : BLA : Very : Not c : Not a : Insol 10. S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapor the Evapor	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not a black oration rate : Not a black	ACGIH OSHA Z1 applicable. determined established applicable applicable
Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	3.5 mg/m3 3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle : BLA : Very : Not c : Not a : Insol 10. S : S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO EXAMPLE STABILITY AND REACTING	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not a black oration rate : Not a black	ACGIH OSHA Z1 applicable. determined established applicable applicable
Carbon black Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	3.5 mg/m3 3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle : BLA : Very : Not a : Insol 10. S : S : W : W : K	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO EXAMPLE SPECIAL CAL AND CHEMICAL PRO I Evapor State Special CK Bulk of faint Vapor determined Vapor applicable pH luble STABILITY AND REACTIV table.	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not a fic Gravity : Not a oressure : Not a of density : Not a virty : Not a	ACGIH OSHA Z1 applicable. determined established applicable applicable



MATERIAL SAFETY DATA SHEET

2166 BLACK PEC

Version Number 1.1 Revision Date 03/05/2003 Page 4 of 7 Print Date 11/10/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	> 15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.



MATERIAL SAFETY DATA SHEET

2166 BLACK PEC

ion Number 1.1 sion Date 03/05/2003	Page : Print Date 11/10/
	14 ECOLOGICAL DEORMATION
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matr of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matr of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSC Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



MATERIAL SAFETY DATA SHEET

2166 BLACK PEC

Version Number 1.1 Revision Date 03/05/2003		Page 6 of 7 Print Date <i>11/10/2011</i>
California Proposition 65	n : This product does not contain a s	ubstance listed by California Prop 65.
SARA Title III Section 302 I	Extremely Hazardous Substance	
Not applicable		
SARA Title III Section 313 7	Foxic Chemicals:	
	Not applicable	
Canadian Regulations:		
WHMIS Classificatio	n : D2A	
WHMIS Ingredient D	isclosure List	
CAS-No. 1333-86-4		
DSL	: All components of this product a Substances List (DSL) or are exe	
National Inventories:		
Australia AICS	: Listed.	
China IECS	: Listed.	
Europe EINECS	: Not determined.	
Japan ENCS	: Listed.	
Korea KECI	: Listed.	
Philippines PICCS	: Listed.	
	16. OTHER INFORMATION	

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

2166 BLACK PEC

Version Number 1.1 Revision Date 03/05/2003



Page 7 of 7 Print Date 11/10/2011