

MATERIAL SAFETY DATA SHEET

TURQUOISE

Version Number 1.0 Revision Date 09/11/2001 Page 1 of 5 Print Date 10/31/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TURQUOISE
Product code	:	CC10000215
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

TURQUOISE

ion Number 1.0 sion Date 09/11/2001	Page 2 Print Date 10/31/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



TURQUOISE



Page 3 of 5 Version Number 1.0 Revision Date 09/11/2001 Print Date 10/31/2011 and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : Eye/Face Protection Safety glasses with side-shields. : Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures : Handle in accordance with good industrial hygiene and safety practice. General Hygiene Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average ACGIH

	10 mg/ms	(TWA):			
	15 mg/m3	PEL:	Total	dust.	OSHA Z1
	10 mg/m3	Time Weighted Aver (TWA):	age as	Ti	MX OEL
	9. PHYSIC	CAL AND CHEMICAI	PROPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility		ts 5 E 1 faint 5 letermined. 7 upplicable 1	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	: No : No : No : No	ot applicable. ot determined. ot established ot applicable ot applicable ot applicable
	10. S	TABILITY AND REA	CTIVITY		
Stability	: St	table.			
Hazardous Polymerizatio	on : W	ill not occur.			
Conditions to avoid		eep away from oxidizin ecomposition, do not ov		lame. To	avoid thermal



MATERIAL SAFETY DATA SHEET

URQUOISE					
ersion Number 1.0 evision Date 09/11/2001				Page 4 c Print Date 10/31/20	
Incompatible Materials	:	Incompatible	with strong acids and o	oxidizing agents.	
Hazardous decomposition products	on :			oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11.	TOXICOLOG	ICAL INFORMATIO	DN	
This mixture has not been health data for the indivi				are effects listed are based on exist	
<u>Toxicity Overview</u> This product contains th	e followin	g components w	hich in their pure form	have the following characteristics	
CAS-No.	Cher	nical Name	Effect	Target Organ	
13463-67-7	Titanium	dioxide	Systemic effects	Respiratory system.	
	1	2. ECOLOGIO	CAL INFORMATION	J	
Persistence and degrada	bility :	Not readily bi	iodegradable.		
Environmental Toxicity : Chemicals are not readily available as they are bound within the mat of the polymer.				s they are bound within the matrix	
Bioaccumulation Potent	ial :	: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	:	No data availa	able.		
	1	3. DISPOSAL	CONSIDERATIONS	5	
Product	:	recycling is pr waste materia transportation	referred to disposal or a label of the second secon	et can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal, s.	
Contaminated packaging	g :	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
		14. TRANSPO	RT INFORMATION		
U.S. D.O.T. / CA T.D.G Classification (Non-bulk ground)		Not regulated	for transportation.		
ICAO/IATA	:	Not regulated	for transportation.		



MATERIAL SAFETY DATA SHEET

TURQUOISE

Version Number 1.0 Revision Date 09/11/2001 Page 5 of 5 Print Date 10/31/2011

	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not Listed.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.