ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019 PolyOne.

Page 1 of 16 Print Date 06/20/2019

SAFETY DATA SHEET

ABS YELLOW UV

Section 1. Identification		
GHS product identifier	:	ABS YELLOW UV
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10307959
Product type	:	solid
Relevant identified uses of the subs	stance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/16

ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019

Page 2 of 16 Print Date 06/20/2019

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10307959

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	10 - 25	13463-67-7
3H-Pyrazol-3-one, 4-[(1,5-dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-2-phenyl-	5 - 10	4702-90-3
1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine	5 - 10	82451-48-7
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	5 - 10	3147-75-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019



Page 3 of 16 Print Date 06/20/2019

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential	acute	health	effects
------------------	-------	--------	---------

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
2		-

Over-exposure signs/symptoms

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019 <u>PolyOne</u>.

Page 4 of 16 Print Date 06/20/2019

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		
Small spill	:	Move containers from spill area. Vacuum or sweep up material and

ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019

PolyOne

Page 5 of 16 Print Date 06/20/2019

Large spill

place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

:

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
2-(2-Hydroxy-5-tert- octylphenyl)benzotriazole	None.
1,6-Hexanediamine, N,N'-bis(2,2,6,6- tetramethyl-4-piperidinyl)-, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5- triazine	None.

ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019 Page 6 of 16 Print Date 06/20/2019

3H-Pyrazol-3-one, 4-[(1,5-dihydro-3- methyl-5-oxo-1-phenyl-4H-pyrazol-4- ylidene)methyl]-2,4-dihydro-5-methyl-2- phenyl-	None.
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Appropriate engineering controls : Environmental exposure controls :	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures:Eye/face protection:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products
Body protection :	if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection :	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
	6/16



ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019

<u>PolyOne</u>

Page 7 of 16 Print Date 06/20/2019

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

:

Appearance

Physical state	:	solid [Pellets.]
Color		YELLOW
Odor		Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.		
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).		
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will		
7/40				

7/16



ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019

Page 8 of 16 Print Date 06/20/2019

	not occur.
:	Keep away from extreme heat and oxidizing agents.
:	Keep away from strong acids.
	Oxidizer.
:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	:

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure				
Remarks - Oral:	No applicable toxic	No applicable toxicity data						
Remarks - Inhalation:	No applicable toxic	city data						
Remarks - Dermal:	No applicable toxic	city data						
1,6-Hexanediamine, N,N'-bis(2	2,2,6,6-tetramethyl-4	-piperidinyl)-, polymo	er with 2,4-dichloro-6	5-(4-morpholinyl)-				
1,3,5-triazine								
Remarks - Oral:	No applicable toxic	city data						
	LC50 Inhalation	Rat	2.79 Mg/l	4 h				
Remarks - Dermal:	No applicable toxicity data							
Titanium dioxide								
Remarks - Oral:	No applicable toxic	city data						
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h				
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-				
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole								
	LD50 Oral	Rat	1,000 mg/kg	-				
Remarks - Inhalation:	No applicable toxicity data							
Remarks - Dermal:	No applicable toxicity data							
Conclusion/Summary	• Mixtu	re Not fully tested						

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: M	ixture.Not full	y tested.		
Eyes	: Mixture.Not fully tested.				
Respiratory	: M	ixture.Not full	y tested.		

ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019 Page 9 of 16 Print Date 06/20/2019

Sensitization				
Conclusion/Summary Skin Respiratory		Mixture.Not fully Mixture.Not fully		
Mutagenicity				
Conclusion/Summary	:	Mixture.Not fully	tested.	
Carcinogenicity				
Conclusion/Summary <u>Classification</u>	:	Mixture.Not fully	tested.	
Product/ingredient name	OSHA	IARC	NTP	
Titanium dioxide		2B		
<u>Reproductive toxicity</u> Conclusion/Summary <u>Teratogenicity</u>	:	Mixture.Not fully	tested.	
Conclusion/Summary	:	Mixture.Not fully	tested.	
Specific target organ toxicity Not available.	y (single expo	<u>sure)</u>		
Specific target organ toxicity Not available.	<u>(repeated ex</u>	<u>kposure)</u>		
<u>Aspiration hazard</u> Not available.				
Information on likely routes exposure	of :	Not available.		
Potential acute health effects				
Eye contact Inhalation Skin contact Ingestion	:	No known signific No known signific	cant effects or critical hazards. cant effects or critical hazards. cant effects or critical hazards. cant effects or critical hazards.	

<u>PolyOne</u>

ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019 Page 10 of 16 Print Date 06/20/2019

<u>vOne</u>

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific da	ta.
Inhalation	: No specific da	ta.
Skin contact	: No specific da	ta.
Ingestion	: No specific da	ta.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure		
3H-Pyrazol-3-one, 4-[(1,5-dihydro-3-methyl-5-oxo-1-phenyl-4H-pyrazol-4-ylidene)methyl]-2,4-dihydro-5-methyl-					
2-phenyl-					



ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019 Page 11 of 16 Print Date 06/20/2019

Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic				
invertebrates.:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:	No applicable toxicity data			
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:	No applicable toxicity data			
	2,2,6,6-tetramethyl-4-piperidinyl)-, pol	vmer with 2 1-dichloro-6-	(1-morpholinyl)-	
1,3,5-triazine	2,2,0,0-tetrametry1-4-pipertumy1)-, por	rymer with 2,4-diemoro-o-	(+-morphonnyr)-	
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:	11 5			
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Titanium dioxide				
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h	
	water			
Remarks - Acute - Fish:	Acute		-	
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h	
		Crustaceans		
Remarks - Acute - Aquatic	Acute			
invertebrates.:		1		
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:	No constituenti de la deco			
Remarks - Acute - Aquatic plants:	No applicable toxicity data			
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:	No applicable toxicity data			
2-(2-Hydroxy-5-tert-octylphen	vl)benzotriazole			
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:	The application contents data			
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:	FF			
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:	11 5			
▲	11/16			

ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019

Po	lyOne.	
-		

Page 12 of 16 Print Date 06/20/2019

ABS YELLOW UV		
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available as they are bound within the polymer matrix.	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.	
Persistence and degradability		
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulative potential Not available.		
Mobility in soil		
Soil/water partition coefficien (KOC)	nt : Not available.	
Other adverse effects	: No known significant effects or critical hazards.	
Section 13. Disposal considerations		

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

ABS YELLOW UV

U.S.DOT 49CFR Ground/Air/Water

International Air ICAO/IATA

Version Number 1.0 Revision Date 06/19/2019



Page 13 of 16

Print Date 06/20/2019

:	Not regulated for transportation.
:	Not classified as dangerous goods under transport regulations.

International Water : Not classified as dangerous goods under transport regulations. IMO/IMDG

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Not listed
		United States - EPA Clean water act (CWA) section 311 -
		Hazardous substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Flammable substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Toxic substances: Not listed
		United States - Department of commerce - Precursor chemical:

ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019

P	bly	One
_		

Page 14 of 16 Print Date 06/20/2019

		Not listed
Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable. :

Composition/information on ingredients

No products were found.

Name	%	Classification
2-(2-Hydroxy-5-tert-	>= 5 - <= 10	ACUTE TOXICITY - oral - Category 4
octylphenyl)benzotriazole		
1,6-Hexanediamine, N,N'-	>= 5 - <= 10	ACUTE TOXICITY - inhalation - Category 3
bis(2,2,6,6-tetramethyl-4-		
piperidinyl)-, polymer with		
2,4-dichloro-6-(4-		
morpholinyl)-1,3,5-triazine		
3H-Pyrazol-3-one, 4-[(1,5-	>= 5 - <= 10	TOXIC TO REPRODUCTION - Fertility - Category 2
dihydro-3-methyl-5-oxo-1-		TOXIC TO REPRODUCTION - Unborn child - Category 2
phenyl-4H-pyrazol-4-		
ylidene)methyl]-2,4-		
dihydro-5-methyl-2-phenyl-		
Titanium dioxide	>= 10 - <= 25	CARCINOGENICITY - Category 2

SARA 313 Not applicable.

State regulations

Massachusetts	:	None of the components are listed.	
New York	:	None of the components are listed.	
		14/16	

ABS YELLOW UV

ŀ	bh	70	ne.
-	-		

Version Number 1.0 Revision Date 06/19/2019 Page 15 of 16 Print Date 06/20/2019

New Jersey	:	The following components are listed: Titanium dioxide
Pennsylvania	:	The following components are listed: Titanium dioxide

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	No.	No.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	Not determined.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	Not determined.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4

ABS YELLOW UV

Version Number 1.0 Revision Date 06/19/2019

representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

:	06/20/2019
:	06/19/2019
:	00/00/0000
:	1.0
:	ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of
	Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From
	Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
	pollution)
	UN = United Nations
:	Not available.
	:::::::::::::::::::::::::::::::::::::::

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.