

COOL GRAY PRECOLOR

Version Number 1.0 Revision Date 07/05/2019

Page 1 of 17 Print Date 07/06/2019

SAFETY DATA SHEET

COOL GRAY PRECOLOR

Section 1. Identification

GHS product identifier COOL GRAY PRECOLOR

Chemical name Mixture **CAS** number Mixture CC10308722 Other means of identification

Product type solid

Relevant identified uses of the substance or mixture and uses advised against

Industrial applications. Plastics. Product use

Supplier's details POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

Emergency telephone number

(with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status While this material is not considered hazardous by the OSHA Hazard

> Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

Classification of the substance or

mixture

Not classified.

GHS label elements

Signal word No signal word.

1/17



COOL GRAY PRECOLOR

Version Number 1.0 Revision Date 07/05/2019 Page 2 of 17 Print Date 07/06/2019

Hazard statements: No known significant effects or critical hazards.

Precautionary statements

General:Not applicable.Prevention:Not applicable.Response:Not applicable.Storage:Not applicable.Disposal:Not applicable.Supplemental label elements:None known.Hazards not otherwise classified:None known.

Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: CC10308722

CAS number/other identifiers

| Ingredient name | % | CAS number |
|---|---------|------------|
| Titanium dioxide | 1 - 3 | 13463-67-7 |
| | | |
| | | |
| 2-Propenenitrile, polymer with Ethenylbenzene | 1 - 3 | 9003-54-7 |
| | | |
| | | |
| Styrene | 0.3 - 1 | 100-42-5 |
| | | |
| | | |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures



COOL GRAY PRECOLOR

Version Number 1.0 Page 3 of 17 Revision Date 07/05/2019 Print Date 07/06/2019

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by

medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)



COOL GRAY PRECOLOR

Version Number 1.0 Revision Date 07/05/2019 Page 4 of 17 Print Date 07/06/2019

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or CO_2 .

None known.

Specific hazards arising from the chemical

: No specific fire or explosion hazard.

Hazardous thermal decomposition products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides

Special protective actions for firefighters : Promptly isolate the scene by removing all persons from the vicinity

of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

See also the information in "For non-emergency personnel".

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and

place in a designated, labeled waste container. Dispose of via a

licensed waste disposal contractor.



COOL GRAY PRECOLOR

Version Number 1.0 Revision Date 07/05/2019 Page 5 of 17 Print Date 07/06/2019

Large spill

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|-----------------|----------------------------|
| Styrene | OSHA PEL 1989 (1989-03-01) |
| _ | TWA 215 mg/m3 50 ppm |
| | STEL 425 mg/m3 100 ppm |
| | OSHA PEL Z2 (1993-06-30) |
| | TWA 100 ppm |
| | CEIL 200 ppm |
| | CEIL 600 ppm |
| | NIOSH REL (1994-06-01) |
| | TWA 215 mg/m3 50 ppm |



COOL GRAY PRECOLOR

Version Number 1.0 Revision Date 07/05/2019 Page 6 of 17 Print Date 07/06/2019

| | STEL 425 mg/m3 100 ppm ACGIH TLV (1997-05-21) TWA 85 mg/m3 20 ppm STEL 170 mg/m3 40 ppm |
|--|--|
| Titanium dioxide | OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3 |
| 2-Propenenitrile, polymer with Ethenylbenzene | None. |

Appropriate engineering controls

Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a

higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection: Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products

if a risk assessment indicates this is necessary.

Body protection: Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures



COOL GRAY PRECOLOR

Version Number 1.0 Revision Date 07/05/2019

Page 7 of 17 Print Date 07/06/2019

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Respiratory protection Based on the hazard and potential for exposure, select a respirator that

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper

fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state solid [Pellets.]

Color **GREY** Faint odor. Odor **Odor threshold** Not available. pН Not available. **Melting point** Not available. **Boiling** point Not available. Flash point Not available. **Burning time** Not available. **Burning** rate Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Lower and upper explosive Lower: Not available. (flammable) limits Upper: Not available.

Not available. Vapor pressure Not available. Vapor density Relative density Not available. Not available. **Solubility** Solubility in water insoluble in water.

Partition coefficient: n-Not available.

octanol/water

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **SADT** Not available.

Viscosity Dynamic: Not available.

Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this product or

its ingredients.



COOL GRAY PRECOLOR

Version Number 1.0 Page 8 of 17 Revision Date 07/05/2019 Print Date 07/06/2019

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid : Keep away from extreme heat and oxidizing agents.

Incompatible materials : Keep away from strong acids.

Oxidizer.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

| Result | Species | Dose | Exposure | | | |
|-----------------------------|--|---|---|--|--|--|
| Styrene | | | | | | |
| LD50 Oral | LD50 Oral Rat 2,650 mg/kg - | | | | | |
| LC50 Inhalation | Rat | 2,770 ppm | 4 h | | | |
| LC50 Inhalation | Rat | 11.8 Mg/l | 4 h | | | |
| No applicable toxic | city data | | | | | |
| | | | | | | |
| No applicable toxic | city data | | | | | |
| LC50 Inhalation | Rat - Male | 6.82 Mg/l | 4 h | | | |
| LD50 Dermal | Rabbit | > 5,000 mg/kg | - | | | |
| Ethenylbenzene | | | | | | |
| LD50 Oral | Rat | 1,800 mg/kg | - | | | |
| No applicable toxicity data | | | | | | |
| No applicable toxicity data | | | | | | |
| | LD50 Oral LC50 Inhalation LC50 Inhalation No applicable toxio LC50 Inhalation LC50 Inhalation LD50 Dermal Ethenylbenzene LD50 Oral No applicable toxio | LD50 Oral Rat LC50 Inhalation Rat LC50 Inhalation Rat No applicable toxicity data No applicable toxicity data LC50 Inhalation Rat - Male LD50 Dermal Rabbit Ethenylbenzene LD50 Oral Rat No applicable toxicity data | LD50 Oral Rat 2,650 mg/kg LC50 Inhalation Rat 2,770 ppm LC50 Inhalation Rat 11.8 Mg/l No applicable toxicity data No applicable toxicity data LC50 Inhalation Rat - Male 6.82 Mg/l LD50 Dermal Rabbit > 5,000 mg/kg Ethenylbenzene LD50 Oral Rat 1,800 mg/kg No applicable toxicity data | | | |

Conclusion/Summary : Mixture. Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|-------------------------|---------|-------|----------|-------------|
| Styrene | Eyes - Mild irritant | Human | | | - |
| | Skin - Mild irritant | Rabbit | | | - |
| | Skin - Moderate | Rabbit | | | - |



COOL GRAY PRECOLOR

Version Number 1.0 Revision Date 07/05/2019 Page 9 of 17 Print Date 07/06/2019

| | irritant | | | |
|------------------|--------------------------------|--------|--------|---|
| | Eyes - Severe irritant | Rabbit | | - |
| | Eyes - Moderate irritant | Rabbit | 24 hrs | - |
| Titanium dioxide | Skin - Mild irritant | Human | 72 hrs | - |

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Sensitization

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Mutagenicity

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

Conclusion/Summary: Mixture.Not fully tested.

Classification

| Ciassification | | | |
|---------------------------|------|------|--|
| Product/ingredient | OSHA | IARC | NTP |
| name | | | |
| Styrene | | 2B | Reasonably anticipated to be a human carcinogen. |
| Titanium dioxide | | 2B | |
| 2-Propenenitrile, polymer | | 3 | |
| with Ethenvlbenzene | | | |

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.



COOL GRAY PRECOLOR

Version Number 1.0 Page 10 of 17 Revision Date 07/05/2019 Print Date 07/06/2019

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of

exposure

Not available.

Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects: Not available.Potential delayed effects: Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary: Mixture.Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.



COOL GRAY PRECOLOR

Version Number 1.0 Revision Date 07/05/2019 Page 11 of 17 Print Date 07/06/2019

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

| Acute Acut | Product/ingredient name | Result | Species | Exposure |
|--|---------------------------|----------------------------------|------------------------|----------|
| Remarks - Acute - Fish: Acute Acute EC50 0.0047 Mg/l Fresh Aquatic invertebrates. 48 h Daphnia | Styrene | | | |
| Acute EC50 0.0047 Mg/l Fresh water Aquatic invertebrates. A8 h | | Acute LC50 4.02 Mg/l Fresh water | Fish - Fish | 96 h |
| Remarks - Acute - Aquatic invertebrates.: Acute LC50 52 Mg/l Marine water crustaceans Aquatic invertebrates. Crustaceans 48 h Remarks - Acute - Aquatic invertebrates.: Acute EC50 1.4 Mg/l Fresh water Aquatic plants - Algae 72 h Remarks - Acute - Aquatic plants: Acute EC50 0.72 Mg/l Fresh water Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants: Acute NOEC 0.063 Mg/l Fresh water Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants: Acute NOEC 0.063 Mg/l Fresh water Aquatic plants - Algae water 96 h Remarks - Acute - Aquatic plants: No applicable toxicity data Remarks - Chronic - Isish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: No applicable toxicity data Titanium dioxide Fish - Fish water 96 h Remarks - Acute - Fish: Acute LC50 > 1,000 Mg/l Marine water Fish - Fish water 96 h Remarks - Acute - Fish: Acute LC50 > 1,000 Mg/l Fresh water Aquatic invertebrates. 48 h | Remarks - Acute - Fish: | Acute | | |
| Remarks - Acute - Aquatic invertebrates.: Acute LC50 52 Mg/l Marine water Aquatic invertebrates. Crustaceans Remarks - Acute - Aquatic invertebrates.: Acute EC50 1.4 Mg/l Fresh water Aquatic plants - Algae 72 h Remarks - Acute - Aquatic plants: Acute EC50 0.72 Mg/l Fresh water Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants: Acute NOEC 0.063 Mg/l Fresh water Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants: Acute NOEC 0.063 Mg/l Fresh Aquatic plants - Algae 96 h Remarks - Chronic plants: Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Aquatic invertebrates. Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | | Acute EC50 0.0047 Mg/l Fresh | Aquatic invertebrates. | 48 h |
| invertebrates.: Acute LC50 52 Mg/l Marine water Aquatic invertebrates. Crustaceans Remarks - Acute - Aquatic invertebrates.: Acute EC50 1.4 Mg/l Fresh water Aquatic plants - Algae 72 h Remarks - Acute - Aquatic plants: Acute EC50 0.72 Mg/l Fresh water Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants: Acute NOEC 0.063 Mg/l Fresh water Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants: Remarks - Acute - Aquatic Chronic plants: Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates: Titanium dioxide Remarks - Acute - Fish: Acute Acute LC50 > 1,000 Mg/l Marine water Aquatic invertebrates. 48 h | | water | Daphnia | |
| Acute LC50 52 Mg/l Marine water Aquatic invertebrates. As h | Remarks - Acute - Aquatic | Acute | | |
| Remarks - Acute - Aquatic invertebrates: Acute EC50 1.4 Mg/l Fresh water Aquatic plants - Algae 72 h Remarks - Acute - Aquatic plants: Acute EC50 0.72 Mg/l Fresh water Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants: Acute NOEC 0.063 Mg/l Fresh water Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants: Remarks - Acute - Aquatic plants - Algae water Aquatic plants - Algae water Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | invertebrates.: | | | |
| Remarks - Acute - Aquatic invertebrates.: Acute EC50 1.4 Mg/l Fresh water | | Acute LC50 52 Mg/l Marine water | | 48 h |
| invertebrates.: Acute EC50 1.4 Mg/l Fresh water Aquatic plants - Algae 72 h Remarks - Acute - Aquatic plants: Acute EC50 0.72 Mg/l Fresh water Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants: Acute NOEC 0.063 Mg/l Fresh Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants - Algae water Acute NOEC 0.063 Mg/l Fresh Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants - Algae water Chronic Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | | | Crustaceans | |
| Acute EC50 1.4 Mg/l Fresh water Aquatic plants - Algae 72 h | Remarks - Acute - Aquatic | Acute | | |
| Remarks - Acute - Aquatic plants: Acute EC50 0.72 Mg/l Fresh water Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants: Acute NOEC 0.063 Mg/l Fresh Aquatic plants - Algae 96 h water Acute - Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants: Chronic Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | invertebrates.: | | | T |
| Acute EC50 0.72 Mg/l Fresh water Aquatic plants - Algae 96 h | | Acute EC50 1.4 Mg/l Fresh water | Aquatic plants - Algae | 72 h |
| Acute EC50 0.72 Mg/l Fresh water Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants: Acute NOEC 0.063 Mg/l Fresh Aquatic plants - Algae water Acute NOEC 0.063 Mg/l Fresh Aquatic plants - Algae water Chronic Remarks - Acute - Aquatic plants: Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | Remarks - Acute - Aquatic | Acute | | |
| Remarks - Acute - Aquatic plants: Acute NOEC 0.063 Mg/l Fresh water Aquatic plants - Algae 96 h Remarks - Acute - Aquatic plants: Chronic Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: No applicable toxicity data Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Fish - Fish 96 h Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | plants: | | _ | T |
| Acute NOEC 0.063 Mg/l Fresh Aquatic plants - Algae 96 h water | | | Aquatic plants - Algae | 96 h |
| Acute NOEC 0.063 Mg/l Fresh water Remarks - Acute - Aquatic plants: Chronic Remarks - Chronic - Fish: Remarks - Chronic - No applicable toxicity data Aquatic invertebrates.: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Remarks - Acute - Fish: Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | Remarks - Acute - Aquatic | Acute | | |
| Remarks - Acute - Aquatic plants: Chronic Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: No applicable toxicity data Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Fish - Fish plants Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | plants: | | _ | T |
| Remarks - Acute - Aquatic plants: Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | | = | Aquatic plants - Algae | 96 h |
| plants: Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Fish - Fish 96 h Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | | | | |
| Remarks - Chronic - Fish: No applicable toxicity data Aquatic invertebrates.: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Fish - Fish 96 h Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | _ | Chronic | | |
| Remarks - Chronic - Aquatic invertebrates.: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | | | | |
| Aquatic invertebrates.: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Remarks - Acute - Fish: Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | | | | |
| | | No applicable toxicity data | | |
| | | | | |
| water Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | Titanium dioxide | | _ | T |
| Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | | | Fish - Fish | 96 h |
| Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h | | | | |
| | Remarks - Acute - Fish: | | 1 | T |
| Crustaceans | | Acute LC50 3 Mg/l Fresh water | 1 | 48 h |
| | | | Crustaceans | |



COOL GRAY PRECOLOR

Version Number 1.0 Revision Date 07/05/2019 Page 12 of 17 Print Date 07/06/2019

| Remarks - Acute - Aquatic invertebrates.: | Acute | | |
|---|---------------------------------------|--------------------------------|-------------------|
| invertebrates | Acute LC50 6.5 Mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |
| Remarks - Acute - Aquatic invertebrates.: | Acute | | |
| Remarks - Acute - Aquatic plants: | No applicable toxicity data | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | |
| Remarks - Chronic - | No applicable toxicity data | | |
| Aquatic invertebrates.: | | | |
| 2-Propenenitrile, polymer with | Ethenylbenzene | | |
| Remarks - Acute - Fish: | No applicable toxicity data | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | |
| invertebrates.: | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | |
| plants: | | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | |
| Remarks - Chronic - | No applicable toxicity data | | |
| Aquatic invertebrates.: | | | |
| COOL GRAY PRECOLOR | | | |
| Remarks - Acute - Aquatic | Chemicals are not readily available a | s they are bound within the | e polymer matrix. |
| invertebrates.: | | | |
| C 1! /C | C1 ' 1 ' 1' | | 1 1.1 1 .1 |

Conclusion/Summary

: Chemicals are not readily available as they are bound within the polymer matrix.

Persistence and degradability

Conclusion/Summary

: Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-------|-----------|
| Styrene | 0.35 | 13.49 | low |

Mobility in soil

Soil/water partition coefficient

(KOC)

: Not available.

Other adverse effects : No known significant effects or critical hazards.



COOL GRAY PRECOLOR

Version Number 1.0 Page 13 of 17 Revision Date 07/05/2019 Print Date 07/06/2019

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.

International Air ICAO/IATA

: Not classified as dangerous goods under transport regulations.

International Water

IMO/IMDG

: Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a) - Final cignificant reviews and a state of the state of

United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:



COOL GRAY PRECOLOR

Version Number 1.0 Revision Date 07/05/2019

Page 14 of 17 Print Date 07/06/2019

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined

United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority

pollutants: Listed Rutile, antimony chromium buff

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

United States - Department of commerce - Precursor chemical:

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

Substances

Clean Air Act Section 602 Class II

Substances

DEA List I Chemicals (Precursor

Chemicals)

DEA List II Chemicals (Essential

Chemicals)

Listed

Not listed

Not listed Not listed

Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Not applicable. Classification

Composition/information on ingredients



COOL GRAY PRECOLOR

Version Number 1.0 Revision Date 07/05/2019 Page 15 of 17 Print Date 07/06/2019

No products were found.

| Name | % | Classification |
|---|---------------|--|
| 2-Propenenitrile, polymer with Ethenylbenzene | >= 1 - <= 3 | ACUTE TOXICITY - oral - Category 4 |
| Titanium dioxide | >= 1 - <= 3 | CARCINOGENICITY - Category 2 |
| Styrene | >= 0.3 - <= 1 | FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY - inhalation - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2 |

SARA 313

| | Product name | CAS number | % |
|-----------------------|--------------|------------|---------|
| Form R - Reporting | Styrene | 100-42-5 | 0.3 - 1 |
| requirements | | | |
| Supplier notification | Styrene | 100-42-5 | 0.3 - 1 |
| | | | |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

MassachusettsNone of the components are listed.New YorkThe following components are listed:

Styrene

New Jersey : The following components are listed:

Styrene

Titanium dioxide

2-Propenenitrile, polymer with Ethenylbenzene

Pennsylvania : The following components are listed:

Styrene

Titanium dioxide

California Prop. 65

WARNING: This product can expose you to chemicals including Styrene, Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable |
|------------------|---------------------------|--------------------|
| | | dosage level |
| Titanium dioxide | No. | No. |
| Styrene | No. | No. |



COOL GRAY PRECOLOR

Version Number 1.0 Page 16 of 17 Revision Date 07/05/2019 Print Date 07/06/2019

United States inventory (TSCA 8b) : All components are listed or exempted.

Canada inventory : At least one component is not listed in DSL but all such components

are listed in NDSL.

International regulations

Inventory list

Australia : All components are listed or exempted.

Canada : At least one component is not listed in DSL but all such components

are listed in NDSL.

China : Not determined.

Europe inventory : All components are listed or exempted. **Japan** : All components are listed or exempted.

New Zealand: Not determined.Philippines: Not determined.

Republic of Korea: All components are listed or exempted.Taiwan: All components are listed or exempted.

Turkev : Not determined.

United States : All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health | / | 0 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

History

Date of printing: 07/06/2019Date of issue/Date of revision: 07/05/2019Date of previous issue: 00/00/0000



COOL GRAY PRECOLOR

Version Number 1.0 Page 17 of 17 Revision Date 07/05/2019 Print Date 07/06/2019

Version : 1.0

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.