LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019 PolyOne.

Page 1 of 16 Print Date 08/13/2019

SAFETY DATA SHEET

LT. BLUE P290C PE

Section 1. Identification		
GHS product identifier	:	LT. BLUE P290C PE
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10310574
Product type	:	solid
Relevant identified uses of the subst	ance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/16

LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019

Page 2 of 16 Print Date 08/13/2019

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10310574

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	50 - 75	13463-67-7
Talc	1 - 3	14807-96-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.



LT. BLUE P290C PE

Version Number 1.1	Page 3 of 16
Revision Date 08/07/2019	Print Date 08/13/2019

		Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable
		for breathing. Get medical attention if symptoms occur. In case of
		inhalation of decomposition products in a fire, symptoms may be
		delayed. The exposed person may need to be kept under medical
		surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at
		rest in a position comfortable for breathing. If material has been
		swallowed and the exposed person is conscious, give small quantities
		of water to drink. Do not induce vomiting unless directed to do so by
		medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical att	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019



Page 4 of 16 Print Date 08/13/2019

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt aı	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a

LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019



Page 5 of 16 Print Date 08/13/2019

licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Talc	ACGIH TLV (1996-05-18)
	TWA 2 mg/m3 Form: Respirable fraction
	ACGIH TLV (1998-09-01)
	TWA 0.1 fibrers/cm3 Form: respiratble fibre
	OSHA PEL 1989 (1989-03-01)
	TWA 2 mg/m3 Form: Respirable dust
	NIOSH REL (1994-06-01)
	TWA 2 mg/m3 Form: Respirable fraction
	OSHA PEL Z3 (1997-09-03)
	TWA 20 million particles per 1 cubic foot Form: not/asb
	STEL 1 fibrers/cm3 Form: not/asb
	TWA 0.1 fibrers/cm3 Form: con/asb

LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019 Page 6 of 16 Print Date 08/13/2019

Fitanium dioxide O Trianium dioxide O Trianium dioxide O Appropriate engineering controls : Appropriate engineering controls : Environmental exposure controls : endividual protection measures : Hygiene measures : Eye/face protection : Sa w iii iii iii : Sa :	TEL 1 fibrers/cm3 Form: con/asb SHA PEL 1989 (1989-03-01) WA 10 mg/m3 Form: Total dust SHA PEL (1993-06-30) WA 15 mg/m3 Form: Total dust CGIH TLV (1996-05-18) WA 10 mg/m3 ood general ventilation should be sufficient to control worker rposure to airborne contaminants. missions from ventilation or work process equipment should be tecked to ensure they comply with the requirements of twironmental protection legislation. In some cases, fume scrubbers, ters or engineering modifications to the process equipment will be excessary to reduce emissions to acceptable levels. Yash hands, forearms and face thoroughly after handling chemical oducts, before eating, smoking and using the lavatory and at the end The working period. Appropriate techniques should be used to move potentially contaminated clothing. Wash contaminated othing before reusing. Ensure that eyewash stations and safety
Appropriate engineering controls : G Appropriate engineering controls : G Environmental exposure controls : Environmental exposure controls : Sa	 WA 10 mg/m3 Form: Total dust SHA PEL (1993-06-30) WA 15 mg/m3 Form: Total dust CGIH TLV (1996-05-18) WA 10 mg/m3 ood general ventilation should be sufficient to control worker posure to airborne contaminants. missions from ventilation or work process equipment should be tecked to ensure they comply with the requirements of twironmental protection legislation. In some cases, fume scrubbers, ters or engineering modifications to the process equipment will be Secessary to reduce emissions to acceptable levels. Yash hands, forearms and face thoroughly after handling chemical oducts, before eating, smoking and using the lavatory and at the end The working period. Appropriate techniques should be used to move potentially contaminated clothing. Wash contaminated
Environmental exposure controls : We environmental exposure exponential exposure exposure exponential exposure	 posure to airborne contaminants. missions from ventilation or work process equipment should be lecked to ensure they comply with the requirements of avironmental protection legislation. In some cases, fume scrubbers, ters or engineering modifications to the process equipment will be becessary to reduce emissions to acceptable levels. Yash hands, forearms and face thoroughly after handling chemical oducts, before eating, smoking and using the lavatory and at the end the working period. Appropriate techniques should be used to move potentially contaminated clothing. Wash contaminated
Hygiene measures : W pr of re cl sh Eye/face protection : Sa w lid for	oducts, before eating, smoking and using the lavatory and at the end the working period. Appropriate techniques should be used to move potentially contaminated clothing. Wash contaminated
pr of re cl sh Eye/face protection : Sa w lid for	oducts, before eating, smoking and using the lavatory and at the end the working period. Appropriate techniques should be used to move potentially contaminated clothing. Wash contaminated
	solvers are close to the workstation location. afety eyewear complying with an approved standard should be used hen a risk assessment indicates this is necessary to avoid exposure to quid splashes, mists, gases or dusts. If contact is possible, the llowing protection should be worn, unless the assessment indicates a gher degree of protection: safety glasses with side-shields.
Skin protection	
st if	hemical-resistant, impervious gloves complying with an approved andard should be worn at all times when handling chemical products a risk assessment indicates this is necessary. ersonal protective equipment for the body should be selected based
Other skin protection or ap Sh	the task being performed and the risks involved and should be poproved by a specialist before handling this product. ppropriate footwear and any additional skin protection measures ould be selected based on the task being performed and the risks volved and should be approved by a specialist before handling this
Respiratory protection : B: m	oduct. ased on the hazard and potential for exposure, select a respirator that
	eets the appropriate standard or certification. Respirators must be ed according to a respiratory protection program to ensure proper



LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019

Page 7 of 16 Print Date 08/13/2019

fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	BLUE
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity No specific test data related to reactivity available for this product or : its ingredients. **Chemical stability** Stable under recommended storage and handling conditions (see : Section 7). Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will : not occur. **Conditions to avoid** : Keep away from extreme heat and oxidizing agents. **Incompatible materials** : Keep away from strong acids.

7/16



LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019

Page 8 of 16 Print Date 08/13/2019

Oxidizer.

:

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Remarks - Oral:	No applicable toxic	No applicable toxicity data				
Remarks - Inhalation:	No applicable toxic	No applicable toxicity data				
Remarks - Dermal:	No applicable toxic	No applicable toxicity data				
Titanium dioxide						
Remarks - Oral:	No applicable toxic	city data				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		
Conclusion/Summary	: Mixtu	re.Not fully tested.				

Conclusion/Summary

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Talc	Skin - Mild irritant	Human		72 hrs	-
Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-
Conclusion/Summary					
Skin	: N	lixture.Not fu	lly tested.		
Eyes	: N	lixture.Not fu	lly tested.		
Respiratory	: N	lixture.Not fu	lly tested.		
<u>Sensitization</u> Conclusion/Summary					
Skin	: N	lixture.Not fu	llv tested.		
Respiratory		lixture.Not fu	•		
Mutagenicity					
Conclusion/Summary	: N	lixture.Not fu	lly tested.		
		8/16	6		



LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019 Page 9 of 16 Print Date 08/13/2019

Carcinogenicity

Conclusion/Summary Classification	:	Mixture.Not fu	lly tested.
Product/ingredient name	OSHA	IARC	NTP
Talc		312B	
Titanium dioxide		2B	
Reproductive toxicity			
Conclusion/Summary	:	Mixture.Not fu	lly tested.
Teratogenicity			
Conclusion/Summary	:	Mixture.Not fu	lly tested.
Specific target organ toxicity Not available. Specific target organ toxicity			
Not available. <u>Aspiration hazard</u> Not available.			
Information on likely routes of exposure	of :	Not available.	
Potential acute health effects			
Eye contact Inhalation Skin contact Ingestion	:	No known sign No known sign	ificant effects or critical hazards. ificant effects or critical hazards. ificant effects or critical hazards. ificant effects or critical hazards.
Symptoms related to the phys	sical, chemica	and toxicolog	gical characteristics
Eye contact Inhalation	:	No specific data No specific data	a.
Skin contact		No specific data	
Ingestion	:	No specific data	a.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019

Short term exposure

<u>PolyOne</u>

Page 10 of 16 Print Date 08/13/2019

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxicity		

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Talc			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			



LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019 Page 11 of 16 Print Date 08/13/2019

Titanium dioxide				
	Acute LC50 >	1,000 Mg/l Marine	Fish - Fish	96 h
	water			
Remarks - Acute - Fish:	Acute			
	Acute LC50 3	Mg/l Fresh water	Aquatic invertebrates.	48 h
			Crustaceans	
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
	Acute LC50 6.	5 Mg/l Fresh water	Aquatic invertebrates.	48 h
			Daphnia	
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable	toxicity data		
plants:				
Remarks - Chronic - Fish:	No applicable	toxicity data		
Remarks - Chronic -	No applicable	toxicity data		
Aquatic invertebrates.:				
LT. BLUE P290C PE				
Remarks - Acute - Aquatic	Chemicals are	not readily available a	as they are bound within the	e polymer matrix.
invertebrates.:				
Conclusion/Summary			ly available as they are bou	nd within the
	ро	lymer matrix.		
Persistence and degradability	<u>Y</u>			
Conclusion/Summany		nomicale are not readil	ly available as they are bou	nd within the
Conclusion/Summary		lymer matrix.	ly available as they are bou	nd within the
	pe	nymer maurx.		
Bioaccumulative potential				
Not available.				
<u>Mobility in soil</u>				
Soil/water partition coefficie	ent : No	ot available.		
(KOC)		1		
Other adverse effects	: No	o known significant ef	ffects or critical hazards.	
		•		
Section 13. Dispos	al conside	erations		

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products
------------------	---	--

LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019



should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - Thial rest Rules. Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed

LT. BLUE P290C PE

PolyOne.	

Version Number 1.1	Page 13 of 16
Revision Date 08/07/2019	Print Date 08/13/2019

		United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Phthalocyanine green Phthalocyanine Blue
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Chemicals)

Classification

: Not applicable.

Composition/information on ingredients

No products were found.

Name	%	Classification
Talc	>= 1 - <= 3	CARCINOGENICITY - Category 2
13/16		



LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019

Page 14 of 16 Print Date 08/13/2019

Titanium dioxide	>= 50 - <= 75	CARCINOGENICITY - Category 2
SARA 313 Not applicable.	1	1
<u>State regulations</u> Massachusetts New York		of the components are listed.
New Jersey	: The fo Talc	llowing components are listed:
Pennsylvania	: The fo Talc	llowing components are listed:
	Titan	ium dioxide

<u>California Prop. 65</u>

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable
		dosage level
Titanium dioxide	No.	No.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.
		14/16



LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019 Page 15 of 16 Print Date 08/13/2019

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

nistory		
Date of printing	:	08/13/2019
Date of issue/Date of revision	:	08/07/2019
Date of previous issue	:	08/01/2019
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	•	Not available.
MICI CHECO	•	i vot available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other



LT. BLUE P290C PE

Version Number 1.1 Revision Date 08/07/2019 Page 16 of 16 Print Date 08/13/2019

materials or in any process, unless specified in the text.