WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 1 of 19 Print Date 09/14/2019

SAFETY DATA SHEET

WA6 AGAVE BLUE 2000EZ

Section 1. Identification	on	
GHS product identifier Chemical name CAS number Other means of identification Product type	::	WA6 AGAVE BLUE 2000EZ Mixture Mixture CC10311146 solid
<u>Relevant identified uses of the subs</u> Product use	tance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/19

<u>One</u>

WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 2 of 19 Print Date 09/14/2019

Hazard statements

: No known significant effects or critical hazards.

Precautionary statements

~ -		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10311146

CAS number/other identifiers

Ingredient name	%	CAS number
2-Propenenitrile, polymer with ethenylbenzene	25 - 50	9003-54-7
Titanium oxide	10 - 25	13463-67-7
C.I. Pigment Green 26 An inorganic pigment that is the reaction product of high temperature calcination in which cobalt (II) oxide and chromium (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, MgO, SiO2, TiO2, ZnO, or ZrO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77344.	10 - 25	68187-49-5
Phenol, 2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)-	1 - 3	3147-75-9
Carbon black	1 - 3	1333-86-4

WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 3 of 19 Print Date 09/14/2019

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	Immediately flush eyes with plenty of water, occasionally li upper and lower eyelids. Check for and remove any contact Get medical attention if irritation occurs.	
Inhalation	Remove victim to fresh air and keep at rest in a position con for breathing. Get medical attention if symptoms occur. In c inhalation of decomposition products in a fire, symptoms m delayed. The exposed person may need to be kept under me surveillance for 48 hours.	case of ay be
Skin contact	Flush contaminated skin with plenty of water. Remove cont clothing and shoes. Get medical attention if symptoms occu	
Ingestion	Wash out mouth with water. Remove victim to fresh air and rest in a position comfortable for breathing. If material has swallowed and the exposed person is conscious, give small of water to drink. Do not induce vomiting unless directed to medical personnel. Get medical attention if symptoms occur	been quantities do so by

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/sympton Eve contact	<u>us</u> :	No specific data.
Inhalation		No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.



WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 4 of 19 Print Date 09/14/2019

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Specific treatments	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and
For emergency responders	:	unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.



WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019	Page 5 of 19 Print Date 09/14/2019
Environmental precautions :	See also the information in "For non-emergency personnel". Avoid dispersal of spilled material and runoff and contact with soil,
	waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	and cleaning up
Small spill :	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill :	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits



WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 6 of 19 Print Date 09/14/2019

Ingredient name	Exposure limits
2-Propenenitrile, polymer with ethenylbenzene	None.
C.I. Pigment Green 26 An inorganic pigment that is the reaction product of high temperature calcination in which cobalt (II) oxide and chromium (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, MgO, SiO2, TiO2, ZnO, or ZrO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77344.	ACGIH TLV (1994-09-01) TWA 0.02 mg/m3 (as CO) NIOSH REL (2010-09-01) TWA 0.5 mg/m3 (as Cr) OSHA PEL 1989 (1989-03-01) TWA 0.5 mg/m3 (as Cr) OSHA PEL (1993-06-30) TWA 0.5 mg/m3 (as Cr)
Titanium oxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Phenol, 2-(2H-benzotriazol-2-yl)-4- (1,1,3,3-tetramethylbutyl)-	None.

Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of

<u>vOne</u>

WA6 AGAVE BLUE 2000EZ

Version Number 1.0	Page 7 of 19
Revision Date 09/13/2019	Print Date 09/14/2019

environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

:	solid [Pellets.]
:	BLUE
:	Faint odor.
:	Not available.
:	Not available.
:	Not available.
	:

7/19

PolyOne.

WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 8 of 19 Print Date 09/14/2019

Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition - Deflagration density	:	Not available.
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid Incompatible materials	:	Keep away from extreme heat and oxidizing agents. Keep away from strong acids. Oxidizer.

)ne

WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 9 of 19 Print Date 09/14/2019

Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition
products		products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure			
Phenol, 2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)-							
	LD50 Oral	Rat	1,000 mg/kg	-			
Remarks - Inhalation:	No applicable toxic	city data					
Remarks - Dermal:	No applicable toxic	city data					
Carbon black							
	LD50 Oral	Rat	15,400 mg/kg	-			
Remarks - Inhalation:	No applicable toxic	city data					
Remarks - Dermal:	No applicable toxic	city data					
Titanium oxide							
Remarks - Oral:	No applicable toxic	city data					
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h			
	LD50 Dermal	LD50 Dermal Rabbit > 5,000 mg/kg -					
C.I. Pigment Green 26 An inor							
cobalt (II) oxide and chromiun							
form a crystalline matrix of spi							
MgO, SiO2, TiO2, ZnO, or Zr		s identified in the CO	LOUR INDEX by Colo	our Index			
Constitution Number, C.I. 773							
Remarks - Oral:	No applicable toxic						
Remarks - Inhalation:	No applicable toxicity data						
Remarks - Dermal:	No applicable toxicity data						
2-Propenenitrile, polymer with ethenylbenzene							
	LD50 Oral	Rat	1,800 mg/kg	-			
Remarks - Inhalation:	No applicable toxic	city data					
Remarks - Dermal:	No applicable toxicity data						
Conclusion/Summary	: Mixtu	re.Not fully tested.					

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium oxide	Skin - Mild	Human		72 hrs	-



WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 10 of 19 Print Date 09/14/2019

	irritant			
Conclusion/Summary Skin Eyes Respiratory	: N	fixture.Not full fixture.Not full fixture.Not full	y tested.	
Sensitization				
Conclusion/Summary Skin Respiratory		lixture.Not full	•	
Mutagenicity				
Conclusion/Summary	: N	lixture.Not full	y tested.	
Carcinogenicity				
Conclusion/Summary	: N	lixture.Not full	y tested.	

Classification

Product/ingredient name	OSHA	IARC	NTP
Carbon black	-	2B	-
Titanium oxide	-	2B	-
C.I. Pigment Green 26 An	-	3	Reasonably anticipated to be a human carcinogen.
inorganic pigment that is			
the reaction product of			
high temperature			
calcination in which cobalt			
(II) oxide and chromium			
(III) oxide in varying			
amounts are			
homogeneously and			
ionically interdiffused to			
form a crystalline matrix of			
spinel. Its composition			
may include any one or a			
combination of the			
modifiers Al2O3, MgO,			
SiO2, TiO2, ZnO, or ZrO2.			
This substance is identified			
in the COLOUR INDEX			
by Colour Index			
Constitution Number, C.I.			



WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 11 of 19 Print Date 09/14/2019

77344.			
2-Propenenitrile, polymer	_	3	
with ethenylbenzene		5	
		I	
Reproductive toxicity			
Conclusion/Summary	:	Mixture.Not fully	tested.
<u>Teratogenicity</u>			
Conclusion/Summary	:	Mixture.Not fully	tested.
Specific target organ toxicity (single expo	<u>sure)</u>	
Not available.			
Specific target organ toxicity () Not available.	repeated ex	<u>kposure)</u>	
Aspiration hazard Not available.			
Information on likely routes of exposure	:	Not available.	
Potential acute health effects			
Eye contact	:	No known signific	cant effects or critical hazards.
Inhalation	:		cant effects or critical hazards.
Skin contact	:		cant effects or critical hazards.
Ingestion	:	No known signific	cant effects or critical hazards.
Symptoms related to the physic	cal, chemic	al and toxicologic	al characteristics
Eye contact	:	No specific data.	
Inhalation	:	No specific data.	
Skin contact	:	No specific data.	
Ingestion	:	No specific data.	
<u>Delayed and immediate effects</u> Short term exposure	as well as	chronic effects fro	om short and long-term exposure

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.

<u>PolyOne</u>.

WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 12 of 19 Print Date 09/14/2019

Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxicity		-

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result Species Exposure					
Phenol, 2-(2H-benzotriazol-2-	yl)-4-(1,1,3,3-tetramethylbutyl)-					
Remarks - Acute - Fish:	No applicable toxicity data	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
Carbon black						
Remarks - Acute - Fish:	No applicable toxicity data					
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h			
	water	Daphnia				
Remarks - Acute - Aquatic	Acute					
invertebrates.:						



WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 13 of 19 Print Date 09/14/2019

Remarks - Acute - Aquatic	No applicable toxicity data					
plants: Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:	No applicable toxicity data					
Titanium oxide						
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h			
	water		50 II			
Remarks - Acute - Fish:	Acute					
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h			
		Crustaceans				
Remarks - Acute - Aquatic	Acute					
invertebrates.:						
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h			
Remarks - Acute - Aquatic	Acute					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
	ganic pigment that is the reaction prod					
	cobalt (II) oxide and chromium (III) oxide in varying amounts are homogeneously and ionically interdiffused to					
form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3,						
MgO, SiO2, TiO2, ZnO, or ZrO2. This substance is identified in the COLOUR INDEX by Colour Index						
,	on Number, C.I. 77344.					
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic invertebrates.:	No applicable toxicity data					
	No applicable toxicity data					
Remarks - Acute - Aquatic plants:	No applicable toxicity data					
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
2-Propenenitrile, polymer with	ethenvlbenzene					
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						



WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019

Page 14 of 19 Print Date 09/14/2019

WA6 AGAVE BLUE 2000EZ		
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.	
invertebrates.:		
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.	
Persistence and degradability		
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulative potential Not available.		
Mobility in soil		
Soil/water partition coefficien (KOC)	t : Not available.	
Other adverse effects	: No known significant effects or critical hazards.	
Section 13. Disposal considerations		

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information



WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 15 of 19 Print Date 09/14/2019

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations :	United States - TSCA 12(b) - Chemical export notification: None
	of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Not listed
	United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
	pollutants: Listed C.I. Pigment Green 26 An inorganic pigment
	that is the reaction product of high temperature calcination in
	which cobalt (II) oxide and chromium (III) oxide in varying
	amounts are homogeneously and ionically interdiffused to form a
	crystalline matrix of spinel. Its composition may include any one
	or a combination of the modifiers Al2O3, MgO, SiO2, TiO2, ZnO,
	or ZrO2. This substance is identified in the COLOUR INDEX by
	Colour Index Constitution Number, C.I. 77344.
	15/10

ne

WA6 AGAVE BLUE 2000EZ

Version Number 1.0			
Revision Date	09/13/2019		

Page 16 of 19 Print Date 09/14/2019

2-Propenenitrile

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I		Not listed
Substances		
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Phenol, 2-(2H-benzotriazol-	>= 1 - <= 3	ACUTE TOXICITY - oral - Category 4
2-yl)-4-(1,1,3,3-		
tetramethylbutyl)-		
Carbon black	>= 1 - <= 3	CARCINOGENICITY - Category 2
Titanium oxide	>= 10 - <= 25	CARCINOGENICITY - Category 2
2-Propenenitrile, polymer	>= 25 - <= 50	ACUTE TOXICITY - oral - Category 4
with ethenylbenzene		

SARA 313



WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 17 of 19 Print Date 09/14/2019

Form R - Reporting requirements

Product name	CAS number	%
C.I. Pigment Green 26 An inorganic pigment that is the	68187-49-5	>= 10 - <= 25
reaction product of high temperature calcination in which		
cobalt (II) oxide and chromium (III) oxide in varying		
amounts are homogeneously and ionically interdiffused to		
form a crystalline matrix of spinel. Its composition may		
include any one or a combination of the modifiers Al2O3,		
MgO, SiO2, TiO2, ZnO, or ZrO2. This substance is		
identified in the COLOUR INDEX by Colour Index		
Constitution Number, C.I. 77344.		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations			
	:	None of the components are listed.	
New York	:	None of the components are listed.	
New Jersey	:	The following components are listed:	
New Jersey Pennsylvania	:	 2-Propenenitrile, polymer with ethenylbenzene C.I. Pigment Green 26 An inorganic pigment that is the reaction product of high temperature calcination in which cobalt (II) oxide and chromium (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al2O3, MgO, SiO2, TiO2, ZnO, or ZrO2. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77344. Titanium oxide Carbon black Carbon black C.I. Pigment Green 26 An inorganic pigment that is the reaction product of high temperature calcination in which cobalt (II) oxide and chromium (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers 	
		Al2O3, MgO, SiO2, TiO2, ZnO, or ZrO2. This substance is	
		identified in the COLOUR INDEX by Colour Index Constitution	
		Number, C.I. 77344.	
17/19			

WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 18 of 19 Print Date 09/14/2019

California Prop. 65

WARNING: This product can expose you to chemicals including Carbon black, Titanium oxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	-	-
Titanium oxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	Not determined.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	Not determined.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark

WA6 AGAVE BLUE 2000EZ

Version Number 1.0 Revision Date 09/13/2019 Page 19 of 19 Print Date 09/14/2019

and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

110001		
Date of printing	:	09/14/2019
Date of issue/Date of revision	:	09/13/2019
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.