ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020

Page 1 of 18 Print Date 09/08/2023

SAFETY DATA SHEET

ADCA GRABBER BLUE MASTERING

Section 1. Identification		
GHS product identifier	:	ADCA GRABBER BLUE MASTERING
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10312697
Product type	:	solid
<u>Relevant identified uses of the subs</u> Product use	stance :	e or mixture and uses advised against Industrial applications.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/18

ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020 Page 2 of 18 Print Date 09/08/2023

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10312697

CAS number/other identifiers

Ingredient name	%	CAS number
Cobalt chromite green spinel (C.I. Pigment Green 26)	5 - 10	68187-49-5
Titanium dioxide	3 - 5	13463-67-7
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	1 - 3	1345-16-0
Carbon black	0 - 0.3	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020

Page 3 of 18 Print Date 09/08/2023

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Protection of first-aiders

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.

: No action shall be taken involving any personal risk or without

<u>Une</u>

ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020 Page 4 of 18 Print Date 09/08/2023

suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : For emergency responders :	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions :	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up



ADCA GRABBER BLUE MASTERING

Version Number 1.1	Page 5 of 18
Revision Date 09/18/2020	Print Date 09/08/2023

Small spill	: Move containers from spill area. Vacuum or sweep up material and
	place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Cobalt chromite green spinel (C.I. Pigment Green 26)	ACGIH TLV (1994-09-01) Inhalation sensitizer Skin sensitizer TWA 0.02 mg/m3 (as CO) NIOSH REL (2010-09-01) TWA 0.5 mg/m3 (as Cr) OSHA PEL 1989 (1989-03-01) TWA 0.5 mg/m3 (as Cr)



ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020 Page 6 of 18 Print Date 09/08/2023

Titanium dioxide OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3 Cobalt aluminate blue spinel (C.I. Pigment Blue 28) ACGIH TLV (1994-09-01) Inhalation sensitizer Skin sensitizer TWA 0.02 mg/m3 (as CO) Carbon black OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3 mg/m3 Form: Inhalable fraction Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Environmental exposure controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fune scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		OSHA PEL (1993-06-30)
TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3Cobalt aluminate blue spinel (C.I. Pigment Blue 28)ACGIH TLV (1994-09-01) Inhalation sensitizer Skin sensitizer TWA 0.02 mg/m3 (as CO)Carbon blackOSHA PEL (1993-06-30) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.7 mg/m3 Form: Inhalable fractionAppropriate engineering controls Environmental exposure controls:Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Environmental protection negineering modifications to the process equipment should be checked to ensure they comply with the requirements of environmental protection negineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.Individual protection measures:Hygiene measures:Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection:Safety eyewear complying with an approved standard should be used		TWA 0.5 mg/m3 (as Cr)
Pigment Blue 28) TWA 0.02 mg/m3 (as CO) Carbon black OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Individual protection measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Eye/face protection : Safety eyewear complying with an approved standard should be used	Titanium dioxide	TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18)
TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m³ ACGHI TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction Propriate engineering controls Environmental exposure controls E Magina from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Individual protection measures Hygiene measures E Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Eye/face protection : Safety eyewear complying with an approved standard should be used		
Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.Individual protection measures:Hygiene measures:Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection:Safety eyewear complying with an approved standard should be used	Carbon black	TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06)
 Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Individual protection measures Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Eye/face protection 	Appropriate engineering controls	
Hygiene measures:Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection:Safety eyewear complying with an approved standard should be used	Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be
Eye/face protectionproducts, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection:	Individual protection measures	
Eye/face protection : Safety eyewear complying with an approved standard should be used	Hygiene measures	products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety
6/18	Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to



ADCA GRABBER BLUE MASTERING

Version Number 1.1	Page 7 of 18
Revision Date 09/18/2020	Print Date 09/08/2023

liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. **Skin protection** Hand protection Chemical-resistant, impervious gloves complying with an approved : standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based **Body protection** : on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures Other skin protection : should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Based on the hazard and potential for exposure, select a respirator that **Respiratory protection** : meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Color:BLUEOdor:Faint odor.Odor threshold:Not available.pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Not available.Burning time:Not available.Burning rate:Not available.
Odor threshold:Not available.pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Not available.Burning time:Not available.
pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Not available.Burning time:Not available.
Melting point:Not available.Boiling point:Not available.Flash point:Not available.Burning time:Not available.
Boiling point:Not available.Flash point:Not available.Burning time:Not available.
Flash point:Not available.Burning time:Not available.
Burning time : Not available.
0
Burning rate : Not available.
Evaporation rate : Not available.
Flammability (solid, gas) : Not available.
Lower and upper explosive : Lower: Not available.
(flammable) limits Upper: Not available.
Vapor pressure:Not available.
Vapor density:Not available.
Relative density : Not available.
Solubility : Not available.
Solubility in water : insoluble in water.



ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020 Page 8 of 18 Print Date 09/08/2023

Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature SADT	:	Not available. Not available. Not available. Not available.
Viscosity	:	Dynamic: Not available. Kinematic: Not available.
<u>Aerosol product</u>		Net and lable
Heat of combustion	:	Not available.
Ignition distance Enclosed space ignition - Time	:	Not available. Not available.
equivalent Enclosed space ignition -		Not available.
Deflagration density Flame height		Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure



ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020 Page 9 of 18 Print Date 09/08/2023

Carbon black 15,400 mg/kg LD50 Oral Rat _ No applicable toxicity data **Remarks - Inhalation:** Remarks - Dermal: No applicable toxicity data Cobalt aluminate blue spinel (C.I. Pigment Blue 28) Remarks - Oral: No applicable toxicity data **Remarks - Inhalation:** No applicable toxicity data **Remarks - Dermal:** No applicable toxicity data Titanium dioxide Remarks - Oral: No applicable toxicity data LC50 Inhalation Rat - Male 6.82 Mg/l 4 h LD50 Dermal > 5,000 mg/kg Rabbit _ Cobalt chromite green spinel (C.I. Pigment Green 26) Remarks - Oral: No applicable toxicity data No applicable toxicity data **Remarks - Inhalation: Remarks - Dermal:** No applicable toxicity data **Conclusion/Summary** : Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin		lixture.Not ful			
Eyes		lixture.Not ful			
Respiratory	: N	lixture.Not ful	ly tested.		
Sensitization					
Conclusion/Summary					
Skin	: N	lixture.Not ful	ly tested.		
Respiratory		lixture.Not ful			
Mutagenicity					
Conclusion/Summary	: N	lixture.Not ful	ly tested.		
Consineranisity					
<u>Carcinogenicity</u>					
Conclusion/Summary	: N	lixture.Not ful	ly tested.		
Classification					



ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020

Page 10 of 18 Print Date 09/08/2023

Product/ingredient name	OSHA	IARC	NTP		
Carbon black	-	2B			
Cobalt aluminate blue	-	2D	- Reasonably anticipated to be a human carcinogen.		
spinel (C.I. Pigment Blue	-		Reasonably anticipated to be a numan caremogen.		
28)					
Titanium dioxide	-	2B	-		
Cobalt chromite green	-	3	Reasonably anticipated to be a human carcinogen.		
spinel (C.I. Pigment Green					
26)					
<u>Reproductive toxicity</u>					
Conclusion/Summary	: N	lixture.Not fully t	ested.		
Teratogenicity					
Conclusion/Summary	: N	lixture.Not fully t	ested.		
Specific target organ toxicity (Not available.	single exposu	<u>re)</u>			
Specific target organ toxicity (Not available.	repeated expo	<u>osure)</u>			
Aspiration hazard Not available.					
Information on likely routes o exposure	f : N	ot available.			
Potential acute health effects					
Eye contact	: N	o known signific:	ant effects or critical hazards.		
Inhalation			ant effects or critical hazards.		
Skin contact					
Ingestion			ant effects or critical hazards.		
Symptoms related to the phys	ical, chemical	and toxicologica	<u>l characteristics</u>		
Eye contact	: N	o specific data.			
Inhalation		o specific data.			
Skin contact		o specific data.			
Ingestion	: N	o specific data.			



ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020 Page 11 of 18 Print Date 09/08/2023

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure	•	
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Carbon black			
Remarks - Acute - Fish:	No applicable toxicity data		
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			



ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020 Page 12 of 18 Print Date 09/08/2023

Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
Cobalt aluminate blue spinel (
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
Titanium dioxide						
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h			
	water					
Remarks - Acute - Fish:	Acute	·				
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h			
	e	Crustaceans				
Remarks - Acute - Aquatic	Acute	-				
invertebrates.:						
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h			
		Daphnia				
Remarks - Acute - Aquatic	Acute	· •				
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:	11 5					
Cobalt chromite green spinel (C.I. Pigment Green 26)					
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:	The application contents and					
ADCA GRABBER BLUE MA	ASTERING					
Remarks - Acute - Aquatic	Chemicals are not readily available a	as they are bound within the	e polymer matrix			
invertebrates.:	enomineurs are not reading available as they are bound writing the polymer matrix.					
Conclusion/Summary	: Chemicals are not readi	ly available as they are bou	nd within the			
Souchaston, Sammary	polymer matrix.	i, a, anabie as mey are bou				
	Polymor maura.					



ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020 Page 13 of 18 Print Date 09/08/2023

Persistence and degradability		
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulative potential Not available.		
Mobility in soil		
Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.
		• 7

Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and
		contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.

PolyOne

ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020 Page 14 of 18 Print Date 09/08/2023

International Water IMO/IMDG : Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(c) - Significant adverse reaction 307 - Priority polutants: Listed Phthalocyanine Blue Cobalt chromite green spinel (CLI Pigment Green 26) United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed

14/18



ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020 Page 15 of 18 Print Date 09/08/2023

:	Not listed
:	Not listed
	Not listed
:	Not listed
	:

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Titanium dioxide	>= 3 - <= 5	CARCINOGENICITY - Category 2
Carbon black	> 0 - <= 0.3	CARCINOGENICITY - Category 2

SARA 313

Form R - Reporting requirements

Product name	CAS number	%
Cobalt chromite green spinel (C.I. Pigment Green 26)	68187-49-5	>= 5 - <= 10
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	1345-16-0	>= 1 - <= 3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	: None of the components are list	sted.
New York	: None of the components are list	sted.
New Jersey	: The following components are	listed:



ADCA GRABBER BLUE MASTERING

Version Number 1.1	Page 16 of 18
Revision Date 09/18/2020	Print Date 09/08/2023

Pennsylvania :	Carbon black Cobalt aluminate blue spinel (C.I. Pigment Blue 28) Phthalocyanine Blue Titanium dioxide Cobalt chromite green spinel (C.I. Pigment Green 26) The following components are listed: Cobalt chromite green spinel (C.I. Pigment Green 26)	
		Titanium dioxide
		Phthalocyanine Blue
		Cobalt aluminate blue spinel (C.I. Pigment Blue 28)
		Carbon black

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020 Page 17 of 18 Print Date 09/08/2023

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Illstol y</u>		
Date of printing	:	09/08/2023
Date of issue/Date of revision	:	09/18/2020
Date of previous issue	:	12/31/2019
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

<u>PolyOne</u>

ADCA GRABBER BLUE MASTERING

Version Number 1.1 Revision Date 09/18/2020 Page 18 of 18 Print Date 09/08/2023