FA-115

Version Number 1.0 Revision Date 10/24/2019

vOne

Page 1 of 21 Print Date 10/25/2019

SAFETY DATA SHEET

FA-115

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	:	FA-115 Mixture Mixture CC10314785 liquid
<u>Relevant identified uses of the subs</u> Product use	stance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		+1 216 622 0100
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A RESPIRATORY SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 2

FA-115

<u>PolyOne</u>

Version Number 1.0 Revision Date 10/24/2019	Page 2 of 21 Print Date 10/25/2019
GHS label elements	
Hazard pictograms	
Signal word Hazard statements	 Danger Causes serious eye irritation. Causes skin irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing genetic defects.
Precautionary statements	
General Prevention	 Not applicable. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wear respiratory protection. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
Response	: IF exposed or concerned: Get medical attention. IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or physician. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage Dismosal	: Store locked up.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: None known.
Hazards not otherwise classified	None known. Not available.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture



Version Number 1.0 Revision Date 10/24/2019

Page 3 of 21 Print Date 10/25/2019

'nе

Chemical name Mixture : CC10314785 Other means of identification :

CAS number/other identifiers

Ingredient name	%	CAS number
Sodium bicarbonate	50 - 75	144-55-8
Azodicarbonamide	10 - 25	123-77-3
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	5 - 10	Not available.
Calcium oxide	1 - 3	1305-78-8
Zinc oxide	1 - 3	1314-13-2
Diphenyloxide-4,4'-disulfohydrazide	1 - 3	80-51-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give
	3/21

FA-115

Skin contact



Version Number 1.0 Revision Date 10/24/2019	Page 4 of 21 Print Date 10/25/2019
	mouth-to-mouth resuscitation. Get medical attention. If necessary, call
	a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open

	airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	In case of inhalation of decomposition products in a fire, symptoms
	may be delayed. The exposed person may need to be kept under
	medical surveillance for 48 hours. In the event of any complaints or
	symptoms, avoid further exposure.
:	Wash with plenty of soap and water. Remove contaminated clothing
	and shoes. Wash contaminated clothing thoroughly with water before
	removing it, or wear gloves. Continue to rinse for at least 10 minutes.
	Get medical attention. In the event of any complaints or symptoms,
	avoid further exposure. Wash clothing before reuse. Clean shoes
	thoroughly before reuse.

		morouginy before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim
		to fresh air and keep at rest in a position comfortable for breathing. If
		material has been swallowed and the exposed person is conscious,
		give small quantities of water to drink. Stop if the exposed person
		feels sick as vomiting may be dangerous. Do not induce vomiting
		unless directed to do so by medical personnel. If vomiting occurs, the
		head should be kept low so that vomit does not enter the lungs. Get
		medical attention. Never give anything by mouth to an unconscious
		person. If unconscious, place in recovery position and get medical
		attention immediately. Maintain an open airway. Loosen tight clothing
		such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Inhalation	:	Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if
Skin contact		inhaled.
Ingestion	:	Causes skin irritation. May cause an allergic skin reaction. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	Adverse symptoms may include the following: wheezing and breathing difficulties asthma
Skin contact	:	Adverse symptoms may include the following:
		4/21

FA-115

Version Number 1.0 Revision Date 10/24/2019 <u>PolyOne</u>

Page 5 of 21

Print Date 10/25/2019

Ingestion	:	irritation redness No specific data.
Indication of immediate medical atte	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

FA-115

Version Number 1.0 Revision Date 10/24/2019 PolyOne

Page 6 of 21 Print Date 10/25/2019

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.
		See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	nt ar	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until
		1 I

same hazard as the spilled product. Note: see Section 1 for emergency

contact information and Section 13 for waste disposal.

FA-115



Version Number 1.0 Revision Date 10/24/2019	Page 7 of 21 Print Date 10/25/2019
Advice on general occupational hygiene	 all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Sodium bicarbonate	None.
Azodicarbonamide	None.
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	None.
Diphenyloxide-4,4'-disulfohydrazide	ACGIH TLV (2000-03-01) TWA 0.1 mg/m3 Form: Inhalable fraction
Zinc oxide	OSHA PEL 1989 (1989-03-01) TWA 5 mg/m3 Form: Fume STEL 10 mg/m3 Form: Fume TWA 10 mg/m3 Form: Total dust TWA 5 mg/m3 Form: Respirable fraction

FA-115

Version Number 1.0 Revision Date 10/24/2019



Page 8 of 21 Print Date 10/25/2019

	OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust TWA 5 mg/m3 Form: Respirable fraction NIOSH REL (1994-06-01) TWA 5 mg/m3 Form: Dust and fumes STEL 10 mg/m3 Form: Fume CEIL 15 mg/m3 Form: Dust ACGIH TLV (2003-01-01) TWA 2 mg/m3 Form: Respirable fraction STEL 10 mg/m3 Form: Respirable fraction OSHA PEL (1993-06-30) TWA 5 mg/m3 Form: Fume
Calcium oxide	None.

Appropriate engineering controls Environmental exposure controls	:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved
		8/21

FA-115



Version Number 1.0	Page 9 of 21
Revision Date 10/24/2019	Print Date 10/25/2019

		standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	:	NOT APPLICABLE
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.

FA-115

octanol/water

Version Number 1.0 Revision Date 10/24/2019

Page 10 of 21 Print Date 10/25/2019

octanoi/ water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
<u>Aerosol product</u>		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Remarks - Oral:	No applicable toxicity data				





FA-115

Version Number 1.0 Revision Date 10/24/2019 Page 11 of 21 Print Date 10/25/2019

No applicable toxic	city data						
No applicable toxic	No applicable toxicity data						
No applicable toxic	city data						
No applicable toxic	city data						
No applicable toxic	city data						
razide							
LD50 Oral	Rat	2,300 mg/kg	-				
No applicable toxic	city data						
No applicable toxic	city data						
nds Distillates, petroleum, hydrotreated middle							
No applicable toxic	No applicable toxicity data						
No applicable toxic	No applicable toxicity data						
No applicable toxic	No applicable toxicity data						
LD50 Oral	Rat	6,400 mg/kg	-				
No applicable toxicity data							
No applicable toxicity data							
Sodium bicarbonate							
LD50 Oral	Rat	4,220 mg/kg	-				
No applicable toxicity data							
No applicable toxic	No applicable toxicity data						
	No applicable toxic No applicable toxic No applicable toxic No applicable toxic razide LD50 Oral No applicable toxic stillates, petroleum, H No applicable toxic No applicable toxic	No applicable toxicity dataNo applicable toxicity dataNo applicable toxicity datarazideLD50 OralRatNo applicable toxicity dataNo applicable toxicity dataNo applicable toxicity datastillates, petroleum, hydrotreated middleNo applicable toxicity dataNo applicable toxicity dataLD50 OralRatNo applicable toxicity dataNo applicable toxicity data	No applicable toxicity data No applicable toxicity data No applicable toxicity data No applicable toxicity data razide LD50 Oral Rat LD50 Oral Rat No applicable toxicity data LD50 Oral Rat LD50 Oral Rat LD50 Oral Rat 4,220 mg/kg No applicable toxicity data				

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Zinc oxide	Eyes - Mild	Rabbit		24 hrs	-
	irritant				
	Skin - Mild	Rabbit		24 hrs	-
	irritant				
Sodium bicarbonate	Eyes - Mild	Rabbit		0.008 hrs	-
	irritant				
	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: N	lixture.Not ful	lly tested.		
Eyes	: N	lixture.Not ful	lly tested.		
Respiratory	: N	lixture.Not ful	lly tested.		
<u>Sensitization</u>					
Conclusion/Summary					
Skin	: N	lixture.Not ful	lly tested.		
Respiratory	: N	lixture.Not ful	lly tested.		
11/21					

FA-115

Version Number 1.0 Revision Date 10/24/2019 PolyOne

Mutagenicity		
Conclusion/Summary	:	Mixture.Not fully tested.
Carcinogenicity		
Conclusion/Summary	:	Mixture.Not fully tested.
Reproductive toxicity		
Conclusion/Summary	:	Mixture.Not fully tested.
Teratogenicity		

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Calcium oxide	Category 3	Not applicable	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Product/ingredient name			Result	
Miscellaneous Compounds Distillates,	, petr	oleum,	ASPIRATION HAZARD - Category 1	
hydrotreated middle	-			
Information on likely routes of	:	Not available		
c c	•	Not available	·•	
exposure				
Potential acute health effects				
Eye contact	: Causes serious eye irritation.			
Inhalation	:	May cause al	lergy or asthma symptoms or breathing difficulties if	
		inhaled.		
Skin contact	:		rritation. May cause an allergic skin reaction.	
Ingestion	:	No known sig	gnificant effects or critical hazards.	
Symptoms related to the physical, chemical and toxicological characteristics				
Eye contact	:	Adverse sym	ptoms may include the following: pain or irritation,	
12/21				
		12	/ 2 1	

Page 12 of 21 Print Date 10/25/2019

FA-115



Version Number 1.0	Page 13 of 21
Revision Date 10/24/2019	Print Date 10/25/2019

	watering, redness
Inhalation :	Adverse symptoms may include the following: wheezing and
	breathing difficulties, asthma
Skin contact :	Adverse symptoms may include the following: irritation, redness
Ingestion :	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	Suspected of causing genetic defects.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	4,651.3 mg/kg
Route	ATE value
Inhalation (dusts and mists)	22.52 mg/l

Section 12. Ecological information

Toxicity



FA-115

Version Number 1.0 Revision Date 10/24/2019 Page 14 of 21 Print Date 10/25/2019

Product/ingredient name	Result	Species	Exposure		
Calcium oxide					
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:	Character NOEC 100 Mark Earth	D'.1 D'.1	46.1		
	Chronic NOEC 100 Mg/l Fresh	Fish - Fish	46 d		
Remarks - Chronic - Fish:	water Chronic				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:	No applicable toxicity data				
Zinc oxide					
	Acute LC50 1.1 Mg/l Fresh water	Fish - Fish	96 h		
Remarks - Acute - Fish:	Acute	L	1		
	Acute LC50 0.098 Mg/l Fresh	Aquatic invertebrates.	48 h		
	water	Daphnia			
Remarks - Acute - Aquatic	Acute				
invertebrates.:					
	Acute IC50 0.046 Mg/l Fresh water	Aquatic plants - Algae	72 h		
Remarks - Acute - Aquatic	Acute				
plants:			0.61		
	Acute IC50 1.85 Mg/l Marine	Aquatic plants - Algae	96 h		
Demontra Acuta Acuatia	water				
Remarks - Acute - Aquatic plants:	Acute				
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:	The applicable toxicity data				
Diphenyloxide-4,4'-disulfohyd	razide				
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:	, <u>, , , , , , , , , , , , , , , , , , </u>	1			
*	stillates, petroleum, hydrotreated middl	le			
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic invertebrates.:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
remarks - Acute - Aquatic	No applicable toxicity data				
	14/21				



FA-115

Version Number 1.0 Revision Date 10/24/2019 Page 15 of 21 Print Date 10/25/2019

plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
Azodicarbonamide					
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
Sodium bicarbonate	F	1			
	Acute LC50 7,550 Mg/l Fresh	Fish - Fish	96 h		
	water				
Remarks - Acute - Fish:	Acute	1	1		
	Acute LC50 767.87 Mg/l Marine	Aquatic invertebrates.	48 h		
	water	Crustaceans			
Remarks - Acute - Aquatic	Acute				
invertebrates.:					
	Acute EC50 650 Mg/l Fresh water	Aquatic plants - Algae	96 h		
Remarks - Acute - Aquatic	•				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data	I			
	Chronic NOEC 576 Mg/l Fresh	Aquatic invertebrates.	21 d		
	water	Daphnia			
Remarks - Chronic -					
Aquatic invertebrates.:					
FA-115			<u> </u>		
Remarks - Acute - Aquatic	Dangerous for the environment: May	cause long term adverse e	ffects in the aquatic		
invertebrates.:					
Conclusion/Summary			rm adverse effects		
in the aquatic environment.					

Persistence and degradability

Conclusion/Summary

: Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1 Toudet/ mgr culent name	LUGIUW	DCI	1 otentiai

FA-115

Version Number 1.0 Revision Date 10/24/2019

Page 16 of 21 Print Date 10/25/2019

Calcium oxide	-	2.34	low
Zinc oxide	-	60,960.00	high
Diphenyloxide-4,4'-disulfohydrazide	-	3.00	low
Azodicarbonamide	1	-	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

The generation of waste should be avoided or minimized wherever **Disposal methods** : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc Oxide), 9, PGIII, Marine Pollutant
International Water	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
16/21		

г



FA-115

Version Number 1.0 Revision Date 10/24/2019

Page 17 of 21 Print Date 10/25/2019

IMO/IMDG

LIQUID, N.O.S. (Zinc Oxide), 9, PGIII, Marine Pollutant

Section 15. Regulatory information

U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Diphenyloxide-4,4'-disulfohydrazide United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc oxide United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed
		United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II	:	Not listed



FA-115

Version Number 1.0 Revision Date 10/24/2019 Page 18 of 21 Print Date 10/25/2019

ne

Substances:Not listedDEA List I Chemicals (Precursor:Not listedChemicals):Not listedDEA List II Chemicals (Essential:Not listedChemicals)::

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A RESPIRATORY SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 2

Composition/information on ingredients

Name	%	Classification
Calcium oxide	>= 1 - < 3	SKIN IRRITATION - Category 2
		SERIOUS EYE DAMAGE - Category 1
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE
		EXPOSURE) - Respiratory tract irritation - Category 3
Zinc oxide	>= 1 - <= 3	EYE IRRITATION - Category 2B
Miscellaneous Compounds	>= 5 - <= 10	ACUTE TOXICITY - inhalation - Category 4
Distillates, petroleum,		SKIN IRRITATION - Category 2
hydrotreated middle		ASPIRATION HAZARD - Category 1
2		
Diphenyloxide-4,4'-	>= 1 - <= 3	COMBUSTIBLE DUSTS
disulfohydrazide		ACUTE TOXICITY - oral - Category 4
		SKIN IRRITATION - Category 2
		EYE IRRITATION - Category 2A
		SKIN SENSITIZATION - Category 1
		GERM CELL MUTAGENICITY - Category 2
Azodicarbonamide	>= 10 - <= 25	RESPIRATORY SENSITIZATION - Category 1
Sodium bicarbonate	>= 50 - <= 75	EYE IRRITATION - Category 2B

<u>SARA 313</u>



FA-115

Version Number 1.0 Revision Date 10/24/2019 Page 19 of 21 Print Date 10/25/2019

Form R - Reporting requirements

Product name	CAS number	%
Zinc oxide	1314-13-2	>= 1 - <= 3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

<u>State regulations</u> Massachusetts New York New Jersey Pennsylvania	: : :	None of the components are listed. None of the components are listed. The following components are listed: White mineral oil (petroleum) Diphenyloxide-4,4'-disulfohydrazide Zinc oxide Calcium oxide The following components are listed: Zinc oxide Calcium oxide
		Calcium Oxide
<u>California Prop. 65</u>	T 1	
This product does not require a Safe I United States inventory (TSCA 8b)		All components are active or exempted.
United States Inventory (ISCA 80)	•	An components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia		
Austrana Canada	:	All components are listed or exempted. All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan		All components are listed or exempted.
New Zealand		All components are listed or exempted.
Philippines		All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
		19/21



Version Number 1.0 Revision Date 10/24/2019 Page 20 of 21 Print Date 10/25/2019

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	*	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

History		
Date of printing	:	10/25/2019
Date of issue/Date of revision	:	10/24/2019
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other



FA-115

Version Number 1.0 Revision Date 10/24/2019 Page 21 of 21 Print Date 10/25/2019

materials or in any process, unless specified in the text.