DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020 Page 1 of 20 Print Date 02/19/2020

SAFETY DATA SHEET

DB5519 Gray High Durometer

n	
:	DB5519 Gray High Durometer
:	Mixture
:	Mixture
:	FO20046228
:	liquid
	e or mixture and uses advised against
:	Industrial applications. Plastics.
:	POLYONE CORPORATION
	33587 Walker Road, Avon Lake, OH 44012
	1 (440) 930-1000 or 1 (866) POLYONE
	1 (++0) 950-1000 01 1 (000) 1 OL 10NE
:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
	: : : :

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 TOXIC TO REPRODUCTION (Fertility) - Category 2 TOXIC TO REPRODUCTION (Unborn child) - Category 2

GHS label elements

DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020

Hazard pictograms

PolyOne

Page 2 of 20

Print Date 02/19/2020

ruzu u prevogrums	·	
Signal word Hazard statements	:	Warning Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
Response	:	IF exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known. Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20046228

CAS number/other identifiers

Ingredient name	%	CAS number
0/00		



DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020 Page 3 of 20 Print Date 02/19/2020

2,4,4-Trimethyl-1,3-penytanediol diisobutyrate	5 - 10	6846-50-0
Proprietary Hazardous Compounds	1 - 3	Not available.
Titanium dioxide	1 - 3	13463-67-7
Naphtha, petroleum, hydrotreated heavy	1 - 3	64742-48-9
Bisphenol A - Epichlorohydrin polymer	0.3 - 1	25068-38-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes



DB5519 Gray High Durometer

Version Number 1.1	Page 4 of 20
Revision Date 02/18/2020	Print Date 02/19/2020

Ingestion
 Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion	 Causes serious eye irritation. No known significant effects or critical hazards. Causes skin irritation. May cause an allergic skin reaction. No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: Adverse symptoms may include the following: pain or irritation watering
Inhalation	 redness Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	 Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Indication of immediate medic	l attention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms



DB5519 Gray High Durometer

Version Number 1.1		Page 5 of 20
Revision Date 02/18/2020		Print Date 02/19/2020
		may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide
		nitrogen oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or suitable training. Evacuate surrounding areas. Keep un unprotected personnel from entering. Do not touch or w spilled material. Avoid breathing vapor or mist. Provid ventilation. Wear appropriate respirator when ventilation.



DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020	Page 6 of 20 Print Date 02/19/2020
Revision Date 02/16/2020	Plint Date 02/19/2020
For emergency responders	inadequate. Put on appropriate personal protective equipment.If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containmen	t and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational	:	Eating, drinking and smoking should be prohibited in areas where this

PolyOne.

DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020		Page 7 of 20 Print Date 02/19/2020
hygiene		material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
2,4,4-Trimethyl-1,3-penytanediol diisobutyrate	None.
Naphtha, petroleum, hydrotreated heavy	None.
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Proprietary Hazardous Compounds	None.
Bisphenol A - Epichlorohydrin polymer	None.

Appropriate engineering controls	:	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of

he

DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020	Page 8 of 20 Print Date 02/19/2020
	environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020

<u>PolyOne</u>

Page 9 of 20 Print Date 02/19/2020

Physical state	:	1 - 1 - 3			
Color	:	GREY			
Odor	:	Not available.			
Odor threshold	:	Not available.			
рН	:	Not available.			
Melting point	:	Not available.			
Boiling point	:	• • • • • • • • • • • • • • • • • • • •			
Flash point	: Not available.				
Burning time	:	Not available.			
Burning rate	:	Not available.			
Evaporation rate	:	Not available.			
Flammability (solid, gas)	:	Not available.			
Lower and upper explosive	:	Lower: Not available.			
(flammable) limits		Upper: Not available.			
Vapor pressure	:	Not available.			
Vapor density	:	Not available.			
Relative density	:	Not available.			
Solubility	:	Not available.			
Solubility in water	:	Not available.			
Partition coefficient: n-	:	Not available.			
octanol/water					
Auto-ignition temperature	:	Not available.			
Decomposition temperature	:	Not available.			
SADT	:	Not available.			
Viscosity	:	Dynamic: Not available.			
		Kinematic: Not available.			
<u>Aerosol product</u>					
Heat of combustion	:	Not available.			
Ignition distance	:	Not available.			
Enclosed space ignition - Time		Not available.			
equivalent	•				
Enclosed space ignition -	:	Not available.			
Deflagration density	-	···· ··· ··· ··· ··· ···			
Flame height	:	Not available.			
Flame duration		Not available.			

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.		
Chemical stability	mical stability : Stable under recommended storage and handling conditions			
		9/20		



DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020 Page 10 of 20 Print Date 02/19/2020

Possibility of hazardous reactions	:	Section 7). Under normal conditions of storage and use, hazardous reactions will
		not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Bisphenol A - Epichlorohydrin	polymer				
	LD50 Oral	Rat	11,400 mg/kg	-	
Remarks - Inhalation:	No applicable toxic	city data			
Remarks - Dermal:	No applicable toxic	city data			
Proprietary Hazardous Compo	unds				
Remarks - Oral:	No applicable toxic	city data			
Remarks - Inhalation:	No applicable toxic	city data			
Remarks - Dermal:	No applicable toxic	No applicable toxicity data			
Titanium dioxide					
Remarks - Oral:	No applicable toxicity data				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-	
Naphtha, petroleum, hydrotrea	ted heavy				
	LD50 Oral	Rat	6,000 mg/kg	-	
	LC50 Inhalation	Rat	8.5 Mg/l	4 h	
Remarks - Dermal:	No applicable toxicity data				
2,4,4-Trimethyl-1,3-penytaned	iol diisobutyrate				
Remarks - Oral:	No applicable toxicity data				
Remarks - Inhalation:	No applicable toxicity data				
Remarks - Dermal:	No applicable toxicity data				
Conclusion/Summary	: Mixtu	re.Not fully tested.			

Irritation/Corrosion



DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020 Page 11 of 20 Print Date 02/19/2020

Product/ingredient name	Result	Species	Score	Exposure	Observation
Bisphenol A -	Eyes - Mild	Rabbit			-
Epichlorohydrin polymer	irritant				
	Eyes - Mild	Rabbit			-
	irritant				
	Skin -	Rabbit		24 hrs	-
	Moderate				
	irritant				
	Skin - Severe	Rabbit		24 hrs	-
	irritant				
	Eyes - Mild	Rabbit			-
	irritant				
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
2,4,4-Trimethyl-1,3-	Skin - Mild	Human		504 hrs	-
penytanediol diisobutyrate	irritant				
	Skin - Mild	Guinea pig			-
	irritant	10			
Conclusion/Summary					
Skin	: M	lixture.Not full	ly tested.		
Eyes		lixture.Not full			
Respiratory	: Mixture.Not fully tested.				
Sensitization					
Conclusion/Summary					
Skin	: M	lixture.Not full	ly tested.		
Respiratory	: M	lixture.Not full	ly tested.		
Mutagenicity					
Conclusion/Summary	: M	lixture.Not full	ly tested.		
Carcinogenicity					
Conclusion/Summary	: M	lixture.Not full	ly tested.		
Classification					

Product/ingredient name	OSHA	IARC	NTP
Titanium dioxide	-	2B	-

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

11/20

DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020 <u>PolyOne</u>

Page 12 of 20 Print Date 02/19/2020

Teratogenicity

Conclusion/Summary

: Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

exposurePotential acute health effectsEye contact:Inhalation:No known significant effects or critical hazards.Skin contact:Causes skin irritation. May cause an allergic skin reaction.Ingestion:No known significant effects or critical hazards.Symptoms related to the physical, chemical and toxicological characteristicsEye contact:Adverse symptoms may include the following: pain or irritation, watering, rednessInhalation:Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformationsSkin contact:Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformationsIngestion:Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformations	Product/ingredient name		Result
Category 1ASPIRATION HAZARD - Category 1 Information on likely routes of exposure : Not available. Potential acute health effects : Causes serious eye irritation. Inhalation : No known significant effects or critical hazards. Skin contact : Causes skin irritation. May cause an allergic skin reaction. Ingestion : No known significant effects or critical hazards. Symptoms related to the physical, chemical and toxicological characteristics Eye contact : Adverse symptoms may include the following: pain or irritation, watering, redness Inhalation : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations Skin contact : Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformations Inhalation : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations Skin contact : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations Ingestion : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations		vy	ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category 1ASPIRATION HAZARD - Category
Information on likely routes of exposure : Not available. Potential acute health effects Eye contact : Causes serious eye irritation. Inhalation : No known significant effects or critical hazards. Skin contact : Causes skin irritation. May cause an allergic skin reaction. Ingestion : No known significant effects or critical hazards. Symptoms related to the physical, chemical and toxicological characteristics Eye contact : Adverse symptoms may include the following: pain or irritation, watering, redness Inhalation : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations Skin contact : Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformations Skin contact : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations Ingestion : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations			
Eye contact:Causes serious eye irritation.Inhalation:No known significant effects or critical hazards.Skin contact:Causes skin irritation. May cause an allergic skin reaction.Ingestion:No known significant effects or critical hazards.Symptoms related to the physical, chemical and toxicological characteristicsEye contact:Adverse symptoms may include the following: pain or irritation, watering, rednessInhalation:Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformationsSkin contact:Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformationsIngestion:Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformationsIngestion:Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations	Information on likely routes of exposure	:	Not available.
Inhalation:No known significant effects or critical hazards.Skin contact:Causes skin irritation. May cause an allergic skin reaction.Ingestion:No known significant effects or critical hazards.Symptoms related to the physical, chemical and toxicological characteristicsEye contact:Adverse symptoms may include the following: pain or irritation, watering, rednessInhalation:Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformationsSkin contact:Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformationsIngestion:Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations	Potential acute health effects		
Eye contact: Adverse symptoms may include the following: pain or irritation, watering, rednessInhalation: Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformationsSkin contact: Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformationsIngestion: Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations	Eye contact Inhalation Skin contact Ingestion	:	No known significant effects or critical hazards. Causes skin irritation. May cause an allergic skin reaction.
Inhalationwatering, rednessInhalation: Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformationsSkin contact: Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformationsIngestion: Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations	Symptoms related to the physical, cl	nemi	cal and toxicological characteristics
Inhalation: Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformationsSkin contact: Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformationsIngestion: Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations	Eye contact	:	
Skin contact: Adverse symptoms may include the following: irritation, redness, reduced fetal weight, increase in fetal deaths, skeletal malformationsIngestion: Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations	Inhalation	:	Adverse symptoms may include the following: reduced fetal weight,
Ingestion : Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations	Skin contact	:	Adverse symptoms may include the following: irritation, redness,
	Ingestion	:	Adverse symptoms may include the following: reduced fetal weight,
12/20			12/20

<u>vOne</u>.

DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020 Page 13 of 20 Print Date 02/19/2020

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	Suspected of damaging the unborn child.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	Suspected of damaging fertility.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	32,728.4 mg/kg
Route	ATE value
Dermal	80,268.8 mg/kg
Route	ATE value
Inhalation (vapors)	540.3 mg/l
Route	ATE value
Inhalation (dusts and mists)	109.5 mg/l

Section 12. Ecological information

Toxicity



DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020 Page 14 of 20 Print Date 02/19/2020

Product/ingredient name	Result	Species	Exposure	
Bisphenol A - Epichlorohydrin	polymer			
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Proprietary Hazardous Compo				
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Titanium dioxide	A suite L C50 > 1 000 Mg/l Maring	Eish Eish	061	
	Acute LC50 > 1,000 Mg/l Marine water	Fish - Fish	96 h	
Remarks - Acute - Fish:	Acute			
Kemarks - Acute - Fish:	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h	
	Acute LC50 5 Mg/1 Hesh water	Crustaceans	40 11	
Remarks - Acute - Aquatic	Acute	Crustuccuns		
invertebrates.:	1 iouto			
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Naphtha, petroleum, hydrotrea				
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
	14/20			



DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020 Page 15 of 20 Print Date 02/19/2020

Aquatic invertebrates.:	
2,4,4-Trimethyl-1,3-penytaned	iol diisobutyrate
Remarks - Acute - Fish:	No applicable toxicity data
Remarks - Acute - Aquatic	No applicable toxicity data
invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
Conclusion/Summary	Not available.

Persistence and degradability

Conclusion/Summary

Not available.

:

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Bisphenol A - Epichlorohydrin	2.64 - 3.78	31.00	low
polymer			
Naphtha, petroleum, hydrotreated	-	10.00 - 2,500.00	high
heavy			
2,4,4-Trimethyl-1,3-penytanediol	-	5,340.00	high
diisobutyrate			

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the

vUne

DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020 Page 16 of 20 Print Date 02/19/2020

requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Listed 4-Nonylphenol, branched
	United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed

/One

DB5519 Gray High Durometer

Version Number 1.1	Page 17 of 20
Revision Date 02/18/2020	Print Date 02/19/2020

		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed 4-Nonylphenol, branched (2-Methoxymethylethoxy)propanol Octocrilene
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Vinyl chloride monomer 2-Ethylhexanoic acid zinc salt Phenol
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Chemicals)

Classification

SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 TOXIC TO REPRODUCTION - Fertility - Category 2 TOXIC TO REPRODUCTION - Unborn child - Category 2



DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020 Page 18 of 20 Print Date 02/19/2020

Composition/information on ingredients

Name	%	Classification
2,4,4-Trimethyl-1,3-	>= 5 - <= 10	TOXIC TO REPRODUCTION - Fertility - Category 2
penytanediol diisobutyrate		TOXIC TO REPRODUCTION - Unborn child - Category 2
Naphtha, petroleum,	>= 1 - <= 3	FLAMMABLE LIQUIDS - Category 3
hydrotreated heavy		ACUTE TOXICITY - inhalation - Category 3
		ASPIRATION HAZARD - Category 1
Titanium dioxide	>= 1 - <= 3	CARCINOGENICITY - Category 2
Dramistan Hazardana	$> 1 \neq 2$	
Proprietary Hazardous	>= 1 - < 3	FLAMMABLE LIQUIDS - Category 4
Compounds		ACUTE TOXICITY - oral - Category 4
		ACUTE TOXICITY - dermal - Category 4
		ACUTE TOXICITY - inhalation - Category 4
		SKIN CORROSION - Category 1B
		SERIOUS EYE DAMAGE - Category 1
		SKIN SENSITIZATION - Category 1A
Bisphenol A -	>= 0.3 - < 1	SKIN IRRITATION - Category 2
Epichlorohydrin polymer		EYE IRRITATION - Category 2B
		SKIN SENSITIZATION - Category 1

SARA 313

Form R - Reporting requirements

Product name	CAS number	%
Proprietary Hazardous Compounds	-	>= 1 - < 3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	: The following components are listed	
	Proprietary Hazardous Compounds	
New York	None of the components are listed.	
New Jersey	: The following components are listed Ethene, chloro-, homopolymer	



DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020 Page 19 of 20 Print Date 02/19/2020

	Titanium dio	xide
	Proprietary H	lazardous Compounds
Pennsylvania	: The following Titanium dio	components are listed: xide

Proprietary Hazardous Compounds

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



DB5519 Gray High Durometer

Version Number 1.1 Revision Date 02/18/2020 Page 20 of 20 Print Date 02/19/2020

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

History		
Date of printing	:	02/19/2020
Date of issue/Date of revision	:	02/18/2020
Date of previous issue	:	02/04/2020
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.