...

4 11

## SAFETY DATA SHEET



## XP16550 TOP SCORE LC VICTORY ANTHRACITE

Version Number 1.1 Revision Date 12/27/2022

Page 1 of 16 Print Date 12/28/2022

## SAFETY DATA SHEET

### **XP16550 TOP SCORE LC VICTORY ANTHRACITE**

Section 1. Identification		
GHS product identifier	:	XP16550 TOP SCORE LC VICTORY ANTHRACITE
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20046487
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

## Section 2. Hazards identification

....

...

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

## **ÀVIENT**

## XP16550 TOP SCORE LC VICTORY ANTHRACITE

Version Number 1.1 Revision Date 12/27/2022 Page 2 of 16 Print Date 12/28/2022

#### **Precautionary statements**

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20046487

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	>= 3 - <= 5	13463-67-7
Diphenyloxide-4,4'-disulfohydrazide	>= 1 - <= 3	80-51-3
Carbon black	>= 1 - <= 3	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

**Description of necessary first aid measures** 

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.
Inhalation	:	Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable



## **XP16550 TOP SCORE LC VICTORY ANTHRACITE**

Version Number 1.1			
Revision Date 12/27/2022			

Page 3 of 16 Print Date 12/28/2022

symptoms

	for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact Inhalation Skin contact Ingestion	<ul> <li>No known significant effects or critical hazards.</li> </ul>
Over-exposure signs/symptoms	
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate medica	attention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptor may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> .
------------------------------	---	---

suitable training.



## XP16550 TOP SCORE LC VICTORY ANTHRACITE

Version Number 1.1 Revision Date 12/27/2022 Page 4 of 16 Print Date 12/28/2022

Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and materials for containment and cleaning up			
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.	
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency	
		1/4.0	

# **ÄVIENT**

## XP16550 TOP SCORE LC VICTORY ANTHRACITE

Version Number 1.1 Revision Date 12/27/2022 Page 5 of 16 Print Date 12/28/2022

contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Diphenyloxide-4,4'-disulfohydrazide	ACGIH TLV (2000-03-01) TWA 0.1 mg/m3 Form: Inhalable fraction
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01)
	5/16



Version Number 1.1 Revision Date 12/27/2022 Page 6 of 16 Print Date 12/28/2022

		TWA 3.5 mg/m3 <b>NIOSH REL (1994-06-01)</b> TWA 0.1 mgPAH/m <sup>3</sup> <b>ACGIH TLV (2010-12-06)</b> TWA 3 mg/m3 Form: Inhalable fraction
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the
		following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.



## XP16550 TOP SCORE LC VICTORY ANTHRACITE

Version Number 1.1 Revision Date 12/27/2022 Page 7 of 16 Print Date 12/28/2022

## Section 9. Physical and chemical properties

#### Appearance

Physical state	:	solid [Paste.]
Color	:	BROWN
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	<b>Dynamic:</b> Not available.
		Kinematic: Not available.
<u>Aerosol product</u>		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
	•	
Deflagration density	•	Not available.
	:	Not available.





## XP16550 TOP SCORE LC VICTORY ANTHRACITE

Version Number 1.1 Revision Date 12/27/2022 Page 8 of 16 Print Date 12/28/2022

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

Product/ingredient name Fitanium oxide (TiO2) Benzenesulfonic acid, 4,4'-ox Carbon black Conclusion/Summary Fritation/Corrosion	LD50 Oral LD50 Oral	Rat - Male Rabbit e Rat Rat re.Not fully tested.	6.82 Mg/l > 5,000 mg/kg 2,300 mg/kg 15,400 mg/kg	Exposure           4 h           -           -           -           -           -
Carbon black Conclusion/Summary	Dusts and mists LD50 Dermal ybis-, 1,1'-dihydrazid LD50 Oral LD50 Oral	Rabbit e Rat Rat	> 5,000 mg/kg 2,300 mg/kg	-
Carbon black Conclusion/Summary	LD50 Dermal ybis-, 1,1'-dihydrazid LD50 Oral LD50 Oral	e Rat Rat	> 5,000 mg/kg 2,300 mg/kg	-
Carbon black Conclusion/Summary	ybis-, 1,1'-dihydrazid LD50 Oral LD50 Oral	e Rat Rat	2,300 mg/kg	-
Carbon black Conclusion/Summary	LD50 Oral LD50 Oral	Rat Rat	2,300 mg/kg	
Carbon black Conclusion/Summary	LD50 Oral LD50 Oral	Rat Rat		
Conclusion/Summary	LD50 Oral	Rat		-
Conclusion/Summary			15,400 mg/kg	-
Conclusion/Summary Skin Eyes Respiratory Sensitization	: Mixtu	re.Not fully tested. re.Not fully tested. re.Not fully tested.		
Conclusion/Summary Skin Respiratory Mutagenicity		re.Not fully tested. re.Not fully tested.		



## XP16550 TOP SCORE LC VICTORY ANTHRACITE

Version Number 1.1 Revision Date 12/27/2022 Page 9 of 16 Print Date 12/28/2022

Conclusion/Summary	:	Mi	xture.Not fully to	ested.	
<u>Carcinogenicity</u>					
Conclusion/Summary	: Mixture.Not fully tested.				
<b>Classification</b>					
Product/ingredient name	OSHA		IARC	NTP	
Titanium oxide (TiO2)	-		2B	-	
Carbon black	-		2B	-	
<b><u>Reproductive toxicity</u></b>					
Conclusion/Summary	:	Mi	xture.Not fully to	ested.	
<b>Teratogenicity</b>					
Conclusion/Summary	: Mixture.Not fully tested.				
Specific target organ toxicity ( Not available.	single expo	sur	<u>e)</u>		
Specific target organ toxicity ( Not available.	repeated ex	xpos	sure)		
Aspiration hazard Not available.					
Information on the likely route exposure	es of :	No	t available.		
Potential acute health effects					
Eye contact	:	No	known significa	nt effects or critical hazards.	
Inhalation	:				
Skin contact	:				
Ingestion	:				
Symptoms related to the physi	cal, chemic	cal a	and toxicological	<u>characteristics</u>	
Eye contact	:	No	specific data.		
Inhalation	:	No	specific data.		
Skin contact	:	No	specific data.		
Ingestion	:	: No specific data.			

## **XP16550 TOP SCORE LC VICTORY ANTHRACITE**

Version Number 1.1 Revision Date 12/27/2022

#### Page 10 of 16 Print Date 12/28/2022

effects.

**XAVIENT** 

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxicity		
<u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effect Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Titanium oxide (TiO2)			
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
	Marine water		
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
		dubia	
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h



## XP16550 TOP SCORE LC VICTORY ANTHRACITE

Version Number 1.1 Revision Date 12/27/2022 Page 11 of 16 Print Date 12/28/2022

	water			
Carbon black				
	Acute EC	50 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water	C C		
XP16550 TOP SCORE LC VIC	TORY AN	THRACITE		
Remarks - Acute - Aquatic			e as they are bound within the po	lymer matrix.
invertebrates.:	Chronie			
Conclusion/Summary		Chemicals are not readi	ly available as they are bound w	ithin the
Concrusion, Summary	•	polymer matrix.	if available as alley are bound with	
		porymer maark.		
Persistence and degradability				
<u>r ersistence and degradability</u>				
<b>Conclusion/Summary</b>	:	Chemicals are not read	ily available as they are bound w	vithin the
Conclusion/Summary	•	polymer matrix.	ing available as they are bound w	
		porymer maurix.		
Conclusion/Summary	:	Chamicals are not read	ily available as they are bound w	vithin the
Conclusion/Summary	•	polymer matrix.	ing available as they are bound w	
		polymor maula.		

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Benzenesulfonic acid, 4,4'-oxybis-,	-	3.00	low
1,1'-dihydrazide			

#### **Mobility in soil**

Soil/water partition coefficient (KOC)	: Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered
------------------	---	--

11/16



## XP16550 TOP SCORE LC VICTORY ANTHRACITE

Version Number 1.1 Revision Date 12/27/2022 Page 12 of 16 Print Date 12/28/2022

when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

## Section 15. Regulatory information

U.S. Federal regulations		United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Listed Propanoic acid, 2-methyl-, 3-(benzoyloxy)-2,2,4-trimethylpentyl ester				
		United States - TSCA 4(a) - ITC Priority list: Not listed				
		United States - TSCA 4(a) - Proposed test rules: Not listed				
		United States - TSCA 4(f) - Priority risk review: Not listed				
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed				
		United States - TSCA 5(a)2 - Proposed significant new use rules:				
		Not listed				
		United States - TSCA 5(e) - Substances consent order: Not listed				
		United States - TSCA 6 - Final risk management: Not listed				
		United States - TSCA 6 - Proposed risk management: Not listed				
		United States - TSCA 8(a) - Chemical risk rules: Not listed				
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed				
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not				
		determined				
		United States - TSCA 8(a) - Preliminary assessment report				
		(PAIR): Listed Diphenyloxide-4,4'-disulfohydrazide				
		Poly(dimethylsiloxane)				
		12/16				

## XP16550 TOP SCORE LC VICTORY ANTHRACITE

Version Number 1.1 Revision Date 12/27/2022

# **AVIENT**

Page 13 of 16

Print Date 12/28/2022

Propanoic acid, 2-methyl-, 3-(benzoyloxy)-2,2,4-trimethylpentyl ester
United States - TSCA 8(c) - Significant adverse reaction (SAR):
Not listed
United States - TSCA 8(d) - Health and safety studies: Not listed
United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Phthalocyanine Blue
Acrylonitrile
Phenol
Vinyl chloride monomer
United States - EPA Clean water act (CWA) section 311 -
Hazardous substances: Listed
United States - EPA Clean air act (CAA) section 112 - Accidental
release prevention - Flammable substances: Not listed
United States - EPA Clean air act (CAA) section 112 - Accidental
release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification	
Titanium oxide (TiO2)	>= 3 - <= 5	CARCINOGENICITY - Category 2	
Benzenesulfonic acid, 4,4'-	>= 1 - <= 3	COMBUSTIBLE DUSTS	



## XP16550 TOP SCORE LC VICTORY ANTHRACITE

Version Number 1.1 Revision Date 12/27/2022 Page 14 of 16 Print Date 12/28/2022

oxybis-, 1,1'-dihydrazide		ACUTE TOXICITY - oral - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 2
Carbon black	>= 1 - <= 3	CARCINOGENICITY - Category 2

Not applicable.

State regulations	
Massachusetts :	None of the components are listed.
New York :	None of the components are listed.
New Jersey :	The following components are listed:
	Ethene, chloro-, homopolymer
	Titanium dioxide
	Diphenyloxide-4,4'-disulfohydrazide
	Distillates, petroleum, hydrotreated heavy paraffinic
	Carbon black
	Silica, amorphous, precipitated and gel
Pennsylvania :	The following components are listed:
	Titanium dioxide
	Carbon black

Silica, amorphous, precipitated and gel

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		



## XP16550 TOP SCORE LC VICTORY ANTHRACITE

Version Number 1.1 Revision Date 12/27/2022 Page 15 of 16 Print Date 12/28/2022

#### **Inventory** list

Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

## Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	12/28/2022
Date of issue/Date of revision	:	12/27/2022
Date of previous issue	:	06/12/2020
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)

## XP16550 TOP SCORE LC VICTORY ANTHRACITE

:

Version Number 1.1 Revision Date 12/27/2022 Page 16 of 16 Print Date 12/28/2022

References

UN = United Nations Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

